



**CenterLight Healthcare
Program of All-Inclusive Care for the Elderly (PACE)**

FORMULARY

List of Covered Drugs | January 1, 2025 - December 31, 2025

This formulary was updated on 09/01/2025. For more recent information or other questions, please contact CenterLight Healthcare PACE at 1-833-252-2737 (TTY users should call 711), 8AM -8PM, Monday to Friday, or visit www.centerlighthealthcare.org.

CenterLight Healthcare

Program of All-Inclusive Care for the Elderly (PACE)

2025 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00025206, Version 15

Note to existing participants: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us", or "our," it means CenterLight Healthcare PACE. When it refers to "plan" or "our plan," it means CenterLight Healthcare PACE.

This document includes the list of the drugs (formulary) for our plan which is current as of September 1, 2025. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

What is the CenterLight Healthcare PACE Formulary?

A formulary is a list of covered drugs selected by CenterLight Healthcare PACE in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. CenterLight Healthcare PACE will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a CenterLight Healthcare PACE network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please contact us.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the CenterLight Healthcare PACE's Formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our Formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to participants who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. we may add a generic drug that is not new to the market to replace a brand-name drug currently on the Formulary, or add new restrictions to the brand-name drug. Or we may make changes based on new clinical guidelines.

If we remove drugs from our Formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the CenterLight Healthcare PACE's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those participants taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for January 1, 2026. To get updated information about the drugs covered by CenterLight Healthcare PACE please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents." If you know what your drug is used for, look for the category name in the list that begins on I-1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

CenterLight Healthcare PACE covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** CenterLight Healthcare PACE requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from CenterLight Healthcare PACE before you fill your prescriptions. If you don't get approval, CenterLight Healthcare PACE may not cover the drug.
- **Quantity Limits:** For certain drugs, CenterLight Healthcare PACE limits the amount of the drug that CenterLight Healthcare PACE will cover. For example, CenterLight Healthcare PACE provides 180 per 30 days per prescription for Endocet oral tablet 10-325 mg. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, CenterLight Healthcare PACE requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, CenterLight Healthcare PACE may not cover Drug B unless you try Drug A first. If Drug A does not work for you, CenterLight Healthcare PACE will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page I-1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask CenterLight Healthcare PACE to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the CenterLight Healthcare PACE's formulary?" on page vi for information about how to request an exception.

What are Over the Counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. CenterLight Healthcare PACE pays for certain OTC drugs. CenterLight Healthcare PACE will provide these OTC drugs at no cost to you.

Below is a list of OTC categories covered by CenterLight Healthcare PACE. Note, however, that we may not cover all items in each category. Speak with your Interdisciplinary Team (IDT) if you have questions.

| | |
|----------------------------|------------------------------|
| Antihistamines | Salicylates |
| Decongestants | NSAIDs |
| Antitussives | Vit B |
| Laxatives | Multi vitamins |
| Antidiarrheal, probiotics | Calcium |
| Antacid | Irons |
| H-2 Antagonist | Ophthalmic (tears) |
| Digestive | Otics (Debrox) |
| Gastrointestinal- motility | Antifungals- topical |
| Vaginal anti-infective | Topical antiseptic cleansers |
| Gi Misc. Acidifiers | Antiflatuants (gas X) |

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact the Service Coordination Team and ask if your drug is covered.

If you learn that CenterLight Healthcare PACE does not cover your drug, you have two options:

- You can ask the Service Coordination Team for a list of similar drugs that are covered by CenterLight Healthcare PACE. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by CenterLight Healthcare PACE.
- You can ask CenterLight Healthcare PACE to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to CenterLight Healthcare PACE's Formulary?

You can ask CenterLight Healthcare PACE to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, CenterLight Healthcare PACE limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, CenterLight Healthcare PACE will only approve your request for an exception if the alternative drugs included on the plan's formulary, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing participant in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a participant of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (or 31 days if you reside in a long term care facility). If your prescription is written for fewer days, we'll allow refills to provide up to

a maximum 30-day supply (or 31 days if you reside in a long term care facility) of medication. After your first 30-day (or 31-day if applicable) supply, we will not pay for these drugs, even if you have been a participant of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Transition Policy

New participants in our plan may be taking drugs that aren't on our Formulary, or that are subject to certain restrictions, such as prior authorization or step therapy. Current participants may also be affected by changes in our Formulary from one year to the next. Participants should talk to their doctors to decide if they should switch to a different drug that we cover or request a Formulary exception in order for the drug to be covered. Please contact Participant Services if your drug is not on our Formulary, is subject to certain restrictions, such as prior authorization or step therapy, or will no longer be on our Formulary next year, and you need help switching to a different drug that we cover or requesting a Formulary exception.

During the period of time participants are discussing with their doctors to determine the right course of action, we may provide a temporary supply of the non-Formulary drug if those participants need a refill for the drug during the first 90 days of new membership in our Plan. If you are a current participant affected by a Formulary change from one year to the next, we provide you with the opportunity to request a Formulary exception in advance for the following year.

When a participant goes to a network pharmacy and we provide a temporary supply of a drug that isn't on our Formulary, or that has coverage restrictions or limits (but is otherwise considered a "Part D drug"), we will cover a 30-day supply (unless the prescription is written for fewer days). After we cover the temporary 30-day supply, we generally will not pay for these drugs as part of our transition policy again. We will provide you with a written notice after we cover your temporary supply. This notice will explain the steps you can take to request an exception and how to work with your doctor to decide if you should switch to an appropriate drug that we cover. If a new participant is a resident of a long-term care facility (such as a nursing home), we will cover a temporary 31-day transition supply (unless the prescription is written for fewer days).

Please note that our transition policy applies only to those drugs that are "Part D drugs" and dispensed at a network pharmacy. The transition policy doesn't apply to a non-Part D drug or a drug at an out-of-network pharmacy.

For more Information

For more detailed information about your CenterLight Healthcare PACE prescription drug coverage, please review your plan materials.

If you have questions about CenterLight Healthcare PACE, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have Medicare and have general questions about prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

CenterLight Healthcare PACE Formulary

The formulary below provides coverage information about the drugs covered by CenterLight Healthcare PACE. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., SYNTHROID) and generic drugs are listed in lower-case italics (e.g., levothyroxine).

The information in the Requirements/Limits column tells you if CenterLight Healthcare PACE has any special requirements for coverage of your drug.

Guide to Abbreviations

| Abbreviation | Description |
|--------------|-----------------------------|
| PA | Prior Authorization Applies |
| PA NSO | PA for New Starts Only |
| PA BvD | Part D vs. Part B Only |
| PA-HRM | PA for High-Risk Meds |
| QL | Quantity Limit Applies |
| ST | Step Therapy Applies |
| LA | Limited Access |
| NDS | Non-Extended Days' Supply |

| | |
|-------------------|------------------------------|
| ST NSO | ST for New Starts Only |
| CB | Capped Benefit |
| GM | Male Only |
| GF | Female Only |
| AGE (Max x Years) | Prior Authorization Age Edit |

CenterLight Healthcare PACE limits coverage of blood glucose test strips, and Continuous Glucose Monitoring (CGM) to the following Abbott Diabetes Care products at the pharmacy:

- Freestyle Insulinix Test Strips
- Freestyle Test Strips
- Freestyle Lite Test Strip
- Precision Xtra Test Strip
- Precision Xtra Beta Ketone Test Strip
- Freestyle Precision Neo Test Strip
- FreeStyle Libre products

Note that there may be limits to coverage of the products listed above, such as quantity limits. Please call us at 1-833-252-2737 (TTY 711) if you have questions.

**CENTERLIGHT HEALTHCARE PACE
LANGUAGE ASSISTANCE**

| | |
|--|---------------|
| ATTENTION: Language assistance services and other aids, free of charge, are available to you. Call 1-833-252-2737 (TTY 711). | English |
| ATENCIÓN: Dispone de servicios de asistencia lingüística y otras ayudas, gratis. Llame al 1-833-252-2737 (TTY 711). | Spanish |
| 请注意：您可以免费获得语言协助服务和其他辅助服务。请致电 1-833-252-2737 (TTY 711)。 | Chinese |
| ملاحظة: خدمات المساعدة اللغوية والمساعدات الأخرى المجانية متاحة لك. اتصل بالرقم 1-833-252-2737 (TTY 711). | Arabic |
| 주의: 언어 지원 서비스 및 기타 지원을 무료로 이용하실 수 있습니다. 1-833-252-2737 (TTY 711) 번으로 연락해 주십시오. | Korean |
| ВНИМАНИЕ! Вам доступны бесплатные услуги переводчика и другие виды помощи. Звоните по номеру 1-833-252-2737 (TTY 711). | Russian |
| ATTENZIONE: Sono disponibili servizi di assistenza linguistica e altri ausili gratuiti. Chiamare il 1-833-252-2737 (TTY 711). | Italian |
| ATTENTION : Des services d'assistance linguistique et d'autres ressources d'aide vous sont offerts gratuitement. Composez le 1-833-252-2737 (TTY 711). | French |
| ATANSYON: Gen sèvis pou bay asistans nan lang ak lòt èd ki disponib gratis pou ou. Rele 1-833-252-2737 (TTY 711). | French Creole |
| אכטונג: שפראך הילפ' סערוייסעו און אנדרען הילפ', זענען אוועילעבל פאר אײַר אומזיזט. (TTY 711) 1-833-252-2737 | Yiddish |
| UWAGA: Dostępne są bezpłatne usługi językowe oraz inne formy pomocy. Zadzwoń: 1-833-252-2737 (TTY 711). | Polish |
| ATENSYON: Available ang mga serbisyon tulong sa wika at iba pang tulong nang libre. Tumawag sa 1-833-252-2737 (TTY 711). | Tagalog |
| মনোযোগ নামুলেজ ভাষা সহায়তা পরিষেবা এবং অন্যান্য সাহায্য আপনার জন্য উপলব্ধ। 1-833-252-2737 (TTY 711)-এ ফোন করুন। | Bengali |
| VINI RE: Për ju disponohen shërbime asistencë gjuhësore dhe ndihma të tjera falas. Telefononi 1-833-252-2737 (TTY 711). | Albanian |
| ΠΡΟΣΟΧΗ: Υπηρεσίες γλωσσικής βοήθειας και άλλα βοηθήματα είναι στη διάθεσή σας, δωρεάν. Καλέστε στο 1-833-252-2737 (TTY 711). | Greek |
| توجہ فرمائیں: زبان میں معاونت کی خدمات اور دیگر معاونتیں آپ کے لیے بلا معاوضہ دستیاب ہیں۔ کال کریں 1-833-252-2737 (TTY 711) | Urdu |

Table of Contents

| | |
|---|-----|
| Analgesics..... | 3 |
| Anesthetics..... | 7 |
| Anti-Addiction/Substance Abuse Treatment Agents..... | 7 |
| Antianxiety Agents..... | 8 |
| Antibacterials..... | 10 |
| Anticancer Agents..... | 18 |
| Anticonvulsants..... | 38 |
| Antidementia Agents..... | 45 |
| Antidepressants..... | 45 |
| Antidiabetic Agents..... | 49 |
| Antifungals..... | 55 |
| Antigout Agents..... | 57 |
| Antihistamines..... | 58 |
| Anti-Infectives (Skin And Mucous Membrane)..... | 58 |
| Antimigraine Agents..... | 58 |
| Antimycobacterials..... | 60 |
| Antinausea Agents..... | 61 |
| Antiparasite Agents..... | 62 |
| Antiparkinsonian Agents..... | 63 |
| Antipsychotic Agents..... | 64 |
| Antivirals (Systemic)..... | 72 |
| Blood Products/Modifiers/Volume Expanders..... | 80 |
| Caloric Agents..... | 83 |
| Cardiovascular Agents..... | 84 |
| Central Nervous System Agents..... | 96 |
| Contraceptives..... | 100 |
| Dental And Oral Agents..... | 110 |
| Dermatological Agents..... | 111 |
| Devices..... | 115 |
| Enzyme Cofactors/Chaperones..... | 167 |
| Enzyme Replacement/Modifiers | 167 |
| Eye, Ear, Nose, Throat Agents..... | 168 |
| Gastrointestinal Agents..... | 173 |
| Genitourinary Agents..... | 176 |
| Heavy Metal Antagonists..... | 177 |
| Hormonal Agents, Stimulant/Replacement/Modifying..... | 178 |
| Immunological Agents..... | 184 |
| Inflammatory Bowel Disease Agents..... | 198 |

| | |
|---------------------------------------|-----|
| Metabolic Bone Disease Agents..... | 199 |
| Miscellaneous Therapeutic Agents..... | 200 |
| Ophthalmic Agents..... | 201 |
| Replacement Preparations..... | 203 |
| Respiratory Tract Agents..... | 205 |
| Skeletal Muscle Relaxants..... | 210 |
| Sleep Disorder Agents | 210 |
| Vasodilating Agents..... | 211 |
| Vitamins And Minerals..... | 211 |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| Analgesics | | |
| Analgesics, Miscellaneous | | |
| <i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i> | 1 | QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 1 | QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 2 | QL (360 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 2 | QL (180 per 30 days) |
| <i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 2 | QL (4 per 28 days) |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i> | 2 | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> | 2 | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> | 2 | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>endocet oral tablet 10-325 mg (oxycodone-acetaminophen)</i> | 2 | QL (180 per 30 days) |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)</i> | 2 | QL (360 per 30 days) |
| <i>endocet oral tablet 7.5-325 mg (oxycodone-acetaminophen)</i> | 2 | QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg | 5 | PA; NDS; QL (120 per 30 days) |
| fentanyl citrate buccal lozenge on a handle 200 mcg | 2 | PA; QL (120 per 30 days) |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | 2 | QL (10 per 30 days) |
| hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml | 2 | QL (2700 per 30 days) |
| hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg | 2 | QL (180 per 30 days) |
| hydrocodone-acetaminophen oral tablet 5-325 mg | 2 | QL (240 per 30 days) |
| hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid) | 2 | QL (180 per 30 days) |
| methadone oral tablet 10 mg | 2 | QL (120 per 30 days) |
| methadone oral tablet 5 mg | 2 | QL (180 per 30 days) |
| morphine concentrate oral solution 100 mg/5 ml (20 mg/ml) | 2 | PA; QL (180 per 30 days) |
| morphine oral solution 10 mg/5 ml | 2 | QL (700 per 30 days) |
| morphine oral solution 20 mg/5 ml (4 mg/ml) | 2 | QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG | 4 | QL (180 per 30 days) |
| MORPHINE ORAL TABLET 30 MG | 4 | QL (120 per 30 days) |
| morphine oral tablet extended release 100 mg, 200 mg | 2 | QL (60 per 30 days) |
| morphine oral tablet extended release 15 mg, 30 mg (MS Contin) | 2 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------|------------------|----------------------------|
| <i>morphine oral tablet extended release 60 mg</i> | (MS Contin) | 2 | QL (60 per 30 days) |
| <i>oxycodone oral capsule 5 mg</i> | | 2 | QL (180 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | | 2 | QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> | (Roxicodone) | 2 | QL (120 per 30 days) |
| <i>oxycodone oral tablet 20 mg</i> | | 2 | QL (120 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> | (Endocet) | 2 | QL (180 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> | (Endocet) | 2 | QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> | (Endocet) | 2 | QL (240 per 30 days) |
| <i>tramadol oral tablet 50 mg</i> | | 1 | QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | | 2 | QL (300 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> | (Celebrex) | 2 | QL (60 per 30 days) |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> | (Flector) | 4 | PA; QL (60 per 30 days) |
| <i>diclofenac potassium oral tablet 50 mg</i> | | 2 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | | 2 | |
| <i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i> | | 2 | |
| <i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg</i> | | 2 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i> | | 2 | QL (60 per 30 days) |
| <i>diclofenac sodium topical drops 1.5 %</i> | | 2 | QL (300 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------|------------------|---|
| <i>diclofenac sodium topical gel 1 %</i> | (Arthritis Pain (diclofenac)) | 2 | QL (1000 per 30 days) |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> | (Pennsaid) | 5 | PA; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> | (Arthrotec 50) | 2 | |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> | (Arthrotec 75) | 2 | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | | 2 | |
| <i>etodolac oral tablet 400 mg</i> | (Lodine) | 2 | |
| <i>etodolac oral tablet 500 mg</i> | | 2 | |
| <i>flurbiprofen oral tablet 100 mg</i> | | 2 | |
| <i>ibu oral tablet 400 mg</i> | (ibuprofen) | 1 | QL (240 per 30 days) |
| <i>ibu oral tablet 600 mg, 800 mg</i> | (ibuprofen) | 1 | |
| <i>ibuprofen oral tablet 400 mg</i> | (IBU) | 1 | QL (240 per 30 days) |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> | (IBU) | 1 | |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>ketorolac oral tablet 10 mg</i> | | 2 | PA-HRM; QL (20 per 30 days); AGE (Max 64 Years) |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | | 2 | |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | | 1 | |
| <i>naproxen oral tablet 500 mg</i> | (Naprosyn) | 1 | |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> | (EC-Naprosyn) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 2 | |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>dermacinrx lidocan 5% patch outer (lidocaine)</i> | 2 | PA; QL (90 per 30 days) |
| <i>glydo mucous membrane jelly in applicator 2 % (lidocaine hcl)</i> | 2 | QL (30 per 30 days) |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 % (Glydo)</i> | 2 | QL (30 per 30 days) |
| <i>lidocaine topical adhesive patch,medicated 5 % (DermacinRx Lidocan)</i> | 2 | PA; QL (90 per 30 days) |
| <i>lidocaine topical ointment 5 %</i> | 2 | PA; QL (240 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 % (lidocaine hcl)</i> | 2 | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 2 | PA; QL (30 per 30 days) |
| <i>lidocan iii topical adhesive patch,medicated 5 % (lidocaine)</i> | 2 | PA; QL (90 per 30 days) |
| <i>ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %</i> | 3 | PA; QL (90 per 30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i> | 2 | |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 2 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg (Suboxone)</i> | 2 | QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg (Suboxone)</i> | 2 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 2 | QL (90 per 30 days) |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 2 | |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 2 | |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 3 | QL (4 per 30 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 2 | |
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i> | 2 | |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)</i> | 2 | QL (4 per 30 days) |
| <i>naltrexone oral tablet 50 mg</i> | 2 | |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML | 4 | QL (240 per 180 days) |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg (Chantix)</i> | 2 | QL (336 per 365 days) |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i> | 2 | QL (336 per 365 days) |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42) (Chantix Starting Month Box)</i> | 2 | |
| Antianxiety Agents | | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i> | 1 | QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg (Xanax)</i> | 1 | QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i> | 1 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------|------------------|----------------------------|
| <i>clonazepam oral tablet 2 mg</i> | (Klonopin) | 1 | QL (300 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | | 2 | QL (90 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 2 mg</i> | | 2 | QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i> | | 2 | QL (180 per 30 days) |
| <i>diazepam injection solution 5 mg/ml</i> | | 2 | QL (10 per 28 days) |
| <i>diazepam injection syringe 5 mg/ml</i> | | 2 | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | (diazepam) | 2 | QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | | 2 | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> | (Valium) | 1 | QL (120 per 30 days) |
| <i>lorazepam 2 mg/ml oral concent</i> | (Lorazepam Intensol) | 2 | QL (150 per 30 days) |
| <i>lorazepam 4 mg/ml vial inner</i> | (Ativan) | 1 | |
| <i>lorazepam injection solution 2 mg/ml</i> | (Ativan) | 1 | QL (2 per 30 days) |
| <i>lorazepam injection solution 4 mg/ml</i> | (Ativan) | 4 | QL (2 per 30 days) |
| <i>lorazepam injection syringe 2 mg/ml</i> | | 1 | QL (2 per 30 days) |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> | (lorazepam) | 2 | QL (150 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | (Ativan) | 1 | QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | (Ativan) | 1 | QL (150 per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg</i> | (Restoril) | 1 | QL (30 per 30 days) |
| <i>temazepam oral capsule 22.5 mg</i> | (Restoril) | 2 | QL (30 per 30 days) |
| <i>temazepam oral capsule 7.5 mg</i> | (Restoril) | 2 | QL (120 per 30 days) |
| <i>triazolam oral tablet 0.125 mg</i> | | 2 | QL (120 per 30 days) |
| <i>triazolam oral tablet 0.25 mg</i> | (Halcion) | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| Antibacterials | | |
| Aminoglycosides | | |
| <i>amikacin injection solution 500 mg/2 ml</i> | 2 | |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML | 5 | PA; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i> | 2 | |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 2 | |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i> | 2 | |
| <i>neomycin oral tablet 500 mg</i> | 2 | |
| <i>streptomycin intramuscular recon soln 1 gram</i> | 5 | NDS |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG | 5 | NDS; QL (224 per 28 days) |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5 | PA BvD; NDS |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i> | 2 | |
| Antibacterials, Miscellaneous | | |
| <i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i> | 2 | |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i> | 2 | |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------------------|------------------|------------------------------|
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> | (Coly-Mycin M Parenteral) | 5 | NDS |
| <i>daptomycin intravenous recon soln 350 mg, 500 mg</i> | | 5 | NDS |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> | (Zyvox) | 2 | |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> | (Zyvox) | 5 | NDS |
| <i>linezolid oral tablet 600 mg</i> | (Zyvox) | 2 | |
| <i>methenamine hippurate oral tablet 1 gram</i> | | 2 | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> | (Metro I.V.) | 2 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | | 2 | QL (120 per 30 days) |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | (Macrobid) | 2 | QL (60 per 30 days) |
| <i>trimethoprim oral tablet 100 mg</i> | | 2 | |
| <i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i> | | 2 | |
| <i>vancomycin oral capsule 125 mg</i> | (Vancocin) | 2 | QL (56 per 14 days) |
| <i>vancomycin oral capsule 250 mg</i> | (Vancocin) | 2 | QL (112 per 14 days) |
| <i>XIFAXAN ORAL TABLET 200 MG</i> | | 3 | PA; QL (9 per 30 days) |
| <i>XIFAXAN ORAL TABLET 550 MG</i> | | 5 | PA; NDS; QL (90 per 30 days) |
| Cephalosporins | | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | | 2 | |
| <i>cefadroxil oral capsule 500 mg</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i> | 2 | |
| <i>cefdinir oral capsule 300 mg</i> | 2 | |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | 2 | |
| <i>cefixime oral capsule 400 mg</i> | 2 | |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | 2 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 2 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)</i> | 2 | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 2 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime) | 2 | |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 5 | NDS |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax) | 2 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax) | 2 | |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax) | 1 | |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 2 | |
| DIFICID ORAL TABLET 200 MG (fidaxomicin) | 5 | NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 2 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400) | 2 | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 2 | |
| Miscellaneous B-Lactam Antibiotics | | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 5 | PA; LA; NDS |
| <i>ertapenem injection recon soln 1 gram</i> | 2 | |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 2 | |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV) | 2 | |
| <i>meropenem 2 gram vial inner, suv, p/f</i> | 4 | |
| <i>meropenem intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 2 | |
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin) | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin) | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 2 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i> | 2 | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn) | 2 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 2 | |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT | 4 | |
| LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT | 4 | |
| <i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i> | 2 | |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G) | 2 | |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i> | 2 | |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 2 | |
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i> | 1 | |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 1 | |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 2 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> | 2 | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 2 | |
| <i>levofloxacin oral tablet 250 mg</i> | 1 | |
| <i>levofloxacin oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>moxifloxacin 400 mg/250 ml bag suv, p/f, inner</i> | 2 | |
| <i>moxifloxacin oral tablet 400 mg</i> | 2 | |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> | 2 | (Avelox in NaCl (iso-osmotic)) |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> | 2 | (Sulfatrim) |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> | 1 | (Bactrim) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)</i> | 1 | |
| Tetracyclines | | |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i> | 2 | |
| <i>doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)</i> | 2 | |
| <i>doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)</i> | 2 | |
| <i>doxycycline hyclate oral capsule 100 mg</i> | 2 | |
| <i>doxycycline hyclate oral capsule 50 mg (Morgidox)</i> | 2 | |
| <i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i> | 2 | |
| <i>doxycycline hyclate oral tablet 50 mg (Targadox)</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 150 mg</i> | 2 | QL (60 per 30 days) |
| <i>doxycycline monohydrate oral capsule 50 mg</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 75 mg (Mondoxyne NL)</i> | 2 | QL (60 per 30 days) |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 50 mg</i> | 2 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 2 | |
| <i>tigecycline intravenous recon soln 50 mg (Tygacil)</i> | 5 | NDS |
| Anticancer Agents | | |
| Anticancer Agents | | |
| <i>abiraterone oral tablet 250 mg (Abirtega)</i> | 5 | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg (Zytiga)</i> | 5 | PA NSO; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg (abiraterone)</i> | 2 | PA NSO; QL (120 per 30 days) |
| <i>adrucil intravenous solution 2.5 gram/50 ml (fluorouracil)</i> | 2 | PA BvD |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| ALECENSA ORAL CAPSULE 150 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23) | 5 | PA NSO; NDS |
| <i>anastrozole oral tablet 1 mg (Arimidex)</i> | 1 | |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML | 5 | PA NSO; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| AUGTYRO ORAL CAPSULE 40 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| AVMAPKI ORAL CAPSULE 0.8 MG | 5 | PA NSO; NDS; QL (24 per 28 days) |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG | 5 | PA NSO; NDS; QL (66 per 28 days) |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG | 5 | NDS |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza) | 5 | NDS |
| BALVERSA ORAL TABLET 3 MG | 5 | PA NSO; NDS; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG | 5 | PA NSO; NDS; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG | 5 | PA NSO; NDS; QL (28 per 28 days) |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 5 | PA NSO; NDS |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine) | 5 | PA NSO; NDS |
| <i>bexarotene oral capsule 75 mg</i> (Targretin) | 5 | PA NSO; NDS |
| <i>bexarotene topical gel 1 %</i> (Targretin) | 5 | PA NSO; NDS |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex) | 2 | |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML) | 5 | PA NSO; NDS; QL (75 per 28 days) |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| bortezomib injection recon soln 1 mg, 2.5 mg | 4 | PA NSO |
| bortezomib injection recon soln 3.5 mg (Velcade) | 4 | PA NSO |
| BORUZU INJECTION SOLUTION 2.5 MG/ML | 4 | PA NSO |
| BOSULIF ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| BOSULIF ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| CALQUENCE ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG (vandetanib) | 5 | PA NSO; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG (vandetanib) | 5 | PA NSO; NDS; QL (30 per 30 days) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5 | PA NSO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA NSO; NDS; QL (112 per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA NSO; NDS; QL (56 per 28 days) |
| COTELLIC ORAL TABLET 20 MG | 5 | PA NSO; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 5 | PA BvD; NDS |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i> | 5 | PA BvD; NDS |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx) | 5 | PA BvD; NDS |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 2 | PA BvD; ST |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 3 | PA BvD; ST |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML | 5 | PA NSO; NDS; QL (120 per 28 days) |
| DANZITEN ORAL TABLET 71 MG, 95 MG | 5 | PA NSO; NDS; QL (112 per 28 days) |
| <i>dasatinib oral tablet 100 mg, 140 mg, (Sprycel) 50 mg, 70 mg, 80 mg</i> | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>dasatinib oral tablet 20 mg</i> (Sprycel) | 5 | PA NSO; NDS; QL (90 per 30 days) |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG | 5 | PA NSO; NDS |
| DAURISMO ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| DAURISMO ORAL TABLET 25 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| <i>decitabine intravenous recon soln 50 mg</i> | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------|------------------|-----------------------------------|
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> | (Caelyx) | 5 | PA BvD; NDS |
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML | | 5 | PA NSO; NDS |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | | 4 | PA NSO |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | | 4 | PA NSO |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | | 4 | PA NSO |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | | 4 | PA NSO |
| ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML | | 5 | PA NSO; NDS |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML | | 5 | PA NSO; NDS; QL (9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG | | 5 | NDS |
| EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG | | 5 | PA NSO; NDS |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML | | 5 | PA NSO; NDS |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | | 5 | PA NSO; NDS |
| ERIVEDGE ORAL CAPSULE 150 MG | | 5 | PA NSO; NDS; QL (28 per 28 days) |
| ERLEADA ORAL TABLET 240 MG | | 5 | PA NSO; NDS; QL (30 per 30 days) |
| ERLEADA ORAL TABLET 60 MG | | 5 | PA NSO; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>erlotinib oral tablet 100 mg, 25 mg</i> | 5 | PA NSO; NDS; QL (60 per 30 days) |
| <i>erlotinib oral tablet 150 mg</i> | 5 | PA NSO; NDS; QL (90 per 30 days) |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 4 | |
| <i>etoposide intravenous solution 20 mg/ml</i> | 2 | |
| EULEXIN ORAL CAPSULE 125 MG (flutamide) | 5 | NDS |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz) | 5 | PA NSO; NDS; QL (56 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz) | 5 | PA NSO; NDS; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5 | PA NSO; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 2 | |
| FAKZYNJA ORAL TABLET 200 MG | 5 | PA NSO; NDS; QL (42 per 28 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA BvD; NDS |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 3 | PA BvD |
| <i>flouxuridine injection recon soln 0.5 gram</i> | 2 | PA BvD |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> | 2 | PA BvD |
| <i>flutamide oral capsule 125 mg</i> (Eulexin) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 5 | PA NSO; NDS; QL (21 per 28 days) |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA NSO; NDS; QL (84 per 28 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA NSO; NDS; QL (21 per 28 days) |
| <i>fulvestrant intramuscular syringe 250 (Faslodex) mg/5 ml</i> | 5 | NDS |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 5 | PA NSO; NDS |
| GAVRETO ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg (Iressa)</i> | 5 | PA NSO; NDS; QL (60 per 30 days) |
| GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| GLEOSTINE ORAL CAPSULE 10 MG | 4 | |
| GLEOSTINE ORAL CAPSULE 100 MG, 40 MG | 5 | NDS |
| GOMEKLI ORAL CAPSULE 1 MG | 5 | PA NSO; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG | 5 | PA NSO; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG | 5 | PA NSO; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5 | PA NSO; NDS; QL (5 per 21 days) |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NDS |
| <i>hydroxyurea oral capsule 500 mg (Hydrea)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA NSO; NDS; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA NSO; NDS; QL (21 per 28 days) |
| IBTROZI ORAL CAPSULE 200 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>ifosfamide intravenous recon soln 1 gram</i> | 2 | |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2 | |
| <i>imatinib oral tablet 100 mg</i> (Gleevec) | 2 | PA NSO; QL (180 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> (Gleevec) | 2 | PA NSO; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA NSO; NDS; QL (28 per 28 days) |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 5 | PA NSO; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 5 | PA NSO; NDS; QL (28 per 28 days) |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG | 5 | PA NSO; NDS |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NDS |
| IMKELDI ORAL SOLUTION 80 MG/ML | 5 | PA NSO; NDS; QL (280 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| INLYTA ORAL TABLET 1 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | 5 | PA NSO; NDS; QL (5 per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| ITOVEBI ORAL TABLET 3 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| ITOVEBI ORAL TABLET 9 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| IWILFIN ORAL TABLET 192 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NDS |
| JYLAMVO ORAL SOLUTION 2 MG/ML | 4 | PA BvD; ST |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML | 5 | PA NSO; NDS; QL (2 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA NSO; NDS; QL (49 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA NSO; NDS; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA NSO; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NDS; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA NSO; NDS; QL (42 per 28 days) |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA NSO; NDS; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA NSO; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 5 | PA NSO; NDS |
| LAZCLUZE ORAL TABLET 240 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| LAZCLUZE ORAL TABLET 80 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | 5 | PA NSO; NDS; QL (28 per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5 | PA NSO; NDS |
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| LEUKERAN ORAL TABLET 2 MG | 5 | NDS |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month)) | 4 | PA NSO |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 2 | PA NSO |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA NSO; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA NSO; NDS; QL (80 per 28 days) |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML) | 5 | PA NSO; NDS |
| LORBRENA ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML | 5 | PA NSO; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5 | PA NSO; NDS |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | PA NSO; NDS |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | PA NSO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG | 5 | PA NSO; NDS |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML | 5 | PA NSO; NDS; QL (15 per 8 days) |
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NDS; QL (40 per 28 days) |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG | 5 | NDS |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5 | PA NSO; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| MATULANE ORAL CAPSULE 50 MG | 5 | NDS |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 2 | PA NSO-HRM; AGE (Max 64 Years) |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML | 5 | PA NSO; NDS; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>mercaptopurine oral suspension 20 (Purixan) mg/ml</i> | 5 | NDS |
| <i>mercaptopurine oral tablet 50 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 2 | |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 2 | PA BvD; ST |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i> | 2 | |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| NERLYNX ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg (Nilandron)</i> | 5 | NDS |
| <i>NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG</i> | 5 | PA NSO; NDS; QL (3 per 28 days) |
| NUBEQA ORAL TABLET 300 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA NSO; LA; NDS |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NDS |
| OGSIVEO ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| OGSIVEO ORAL TABLET 50 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML | 5 | PA NSO; NDS; QL (96 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits | |
|---|------------------|----------------------------------|-----------------------------------|
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5 | PA NSO; NDS; QL (24 per 28 days) | |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | 5 | PA NSO; NDS; QL (30 per 30 days) | |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NDS | |
| ONUREG ORAL TABLET 200 MG, 300 MG | 5 | PA NSO; NDS; QL (14 per 28 days) | |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML | 5 | PA NSO; NDS | |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5 | PA NSO; NDS | |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML | 5 | PA NSO; NDS | |
| ORSERDU ORAL TABLET 345 MG | 5 | PA NSO; NDS; QL (30 per 30 days) | |
| ORSERDU ORAL TABLET 86 MG | 5 | PA NSO; NDS; QL (90 per 30 days) | |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> | (Abraxane) | 5 | PA BvD; NDS |
| <i>pazopanib oral tablet 200 mg</i> | (Votrient) | 5 | PA NSO; NDS; QL (120 per 30 days) |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA NSO; NDS; QL (30 per 30 days) | |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i> | | 5 | NDS |
| <i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> | (Alimta) | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i> | 5 | NDS |
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML | 5 | NDS |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NDS; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA NSO; NDS; QL (56 per 28 days) |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NDS; QL (21 per 28 days) |
| QINLOCK ORAL TABLET 50 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| RETEVMO ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL TABLET 80 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 110 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| REVUFORJ ORAL TABLET 25 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|------------------|-----------------------------------|-----------------------------------|
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5 | PA NSO; NDS | |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG | 5 | PA NSO; NDS; QL (8 per 28 days) | |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (180 per 30 days) | |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA NSO; NDS; QL (90 per 30 days) | |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG | 5 | PA NSO; NDS; QL (360 per 30 days) | |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA NSO; NDS; QL (120 per 30 days) | |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NDS | |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NDS | |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA NSO; NDS; QL (224 per 28 days) | |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG | 5 | PA NSO; NDS | |
| SCEMBLIX ORAL TABLET 100 MG | 5 | PA NSO; NDS; QL (120 per 30 days) | |
| SCEMBLIX ORAL TABLET 20 MG | 5 | PA NSO; NDS; QL (60 per 30 days) | |
| SCEMBLIX ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (300 per 30 days) | |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 5 | NDS | |
| <i>sorafenib oral tablet 200 mg</i> | (Nexavar) | 5 | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| STIVARGA ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (84 per 28 days) |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5 | PA NSO; NDS; QL (28 per 28 days) |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 5 | PA NSO; NDS |
| TABLOID ORAL TABLET 40 MG (thioguanine) | 4 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA NSO; NDS; QL (112 per 28 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG | 5 | PA NSO; NDS; QL (900 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | 5 | PA NSO; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML | 5 | PA NSO; NDS |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 2 | |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl) | 5 | PA NSO; NDS; QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl) | 5 | PA NSO; NDS; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML | 5 | PA NSO; NDS |
| TEPMETKO ORAL TABLET 225 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| TIBSOVO ORAL TABLET 250 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG | 4 | |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG | 5 | PA NSO; NDS; QL (5 per 21 days) |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide) | 2 | |
| <i>toremifene oral tablet 60 mg</i> (Fareston) | 5 | NDS |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic)) | 5 | PA NSO; NDS; QL (60 per 30 days) |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic)) | 5 | PA NSO; NDS; QL (30 per 30 days) |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 4 | PA NSO |
| <i>tretinooin (antineoplastic) oral capsule 10 mg</i> | 5 | NDS |
| TRUQAP ORAL TABLET 160 MG, 200 MG | 5 | PA NSO; NDS; QL (64 per 28 days) |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 5 | PA NSO; NDS; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG, 200 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | 5 | PA NSO; NDS |
| VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| VENCLEXTA ORAL TABLET 10 MG | 3 | PA NSO; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA NSO; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA NSO; LA; NDS; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG | 5 | PA NSO; LA; NDS |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NDS; QL (56 per 28 days) |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> | 2 | |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA NSO; NDS; QL (300 per 30 days) |
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine) | 5 | PA NSO; NDS |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| VONJO ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| VORANIGO ORAL TABLET 10 MG, 40 MG | 5 | PA NSO; NDS |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG | 5 | PA NSO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| WELIREG ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| XALKORI ORAL PELLET 150 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| XALKORI ORAL PELLET 20 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| XALKORI ORAL PELLET 50 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA BvD; ST |
| XOSPATA ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5 | PA NSO; NDS; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4) | 5 | PA NSO; NDS; QL (16 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) | 5 | PA NSO; NDS; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA NSO; NDS; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA NSO; NDS; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5 | PA NSO; NDS |
| YONSA ORAL TABLET 125 MG | 5 | PA NSO; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG | 5 | PA NSO; NDS; QL (90 per 30 days) |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 5 | PA NSO; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG | 5 | PA NSO; NDS |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NDS |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 4 | PA NSO |
| ZOLINZA ORAL CAPSULE 100 MG | 5 | NDS |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | 5 | PA NSO; NDS; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG | 5 | PA NSO; NDS |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML | 5 | PA NSO; NDS; QL (20 per 28 days) |
| Anticonvulsants | | |
| Anticonvulsants | | |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | 3 | QL (80 per 30 days) |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 3 | QL (600 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 3 | QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i> | 2 | |
| <i>carbamazepine oral suspension 100</i> (Tegretol) <i>mg/5 ml</i> | 2 | |
| <i>carbamazepine oral tablet 200 mg</i> (Epitol) | 2 | |
| <i>carbamazepine oral tablet extended</i> (Tegretol XR) <i>release 12 hr 100 mg, 200 mg, 400</i> <i>mg</i> | 2 | |
| <i>carbamazepine oral tablet, chewable</i> <i>100 mg, 200 mg</i> | 2 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi) | 2 | QL (480 per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi) | 2 | QL (60 per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | 5 | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 5 | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20</i> <i>mg, 2.5 mg, 5-7.5-10 mg</i> | 4 | |
| <i>divalproex oral capsule, delayed rel</i> (Depakote Sprinkles) <i>sprinkle 125 mg</i> | 2 | |
| <i>divalproex oral tablet extended</i> (Depakote ER) <i>release 24 hr 250 mg, 500 mg</i> | 2 | |
| <i>divalproex oral tablet,delayed</i> (Depakote) <i>release (dr/ec) 125 mg, 250 mg, 500</i> <i>mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG | 5 | ST; NDS; QL (90 per 30 days) |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG | 5 | ST; NDS; QL (60 per 30 days) |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 5 | PA NSO; NDS |
| <i>epitol oral tablet 200 mg</i> (carbamazepine) | 2 | |
| EPRONTIA ORAL SOLUTION 25 MG/ML (topiramate) | 4 | ST |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom) | 5 | ST; NDS; QL (30 per 30 days) |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom) | 5 | ST; NDS; QL (60 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin) | 2 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin) | 2 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 2 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol) | 2 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 5 | PA NSO; NDS |
| <i>fosphénytoïn injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx) | 2 | |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 5 | ST; NDS; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG (perampanel) | 5 | ST; NDS; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG (perampanel) | 4 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG (perampanel) | 5 | ST; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin) | 2 | QL (360 per 30 days) |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin) | 2 | QL (270 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin) | 2 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin) | 2 | QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin) | 2 | QL (120 per 30 days) |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat) | 2 | QL (200 per 5 days) |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat) | 2 | QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat) | 2 | QL (60 per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite) | 1 | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 2 | |
| <i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2 | |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra) | 2 | |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 2 | |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam) | 2 | ST |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG | 4 | QL (10 per 30 days) |
| <i>methylsuximide oral capsule 300 mg</i> (Celontin) | 2 | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 4 | QL (10 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------|------------------|--------------------------------|
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> | (Trileptal) | 2 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | (Trileptal) | 2 | |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> | (Fycompa) | 5 | ST; NDS; QL (30 per 30 days) |
| <i>perampanel oral tablet 2 mg</i> | (Fycompa) | 2 | ST; QL (30 per 30 days) |
| <i>perampanel oral tablet 4 mg, 6 mg</i> | (Fycompa) | 5 | ST; NDS; QL (60 per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | | 2 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | | 2 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>PHENYTEK ORAL CAPSULE 200 MG, 300 MG</i> | (phenytoin sodium extended) | 4 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | (Dilantin-125) | 2 | |
| <i>phenytoin oral tablet, chewable 50 mg</i> | (Dilantin Infatabs) | 2 | |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | (Dilantin Extended) | 2 | |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> | (Phenytek) | 2 | |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | | 2 | |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i> | | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> | (Lyrica) | 2 | QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | (Lyrica) | 2 | QL (60 per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> | (Lyrica) | 2 | QL (900 per 30 days) |
| <i>primidone oral tablet 125 mg</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline) | 2 | |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel) | 5 | ST; NDS |
| <i>rufinamide oral tablet 200 mg</i> (Banzel) | 2 | ST |
| <i>rufinamide oral tablet 400 mg</i> (Banzel) | 5 | ST; NDS |
| SEZABY INTRAVENOUS RECON SOLN 100 MG | 5 | PA BvD; NDS |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG | 4 | ST |
| SPRITAM ORAL TABLET FOR (levetiracetam) SUSPENSION 250 MG | 4 | ST |
| <i>subvenite oral tablet 100 mg, 150 mg,</i> (lamotrigine) <i>200 mg, 25 mg</i> | 1 | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | 5 | PA NSO; NDS; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2</i> <i>mg, 4 mg</i> | 2 | |
| <i>topiramate oral capsule, sprinkle 15</i> (Topamax) <i>mg, 25 mg</i> | 2 | |
| <i>topiramate oral capsule, sprinkle 50</i> <i>mg</i> | 2 | |
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia) | 2 | ST |
| <i>topiramate oral tablet 100 mg, 200</i> (Topamax) <i>mg, 25 mg, 50 mg</i> | 1 | |
| <i>valproate sodium intravenous</i> <i>solution 500 mg/5 ml (100 mg/ml)</i> | 2 | |
| <i>valproic acid (as sodium salt) oral</i> <i>solution 250 mg/5 ml</i> | 2 | |
| <i>valproic acid oral capsule 250 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5 | NDS; QL (10 per 30 days) |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadron) | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadron) | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigadron oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigadron oral tablet 500 mg</i> (vigabatrin) | 5 | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 3 | QL (56 per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG | 3 | QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 3 | QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 3 | |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | 4 | |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 2 | |
| <i>zonisamide oral capsule 50 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| ZTALMY ORAL SUSPENSION 50 MG/ML | 5 | PA NSO; NDS; QL (1080 per 30 days) |
| Antidementia Agents | | |
| Antidementia Agents | | |
| <i>donepezil oral tablet 10 mg, 5 mg (Aricept)</i> | 1 | QL (30 per 30 days) |
| <i>donepezil oral tablet 23 mg (Aricept)</i> | 2 | QL (30 per 30 days) |
| <i>donepezil oral tablet,disintegrating 10 mg</i> | 2 | |
| <i>donepezil oral tablet,disintegrating 5 mg</i> | 2 | QL (30 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | 2 | |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | 2 | QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 2 | QL (200 per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 2 | QL (60 per 30 days) |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i> | 2 | ST; QL (30 per 30 days) |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> | 2 | ST; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 2 | QL (300 per 30 days) |
| <i>memantine oral tablet 10 mg, 5 mg</i> | 2 | QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 2 | |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> | 2 | QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 2 | |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | 5 | ST; NDS |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 2 | |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> | 2 | |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> | 2 | |
| <i>citalopram oral solution 10 mg/5 ml</i> | 2 | |
| <i>citalopram oral tablet 10 mg</i> (Celexa) | 1 | QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa) | 1 | QL (30 per 30 days) |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil) | 2 | |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin) | 2 | |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 2 | |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 2 | QL (30 per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>doxepin oral concentrate 10 mg/ml</i> | 2 | |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | ST; QL (60 per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | ST; QL (30 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 5 | ST; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 2 | |
| <i>escitalopram oxalate oral tablet 10 (Lexapro) mg, 20 mg, 5 mg</i> | 1 | |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 4 | ST |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 4 | ST; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 mg (Prozac)</i> | 1 | |
| <i>fluoxetine oral capsule 40 mg</i> | 1 | |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 2 | |
| MARPLAN ORAL TABLET 10 MG | 4 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i> | 2 | |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i> | 2 | |
| <i>mirtazapine oral tablet,disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg</i> | 2 | |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 2 | |
| <i>nortriptyline oral capsule 10 mg, 25 (Pamelor) mg, 50 mg, 75 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>nortriptyline oral solution 10 mg/5 ml</i> | 2 | |
| <i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i> | 2 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i> | 1 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i> | 2 | |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 2 | |
| <i>phenelzine oral tablet 15 mg (Nardil)</i> | 2 | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>RALDESY ORAL SOLUTION 10 MG/ML</i> | 4 | PA NSO; QL (1200 per 30 days) |
| <i>sertraline oral concentrate 20 mg/ml (Zoloft)</i> | 2 | |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i> | 1 | |
| <i>SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i> | 5 | PA NSO; NDS |
| <i>tranylcypromine oral tablet 10 mg (Parnate)</i> | 2 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</i> | 3 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> | 2 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> | 2 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 2 | |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i> | 2 | QL (30 per 30 days) |
| <i>ZURZUVAE ORAL CAPSULE 20 MG, 25 MG</i> | 5 | PA NSO; NDS; QL (28 per 14 days) |
| <i>ZURZUVAE ORAL CAPSULE 30 MG</i> | 5 | PA NSO; NDS; QL (14 per 14 days) |

Antidiabetic Agents

Antidiabetic Agents, Miscellaneous

| | | |
|---|---|---------------------|
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i> | 2 | |
| <i>FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)</i> | 3 | QL (30 per 30 days) |
| <i>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</i> | 3 | QL (30 per 30 days) |
| <i>JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG</i> | 3 | QL (60 per 30 days) |
| <i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG</i> | 3 | QL (30 per 30 days) |
| <i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG</i> | 3 | QL (60 per 30 days) |
| <i>JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG</i> | 3 | QL (30 per 30 days) |
| <i>JARDIANCE ORAL TABLET 10 MG, 25 MG</i> | 3 | QL (30 per 30 days) |
| <i>JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG</i> | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | QL (30 per 30 days) |
| <i>metformin oral solution 500 mg/5 ml (Riomet)</i> | 2 | QL (765 per 30 days) |
| <i>metformin oral tablet 1,000 mg</i> | 1 | QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 1 | QL (150 per 30 days) |
| <i>metformin oral tablet 750 mg</i> | 1 | QL (60 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 1 | QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 1 | QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 1 | QL (60 per 30 days) |
| <i>mifepristone oral tablet 300 mg (Korlym)</i> | 5 | PA; NDS; QL (112 per 28 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 2 | QL (90 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | PA; QL (3 per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i> | 1 | QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i> | 2 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET) | 2 | QL (90 per 30 days) |
| repaglinide oral tablet 0.5 mg, 1 mg | 2 | QL (120 per 30 days) |
| repaglinide oral tablet 2 mg | 2 | QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG | 3 | PA; QL (30 per 30 days) |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 3 | QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin) | 3 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|-----------------------------------|--|--|
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) | |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | (dapaglifloz propaned- metformin) | 3 | QL (60 per 30 days) |
| Insulins | | | |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | max \$35 copay per month supply; QL (30 per 28 days) | |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 3 | max \$35 copay per month supply; QL (30 per 28 days) | |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | max \$35 copay per month supply; QL (40 per 28 days) | |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 3 | max \$35 copay per month supply; QL (40 per 28 days) | |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 3 | max \$35 copay per month supply; QL (24 per 28 days) | |
| <i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> | (Novolog Mix 70-30FlexPen U-100) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> | (Novolog Mix 70-30 U-100 Insulin) | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| <i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> | (Novolog PenFill U-100 Insulin) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|--|
| <i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> | (Novolog FlexPen U-100 Insulin) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> | (Novolog U-100 Insulin aspart) | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| <i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i> | (Semglee(insulin glargine-yfgn)Pen) | 3 | max \$35 copay per month supply |
| <i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i> | (Semglee(insulin glargine-yfgn)) | 3 | max \$35 copay per month supply |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine) | 3 | max \$35 copay per month supply |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin glargine) | 3 | max \$35 copay per month supply |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | | 3 | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | | 3 | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | | 3 | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | | 3 | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | | 3 | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------|------------------|--|
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML | | 3 | max \$35 copay per month supply; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin glargine-yfgn) | 3 | max \$35 copay per month supply |
| SEMGLEE(INSULIN GLARG-YFGN) PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine-yfgn) | 3 | max \$35 copay per month supply |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | | 3 | max \$35 copay per month supply; QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | (insulin glargine u-300 conc) | 3 | max \$35 copay per month supply |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | (insulin glargine u-300 conc) | 3 | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin degludec) | 3 | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | (insulin degludec) | 3 | max \$35 copay per month supply |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin degludec) | 3 | max \$35 copay per month supply |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | | 3 | max \$35 copay per month supply; QL (15 per 28 days) |
| Sulfonylureas | | | |
| <i>glimepiride oral tablet 1 mg, 2 mg</i> | | 1 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>glimepiride oral tablet 4 mg</i> | 1 | QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 1 | QL (120 per 30 days) |
| <i>glipizide oral tablet 2.5 mg</i> | 1 | QL (60 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 1 | QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | 1 | QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> | 1 | QL (30 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5- 250 mg</i> | 2 | QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i> | 2 | QL (120 per 30 days) |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet 1.25- 250 mg, 2.5-500 mg, 5-500 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| Antifungals | | |
| Antifungals | | |
| <i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i> | 4 | PA BvD |
| <i>amphotericin b injection recon soln 50 mg</i> | 2 | PA BvD |
| <i>amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg</i> | 5 | PA BvD; NDS |
| <i>ciclopirox topical cream 0.77 % (Ciclodan)</i> | 2 | QL (180 per 30 days) |
| <i>ciclopirox topical solution 8 % (Ciclodan)</i> | 2 | QL (19.8 per 30 days) |
| <i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i> | 2 | QL (180 per 30 days) |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------------|------------------|----------------------------|
| <i>clotrimazole topical cream 1 %</i> | (Antifungal (clotrimazole)) | 2 | |
| <i>clotrimazole topical solution 1 %</i> | (Athlete's Foot (clotrimazole)) | 2 | |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | | 2 | QL (90 per 30 days) |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG | | 5 | PA; NDS |
| <i>econazole nitrate topical cream 1 %</i> | | 2 | QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | | 2 | |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i> | | 2 | |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> | (Diflucan) | 2 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | | 2 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | (Ancobon) | 5 | NDS |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | | 2 | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | | 2 | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i> | | 2 | |
| <i>itraconazole oral capsule 100 mg</i> | (Sporanox) | 2 | |
| <i>ketoconazole oral tablet 200 mg</i> | | 2 | |
| <i>ketoconazole topical cream 2 %</i> | | 2 | QL (180 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i> | | 2 | QL (360 per 30 days) |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i> | (Mycamine) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------|------------------|----------------------------|
| <i>miconazole-3 vaginal suppository 200 mg</i> | | 2 | |
| <i>nyamyc topical powder 100,000 unit/gram</i> | (nystatin) | 2 | QL (60 per 30 days) |
| <i>nystatin oral suspension 100,000 unit/ml</i> | | 2 | |
| <i>nystatin oral tablet 500,000 unit</i> | | 2 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | | 2 | QL (60 per 30 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | | 2 | QL (60 per 30 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> | (Nyamyc) | 2 | QL (60 per 30 days) |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | | 2 | |
| <i>nystop topical powder 100,000 unit/gram</i> | (nystatin) | 2 | QL (60 per 30 days) |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> | (Noxafil) | 5 | PA; NDS |
| <i>terbinafine hcl oral tablet 250 mg</i> | | 1 | |
| <i>voriconazole intravenous recon soln 200 mg</i> | (Vfend IV) | 5 | PA BvD; NDS |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> | (Vfend) | 5 | PA; NDS |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | | 2 | |
| Antigout Agents | | | |
| Antigout Agents, Other | | | |
| <i>allopurinol oral tablet 100 mg</i> | (Zyloprim) | 1 | |
| <i>allopurinol oral tablet 300 mg</i> | | 1 | |
| <i>colchicine oral capsule 0.6 mg</i> | (Mitigare) | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------|------------------|----------------------------|
| <i>colchicine oral tablet 0.6 mg</i> | (Colcrys) | 2 | QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | (Uloric) | 2 | ST; QL (30 per 30 days) |
| <i>probenecid oral tablet 500 mg</i> | | 2 | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | | 2 | |
| Antihistamines | | | |
| Antihistamines | | | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | | 2 | |
| <i>levocetirizine oral tablet 5 mg</i> | (24HR Allergy Relief) | 1 | |
| Anti-Infectives (Skin And Mucous Membrane) | | | |
| Anti-Infectives (Skin And Mucous Membrane) | | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> | (Cleocin) | 2 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | (Vandazole) | 2 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | | 2 | |
| <i>terconazole vaginal suppository 80 mg</i> | | 2 | |
| Antimigraine Agents | | | |
| Antimigraine Agents | | | |
| <i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i> | | 3 | PA; QL (1 per 30 days) |
| <i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i> | | 3 | PA; QL (1.5 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal) | 5 | ST; NDS; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| naratriptan oral tablet 1 mg, 2.5 mg | 2 | QL (9 per 30 days) |
| NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG | 3 | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | 3 | PA; QL (30 per 30 days) |
| rizatriptan oral tablet 10 mg (Maxalt) | 2 | QL (18 per 30 days) |
| rizatriptan oral tablet 5 mg | 2 | QL (18 per 30 days) |
| rizatriptan oral tablet,disintegrating 10 mg (Maxalt-MLT) | 2 | QL (18 per 30 days) |
| rizatriptan oral tablet,disintegrating 5 mg | 2 | QL (18 per 30 days) |
| sumatriptan 4 mg/0.5 ml inject outer, suv (Imitrex STATdose Pen) | 2 | QL (4 per 28 days) |
| sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation | 2 | QL (12 per 30 days) |
| sumatriptan succinate oral tablet 100 mg (Imitrex) | 2 | QL (9 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex) | 2 | QL (18 per 30 days) |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill) | 2 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 2 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> | 2 | QL (5 per 28 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 3 | PA; QL (16 per 30 days) |
| Antimycobacterials | | |
| Antimycobacterials | | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 2 | |
| <i>ethambutol oral tablet 100 mg, 400 mg</i> | 2 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| PRIFTIN ORAL TABLET 150 MG | 4 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 2 | |
| <i>rifabutin oral capsule 150 mg</i> | 2 | |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin) | 2 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 2 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | PA; NDS |
| TRECATOR ORAL TABLET 250 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Antinausea Agents | | |
| Antinausea Agents | | |
| <i>aprepitant oral capsule 125 mg</i> | 2 | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i> | 2 | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend) | 2 | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 2 | PA BvD |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine) | 2 | |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 2 | PA; QL (60 per 30 days) |
| <i>meclizine oral tablet 12.5 mg</i> | 1 | |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine)) | 1 | |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | PA BvD |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 2 | PA BvD |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine) | 2 | |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro) | 2 | |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan) | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine rectal suppository 25 mg</i> (Promethegan) | 2 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine) | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 2 | PA-HRM; QL (10 per 30 days); AGE (Max 64 Years) |
| Antiparasite Agents | | |
| Antiparasite Agents | | |
| <i>albendazole oral tablet 200 mg</i> | 5 | NDS |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron) | 2 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone) | 2 | |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) | 2 | |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 2 | |
| COARTEM ORAL TABLET 20-120 MG | 4 | |
| <i>hydroxychloroquine oral tablet 100 mg</i> | 2 | QL (180 per 30 days) |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil) | 2 | QL (90 per 30 days) |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna) | 2 | QL (60 per 30 days) |
| <i>hydroxychloroquine oral tablet 400 mg</i> | 2 | QL (60 per 30 days) |
| IMPAVIDO ORAL CAPSULE 50 MG | 5 | PA; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol) | 2 | |
| <i>ivermectin oral tablet 6 mg</i> | 2 | |
| <i>mefloquine oral tablet 250 mg</i> | 2 | |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia) | 5 | NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------|------------------|----------------------------|
| <i>paromomycin oral capsule 250 mg</i> | (Humatin) | 2 | |
| <i>pentamidine inhalation recon soln 300 mg</i> | (Nebupent) | 2 | PA BvD |
| <i>pentamidine injection recon soln 300 mg</i> | (Pentam) | 2 | |
| <i>praziquantel oral tablet 600 mg</i> | (Biltricide) | 2 | |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE) | | 4 | |
| <i>pyrimethamine oral tablet 25 mg</i> | (Daraprim) | 5 | PA; NDS |
| <i>quinine sulfate oral capsule 324 mg</i> | (Qualaquin) | 2 | PA |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | | 2 | |
| Antiparkinsonian Agents | | | |
| Antiparkinsonian Agents | | | |
| <i>amantadine hcl oral capsule 100 mg</i> | | 2 | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | | 2 | |
| <i>amantadine hcl oral tablet 100 mg</i> | | 2 | |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | | 2 | |
| <i>bromocriptine oral tablet 2.5 mg</i> | | 2 | |
| <i>cabergoline oral tablet 0.5 mg</i> | | 2 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> | (Sinemet) | 2 | |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> | (Dhivy) | 2 | |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i> | | 2 | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2 | |
| <i>entacapone oral tablet 200 mg</i> | 2 | |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG | 5 | PA; NDS |
| ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML | 5 | PA; NDS; QL (600 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 2 | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i> | 2 | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 2 | |
| <i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i> | 2 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 2 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 2 | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 2 | |
| VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML | 5 | PA; NDS; QL (560 per 28 days) |
| Antipsychotic Agents | | |
| Antipsychotic Agents | | |
| ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML | 5 | NDS; QL (2.4 per 42 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML | 5 | NDS; QL (3.2 per 42 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | 5 | NDS; QL (2 per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | 5 | NDS; QL (2 per 28 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 2 | |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify) | 2 | |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i> | 2 | ST; QL (90 per 30 days) |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i> | 2 | ST; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML | 5 | NDS; QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 5 | NDS; QL (3.9 per 14 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 5 | NDS; QL (1.6 per 14 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 5 | NDS; QL (2.4 per 14 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRINGE 882 MG/3.2 ML | 5 | NDS; QL (3.2 per 14 days) |
| <i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg | 2 | QL (60 per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 5 | ST; NDS; QL (30 per 30 days) |
| <i>chlorpromazine injection solution</i> 25 mg/ml | 2 | |
| <i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml | 2 | |
| <i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg | 2 | |
| <i>clozapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Clozaril) | 2 | |
| <i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg | 2 | ST; QL (90 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> 150 mg | 2 | ST; QL (180 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> 200 mg | 2 | ST; QL (120 per 30 days) |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG | 5 | ST; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG | 5 | ST; NDS |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | NDS; QL (0.75 per 21 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | NDS; QL (1 per 21 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | NDS; QL (1.5 per 21 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML | 5 | NDS; QL (2.25 per 21 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 5 | NDS; QL (0.25 per 21 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | NDS; QL (0.5 per 21 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 5 | ST; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2) | 4 | ST |
| FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4 | ST |
| FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2) | 4 | ST |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 2 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 2 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 2 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 2 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (Haldol Decanoate)</i> | 2 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 2 | |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i> | 2 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 2 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | NDS; QL (3.5 per 166 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | NDS; QL (5 per 166 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | NDS; QL (0.75 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | NDS; QL (1 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | NDS; QL (1.5 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | QL (0.25 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | NDS; QL (0.5 per 21 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | NDS; QL (0.88 per 70 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | NDS; QL (1.32 per 70 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | NDS; QL (1.75 per 70 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | NDS; QL (2.63 per 70 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda) | 2 | QL (30 per 30 days) |
| <i>lurasidone oral tablet 80 mg</i> (Latuda) | 2 | QL (60 per 30 days) |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i> | 2 | QL (240 per 30 days) |
| <i>molindone oral tablet 25 mg</i> | 2 | QL (270 per 30 days) |
| <i>molindone oral tablet 5 mg</i> | 5 | NDS; QL (120 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA NSO; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> | 2 | QL (30 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i> | 2 | |
| <i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa) | 2 | |
| <i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------|------------------|----------------------------|
| OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG | | 5 | ST; NDS |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i> | | 2 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> | (Invega) | 2 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | (Invega) | 2 | QL (60 per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | | 2 | |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG | | 5 | NDS; QL (1 per 30 days) |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | | 2 | |
| <i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i> | | 2 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> | (Seroquel) | 2 | |
| <i>quetiapine oral tablet 150 mg</i> | | 2 | QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> | (Seroquel XR) | 2 | |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | | 5 | NDS; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> | (Risperdal Consta) | 2 | QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i> | (Rykindo) | 2 | QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | (Rykindo) | 5 | NDS; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------|------------------|------------------------------|
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal) | | 2 | |
| <i>risperidone oral tablet 0.25 mg</i> | | 2 | |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal) | | 2 | |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | | 2 | |
| RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML | (risperidone microspheres) | 5 | NDS; QL (2 per 28 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | | 5 | ST; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | | 2 | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | | 2 | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | | 2 | |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML | | 5 | NDS; QL (0.28 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML | | 5 | NDS; QL (0.35 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML | | 5 | NDS; QL (0.42 per 56 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML | | 5 | NDS; QL (0.56 per 56 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML | 5 | NDS; QL (0.7 per 56 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML | 5 | NDS; QL (0.14 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML | 5 | NDS; QL (0.21 per 28 days) |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 5 | ST; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | ST; NDS; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6) | 4 | ST |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon) | 2 | |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 2 | QL (6 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 5 | NDS; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 5 | NDS; QL (1 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen) | 2 | |
| <i>abacavir oral tablet 300 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | 2 | |
| APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) | 5 | NDS; QL (24 per 365 days) |
| APTIVUS ORAL CAPSULE 250 MG | 5 | NDS |
| <i>atazanavir oral capsule 150 mg</i> | 2 | |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz) | 2 | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 5 | NDS; QL (30 per 30 days) |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5 | NDS |
| <i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i> | 5 | NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude) | 5 | NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG | 5 | NDS |
| <i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista) | 5 | NDS |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | NDS |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 5 | NDS |
| <i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DOVATO ORAL TABLET 50-300 MG | 5 | NDS |
| EDURANT ORAL TABLET 25 MG | 5 | NDS |
| EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG | 5 | NDS |
| <i>efavirenz oral capsule 200 mg, 50 mg</i> | 2 | |
| <i>efavirenz oral tablet 600 mg</i> | 2 | |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> | 5 | NDS |
| <i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> | 5 | NDS |
| <i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi) | 5 | NDS |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 2 | |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada) | 5 | NDS |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada) | 2 | |
| <i>emtricitabine-rilpivirine-tenofovir oral tablet 200-25-300 mg</i> (Complera) | 5 | NDS |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 4 | |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML) | 4 | |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence) | 5 | NDS |
| EVOTAZ ORAL TABLET 300-150 MG | 5 | NDS |
| <i>fosamprenavir oral tablet 700 mg</i> | 5 | NDS |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 5 | NDS |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INTELENCE ORAL TABLET 25 MG | 4 | |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | NDS |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 5 | NDS |
| ISENTRESS ORAL TABLET 400 MG | 5 | NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 3 | |
| JULUCA ORAL TABLET 50-25 MG | 5 | NDS |
| KALETRA ORAL SOLUTION 400- (lopinavir-ritonavir) 100 MG/5 ML | 4 | QL (480 per 30 days) |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 2 | |
| <i>lamivudine oral tablet 100 mg</i> | 2 | |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir) | 2 | |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 2 | |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 4 | |
| <i>lopinavir-ritonavir oral solution 400- (Kaletra) 100 mg/5 ml</i> | 2 | QL (480 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 (Kaletra) mg</i> | 2 | QL (300 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 (Kaletra) mg</i> | 2 | QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry) | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 2 | QL (1200 per 30 days) |
| <i>nevirapine oral tablet 200 mg</i> | 2 | QL (60 per 30 days) |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i> | 2 | QL (90 per 30 days) |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> | 2 | QL (30 per 30 days) |
| NORVIR ORAL POWDER IN PACKET 100 MG | 4 | |
| NORVIR ORAL SOLUTION 80 MG/ML | 4 | |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | NDS |
| PIFELTRO ORAL TABLET 100 MG | 5 | NDS |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 5 | NDS |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 5 | NDS |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 5 | NDS |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 4 | |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 5 | NDS |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5 | NDS |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 2 | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| SELZENTRY ORAL SOLUTION 20 MG/ML | 5 | NDS |
| SELZENTRY ORAL TABLET 25 MG | 3 | |
| SELZENTRY ORAL TABLET 75 MG | 5 | NDS |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 2 | |
| STRIBILD ORAL TABLET 150- 150-200-300 MG | 5 | NDS |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK) | 5 | NDS |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML | 5 | PA BvD; NDS |
| SYMTUZA ORAL TABLET 800- 150-200-10 MG | 5 | NDS |
| TEMIXYS ORAL TABLET 300-300 MG | 5 | NDS |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | 2 | |
| TIVICAY ORAL TABLET 10 MG | 4 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | NDS |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 5 | NDS |
| TRIUMEQ ORAL TABLET 600-50- 300 MG | 5 | NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | 4 | |
| TRIZIVIR ORAL TABLET 300- 150-300 MG | 5 | NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 5 | NDS |
| VEMLIDY ORAL TABLET 25 MG | 5 | NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 5 | NDS |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 5 | NDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | NDS |
| VOCABRIA ORAL TABLET 30 MG | 4 | |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 2 | |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 2 | |
| <i>zidovudine oral tablet 300 mg</i> | 2 | |
| Antivirals, Miscellaneous | | |
| LIVTENCITY ORAL TABLET 200 MG | 5 | PA; NDS |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 2 | QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 2 | QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 2 | QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2 | QL (540 per 180 days) |
| PAXLOVID ORAL TABLETS, DOSE PACK 150 MG (10)- 100 MG (10) | 2 | QL (20 per 5 days) |
| PAXLOVID ORAL TABLETS, DOSE PACK 150 MG (6)- 100 MG (5) | 2 | QL (11 per 28 days) |
| PAXLOVID ORAL TABLETS, DOSE PACK 300 MG (150 MG X 2)-100 MG | 2 | QL (30 per 5 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | PA; NDS; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 4 | QL (60 per 180 days) |
| Hcv Antivirals | | |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir) | 5 | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir) | 5 | PA; NDS; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 5 | PA; NDS; QL (28 per 28 days) |
| Interferons | | |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 5 | NDS |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | PA; NDS |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 2 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 2 | PA BvD |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 2 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude) | 2 | |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 2 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex) | 2 | |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte) | 5 | NDS |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte) | 2 | |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa) | 2 | QL (60 per 30 days) |
| <i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i> | 3 | |
| <i>ELIQUIS ORAL TABLET 2.5 MG</i> | 3 | QL (60 per 30 days) |
| <i>ELIQUIS ORAL TABLET 5 MG</i> | 3 | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox) | 2 | QL (60 per 30 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox) | 2 | QL (48 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml (Lovenox)</i> | 2 | QL (18 per 30 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml (Lovenox)</i> | 2 | QL (24 per 30 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml (Lovenox)</i> | 2 | QL (36 per 30 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml (Arixtra)</i> | 5 | NDS; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml (Arixtra)</i> | 2 | QL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml (Arixtra)</i> | 5 | NDS; QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml (Arixtra)</i> | 5 | NDS; QL (18 per 30 days) |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2 | |
| <i>jantoven oral tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)</i> | 1 | |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml (Xarelto)</i> | 5 | NDS; QL (600 per 30 days) |
| <i>rivaroxaban oral tablet 2.5 mg (Xarelto)</i> | 2 | QL (60 per 30 days) |
| <i>warfarin oral tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)</i> | 1 | |
| <i>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</i> | 3 | |
| <i>XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)</i> | 3 | QL (600 per 30 days) |
| <i>XARELTO ORAL TABLET 10 MG, 20 MG</i> | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| XARELTO ORAL TABLET 15 MG | 3 | QL (60 per 30 days) |
| XARELTO ORAL TABLET 2.5 MG (rivaroxaban) | 3 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG | 5 | PA; NDS; QL (60 per 30 days) |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta) | 5 | PA; NDS; QL (90 per 30 days) |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta) | 5 | PA; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta) | 5 | PA; NDS; QL (90 per 30 days) |
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta) | 5 | PA; NDS; QL (30 per 30 days) |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta) | 5 | PA; NDS; QL (60 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | 5 | PA; NDS; QL (30 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | 5 | PA; NDS; QL (20 per 30 days) |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 5 | PA; NDS |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NDS |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NDS |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 3 | PA; QL (4 per 28 days) |
| Hematologic Agents, Miscellaneous | | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 2 | |
| <i>anagrelide oral capsule 1 mg</i> | 2 | |
| <i>tranexamic acid oral tablet 650 mg</i> | 2 | |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 2 | |
| BRILINTA ORAL TABLET 60 MG, (ticagrelor) 90 MG | 3 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 1 | |
| <i>dipyridamole oral tablet 50 mg, 75 mg</i> | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 2 | |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient) | 2 | QL (30 per 30 days) |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta) | 2 | |
| Caloric Agents | | |
| Caloric Agents | | |
| CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 % | 4 | PA BvD |
| CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 2 | |
| PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 % | 4 | PA BvD |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agents | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2 | |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2) | 2 | |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3) | 2 | |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura) | 1 | |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera) | 5 | PA; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Angiotensin II Receptor Antagonists | | |
| candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand) | 2 | |
| candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT) | 2 | |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan) | 3 | QL (60 per 30 days) |
| ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG | 3 | QL (240 per 30 days) |
| irbesartan oral tablet 150 mg, 300 mg (Avapro) | 2 | |
| irbesartan oral tablet 75 mg | 2 | |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide) | 2 | |
| losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar) | 1 | |
| losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar) | 1 | |
| olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar) | 2 | |
| olmesartanamlodipinehctiazide oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor) | 2 | |
| olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT) | 2 | |
| telmisartan oral tablet 20 mg | 2 | |
| telmisartan oral tablet 40 mg, 80 mg (Micardis) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT) | 2 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan) | 2 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 2 | |
| Angiotensin-Converting Enzyme Inhibitors | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin) | 1 | |
| <i>benazepril oral tablet 5 mg</i> | 1 | |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT) | 2 | |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | 2 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 2 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec) | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic) | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 1 | |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 2 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 1 | |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | 2 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 2 | |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril) | 1 | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic) | 2 | |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace) | 1 | |
| <i>ramipril oral capsule 10 mg</i> | 1 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 2 | |
| Antiarrhythmic Agents | | |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone) | 2 | |
| <i>amiodarone oral tablet 400 mg</i> | 2 | |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn) | 2 | |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 2 | |
| MULTAQ ORAL TABLET 400 MG | 3 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone) | 2 | |
| <i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 2 | |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i> | 2 | |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 2 | |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i> | 1 | |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i> | 2 | |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i> | 2 | |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> | 2 | |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i> | 1 | |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i> | 1 | |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i> | 1 | |
| <i>metoprolol tartrate oral tablet 25 mg</i> | 1 | |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | 2 | |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> | 2 | |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> | 2 | |
| <i>sotalol oral tablet 240 mg</i> | 2 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | |
| Calcium-Channel Blocking Agents | | |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | |
| <i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> | 2 | |
| <i>diltiazem 24hr er 420 mg cap</i> | 2 | |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 2 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> | 2 | |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> | 2 | |
| <i>diltiazem hcl oral tablet 90 mg</i> | 2 | |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------|------------------|------------------------------|
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | (diltiazem hcl) | 2 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | | 2 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> | | 4 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | | 1 | |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> | | 2 | |
| Cardiovascular Agents, Miscellaneous | | | |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG | | 5 | PA; NDS; QL (30 per 30 days) |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | | 3 | QL (600 per 30 days) |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i> | | 2 | |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | (Digitek) | 2 | |
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> | (Lanoxin) | 2 | |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> | (Auvi-Q) | 3 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> | (EpiPen Jr) | 2 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> | | 3 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> | (Auvi-Q) | 2 | QL (4 per 30 days) |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------|------------------|------------------------------|
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> | (Firazyr) | 5 | PA; NDS; QL (18 per 30 days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> | (Corlanor) | 3 | QL (60 per 30 days) |
| <i>metyrosine oral capsule 250 mg</i> | (Demser) | 5 | NDS |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> | | 2 | QL (60 per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i> | | 2 | QL (120 per 30 days) |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | | 4 | PA; QL (30 per 30 days) |
| Dihydropyridines | | | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> | (Norvasc) | 1 | |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> | (Lotrel) | 1 | |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i> | | 1 | |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> | (Azor) | 2 | |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> | (Exforge) | 2 | |
| <i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | (Exforge HCT) | 2 | |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> | | 2 | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> | (Procardia XL) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|----------------------------------|----------------------------|-------------------------------|
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | 2 | | |
| Diuretics | | | |
| <i>amiloride oral tablet 5 mg</i> | 1 | | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | 2 | | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | | |
| <i>furosemide injection solution 10 mg/ml</i> | 1 | | |
| <i>furosemide injection syringe 10 mg/ml</i> | 1 | | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | | |
| <i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i> | 1 | | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | | |
| JYNARQUE ORAL TABLET 15 MG, 30 MG | (tolvaptan (polycys kidney dis)) | 5 | PA; NDS; QL (120 per 30 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | (Aldactone) | 1 | |
| <i>spironolactone-hydrochlorothiaz oral tablet 25-25 mg</i> | 2 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 5 | PA; NDS; QL (56 per 28 days) |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i> | 1 | |
| Dyslipidemics | | |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet) | 2 | |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | 2 | QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i> | 2 | |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor) | 1 | QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 2 | |
| <i>cholestyramine light oral powder in packet 4 gram</i> | 2 | |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol) | 2 | |
| <i>colesevelam oral tablet 625 mg</i> (WelChol) | 2 | |
| <i>colestipol oral packet 5 gram</i> | 2 | |
| <i>colestipol oral tablet 1 gram</i> (Colestid) | 2 | |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10) | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------|------------------|----------------------------|
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> | (Vytorin 10-20) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> | (Vytorin 10-40) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> | (Vytorin 10-80) | 2 | QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | | 2 | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> | (Tricor) | 2 | |
| <i>fenofibrate oral tablet 120 mg, 40 mg, 54 mg</i> | | 2 | |
| <i>fenofibrate oral tablet 160 mg</i> | | 1 | |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | | 2 | QL (60 per 30 days) |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> | (Lescol XL) | 2 | |
| <i>gemfibrozil oral tablet 600 mg</i> | (Lopid) | 1 | |
| <i>icosapent ethyl oral capsule 0.5 gram</i> | (Vascepa) | 2 | QL (240 per 30 days) |
| <i>icosapent ethyl oral capsule 1 gram</i> | (Vascepa) | 2 | QL (120 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | | 1 | |
| NEXLETOL ORAL TABLET 180 MG | | 3 | ST; QL (30 per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG | | 3 | ST; QL (30 per 30 days) |
| <i>niacin oral tablet 500 mg</i> | (Niacor) | 2 | |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | | 2 | |
| <i>niacor oral tablet 500 mg</i> | (niacin) | 2 | |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> | (Lovaza) | 2 | ST; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>pitavastatin calcium oral tablet 1 mg, (Livalo) 2 mg, 4 mg</i> | 2 | QL (30 per 30 days) |
| <i>pravastatin oral tablet 10 mg, 80 mg</i> | 1 | |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | 1 | QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> | 2 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 3 | ST; QL (7 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 3 | ST; QL (6 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 3 | ST; QL (6 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Crestor)</i> | 1 | QL (30 per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg, (Zocor) 40 mg</i> | 1 | QL (30 per 30 days) |
| <i>simvastatin oral tablet 5 mg, 80 mg</i> | 1 | QL (30 per 30 days) |
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i> | 2 | |
| <i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i> | 2 | |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG | 3 | PA; QL (30 per 30 days) |
| Vasodilators | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 2 | |
| <i>isosorbide dinitrate oral tablet 40 mg (Isordil)</i> | 2 | |
| <i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i> | 2 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> | 2 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| Central Nervous System Agents | | |
| Central Nervous System Agents | | |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> | 2 | QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> | 2 | QL (30 per 30 days) |
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 5 | PA; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 5 | PA; NDS; QL (60 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG | 5 | PA; NDS; QL (90 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG | 5 | PA; NDS; QL (60 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG | 5 | PA; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits | |
|--|------------------|-------------------------------|-----------------------------|
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG | 5 | PA; NDS; QL (210 per 30 days) | |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14) | 5 | PA; NDS | |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 5 | PA; NDS; QL (1 per 28 days) | |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 5 | PA; NDS; QL (1 per 28 days) | |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | PA; NDS; QL (15 per 30 days) | |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> | (Ampyra) | 2 | PA; QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> | (Adderall XR) | 2 | QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> | (Adderall XR) | 2 | QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | (Adderall) | 2 | QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> | (Tecfidera) | 5 | PA; NDS; QL (14 per 7 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | (Tecfidera) | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------|------------------|-------------------------------|
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> | (Tecfidera) | 5 | PA; NDS; QL (60 per 30 days) |
| <i> fingolimod oral capsule 0.5 mg</i> | (Gilenya) | 5 | PA; NDS; QL (30 per 30 days) |
| <i> glatiramer subcutaneous syringe 20 mg/ml</i> | (Glatopa) | 5 | PA; NDS; QL (30 per 30 days) |
| <i> glatiramer subcutaneous syringe 40 mg/ml</i> | (Glatopa) | 5 | PA; NDS; QL (12 per 28 days) |
| <i> glatopa subcutaneous syringe 20 mg/ml</i> | (glatiramer) | 5 | PA; NDS; QL (30 per 30 days) |
| <i> glatopa subcutaneous syringe 40 mg/ml</i> | (glatiramer) | 5 | PA; NDS; QL (12 per 28 days) |
| <i> guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> | (Intuniv ER) | 2 | |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21) | | 5 | PA; NDS |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG | | 5 | PA; NDS; QL (30 per 30 days) |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG | | 5 | PA; NDS; QL (30 per 30 days) |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | | 5 | PA; NDS; QL (1.2 per 28 days) |
| <i> lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | | 1 | |
| <i> lithium carbonate oral tablet 300 mg</i> | | 1 | |
| <i> lithium carbonate oral tablet extended release 300 mg</i> | (Lithobid) | 2 | |
| <i> lithium carbonate oral tablet extended release 450 mg</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 2 | |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NDS |
| MAYZENT ORAL TABLET 0.25 MG | 5 | PA; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG | 5 | PA; NDS; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS) | 3 | PA |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 5 | PA; NDS |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i> (Methylin) | 2 | QL (900 per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin) | 2 | QL (90 per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 5 | PA; NDS; QL (20 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML | 5 | PA; NDS; QL (23 per 180 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NDS |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 2 | |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 3 | |
| <i>tetrabenazine oral tablet 12.5 mg, 25</i> (Xenazine) <i>mg</i> | 5 | PA; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 5 | PA; NDS; QL (120 per 30 days) |
| Contraceptives | | |
| Contraceptives | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 2 | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>apri oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>camila oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | |
| <i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | |
| <i>deblitane oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28)) | 2 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> | (Apri) | 2 | |
| <i>dolishale oral tablet 90-20 mcg (28)</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 2 | QL (1 per 28 days) |
| <i>emoquette oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>emzahh oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 2 | QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>errin oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>estarylla oral tablet 0.25-0.035 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> | (Kelnor 1/35 (28)) | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> | (Kelnor 1/50 (28)) | 2 | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | (EluRyng) | 2 | QL (1 per 28 days) |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>femynor oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 2 | QL (1 per 28 days) |
| <i>heather oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------------------------|------------------|----------------------------|
| <i>incassia oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>jencycla oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 2 | |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |
| <i>juleber oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG | | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>larissa oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | |
| <i>levonorgest-eth.estriadiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | (Balcoltra) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | (Afirmelle) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | (Altavera (28)) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> | (Amethyst (28)) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia) | 2 | QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (Enpresse) | 2 | |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG | | 3 | |
| <i>lillow</i> (28) oral tablet 0.15-0.03 mg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>low-ogestrel</i> (28) oral tablet 0.3-30 mg-mcg | (norgestrel-ethinyl estradiol) | 2 | |
| <i>lutera</i> (28) oral tablet 0.1-20 mg-mcg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>lyeq</i> oral tablet 0.35 mg | (norethindrone (contraceptive)) | 2 | |
| <i>lyza</i> oral tablet 0.35 mg | (norethindrone (contraceptive)) | 2 | |
| <i>marlissa</i> (28) oral tablet 0.15-0.03 mg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>meleya</i> oral tablet 0.35 mg | (norethindrone (contraceptive)) | 2 | |
| <i>microgestin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg | (norethindrone ac-eth estradiol) | 2 | |
| <i>microgestin</i> 1/20 (21) oral tablet 1-20 mg-mcg | (norethindrone ac-eth estradiol) | 2 | |
| <i>microgestin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>microgestin</i> fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>microgestin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>mini</i> oral tablet 0.25-0.035 mg | (norgestimate-ethinyl estradiol) | 2 | |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG | | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>mono-linyah oral tablet 0.25-0.035 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| NEXPLANON SUBDERMAL IMPLANT 68 MG | | 3 | |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | (Xulane) | 2 | QL (3 per 28 days) |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | (Camila) | 2 | |
| <i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (Eurovela Fe 1-20 (28)) | 2 | |
| <i>norethindrone-e.estriadiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (Eurovela Fe 1.5/30 (28)) | 2 | |
| <i>norethindrone-e.estriadiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (Tilia Fe) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (Tri-Lo-Estarrylla) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (Tri-Estarrylla) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i> | (Estarrylla) | 2 | |
| <i>norlyda oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg- mcg (21)</i> | | 2 | |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg- mcg</i> | (norethindrone-ethin estradiol) | 2 | |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | |
| <i>nylia 1/35 (28) oral tablet 1-35 mg- mcg</i> | (norethindrone-ethin estradiol) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| <i>nylia</i> 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg | | 2 | |
| <i>nymyo</i> oral tablet 0.25-35 mg-mcg | (norgestimate-ethinyl estradiol) | 2 | |
| <i>orquidea</i> oral tablet 0.35 mg | (norethindrone (contraceptive)) | 2 | |
| <i>pimtrea</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | (desog-e.estriadiol/e.estriadiol) | 2 | |
| <i>pirmella</i> oral tablet 0.5/0.75/1 mg- 35 mcg | | 2 | |
| <i>pirmella</i> oral tablet 1-35 mg-mcg | (norethindrone-ethin estradiol) | 2 | |
| <i>portia</i> 28 oral tablet 0.15-0.03 mg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>previfem</i> oral tablet 0.25-35 mg-mcg | (norgestimate-ethinyl estradiol) | 1 | |
| <i>reclipsen</i> (28) oral tablet 0.15-0.03 mg | (desogestrel-ethinyl estradiol) | 2 | |
| <i>setlakin</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |
| <i>sharobel</i> oral tablet 0.35 mg | (norethindrone (contraceptive)) | 2 | |
| <i>simliya</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | (desog-e.estriadiol/e.estriadiol) | 2 | |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG | | 4 | |
| <i>sprintec</i> (28) oral tablet 0.25-0.035 mg | (norgestimate-ethinyl estradiol) | 2 | |
| <i>sronyx</i> oral tablet 0.1-20 mg-mcg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>tarina</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | (norethindrone-e.estriadiol-iron) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>valtya oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |
| <i>vienna oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estriadiol/e.estriadiol) | 2 | |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estriadiol/e.estriadiol) | 2 | |
| <i>vylibra oral tablet 0.25-0.035 mg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estriadiol-iron) | 2 | |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | (norelgestromin-ethin.estriadiol) | 2 | QL (3 per 28 days) |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | (norelgestromin-ethin.estriadiol) | 2 | QL (3 per 28 days) |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |

Dental And Oral Agents

Dental And Oral Agents

| | | | |
|---|---------------------|---|--|
| <i>cevimeline oral capsule 30 mg</i> | (Evoxac) | 2 | |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Periogard) | 1 | |
| <i>denta 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>dentagel dental gel 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>fluoride (sodium) dental solution 0.2 %</i> | (PreviDent) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------|------------------|----------------------------|
| <i>periogard mucous membrane mouthwash 0.12 %</i> | (chlorhexidine gluconate) | 1 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | (Salagen (pilocarpine)) | 2 | |
| <i>sf 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> | (Denta 5000 Plus Sensitive) | 1 | |
| <i>triamcinolone acetonide dental paste 0.1 %</i> | (Kourzeq) | 2 | |
| Dermatological Agents | | | |
| Dermatological Agents, Other | | | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | | 2 | |
| <i>acyclovir topical ointment 5 %</i> | (Zovirax) | 2 | QL (30 per 30 days) |
| <i>ammonium lactate topical cream 12 %</i> | | 2 | |
| <i>ammonium lactate topical lotion 12 %</i> | (AmLactin) | 2 | |
| <i>calcipotriene scalp solution 0.005 %</i> | | 2 | QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005 %</i> | | 2 | QL (120 per 30 days) |
| <i>calcipotriene topical ointment 0.005 %</i> | | 2 | QL (120 per 30 days) |
| <i>fluorouracil topical cream 5 %</i> | (Efudex) | 2 | |
| <i>fluorouracil topical solution 2 %, 5 %</i> | | 2 | |
| <i>imiquimod topical cream in packet 5 %</i> | | 2 | QL (24 per 30 days) |
| <i>ISOPROPYL ALCOHOL TOPICAL SWAB 70 %</i> | | 1 | |
| <i>KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %</i> | | 3 | QL (5 per 5 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> | 5 | NDS |
| PANRETIN TOPICAL GEL 0.1 % | 5 | NDS; QL (60 per 28 days) |
| <i>podofilox topical solution 0.5 %</i> | 2 | |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 4 | QL (180 per 30 days) |
| VALCHLOR TOPICAL GEL 0.016 % | 5 | PA NSO; NDS |
| <i>zenatane oral capsule 10 mg, 20 mg, (isotretinoin) 30 mg, 40 mg</i> | 2 | |
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical solution 1 %</i> | 2 | QL (180 per 30 days) |
| <i>clindamycin phosphate topical swab (Clindacin ETZ) 1 %</i> | 2 | |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> | 2 | |
| <i>erythromycin with ethanol topical solution 2 %</i> | 2 | |
| <i>gentamicin topical cream 0.1 %</i> | 2 | QL (90 per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | 2 | QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 % (Rosadan)</i> | 2 | |
| <i>metronidazole topical gel 0.75 % (Rosadan)</i> | 2 | |
| <i>metronidazole topical gel 1 % (Metrogel)</i> | 2 | |
| <i>mupirocin topical ointment 2 % (Centany)</i> | 1 | QL (220 per 30 days) |
| <i>neuac topical gel 1.2 %(1 % base) -5 (clindamycin-benzoyl peroxide)</i> | 1 | |
| <i>rosadan topical cream 0.75 % (metronidazole)</i> | 2 | |
| <i>selenium sulfide topical lotion 2.5 %</i> | 2 | |
| <i>silver sulfadiazine topical cream 1 % (SSD)</i> | 2 | |
| <i>ssd topical cream 1 % (silver sulfadiazine)</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone) | 2 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 2 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 2 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 2 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 2 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2 | |
| <i>clobetasol scalp solution 0.05 %</i> | 2 | |
| <i>clobetasol topical cream 0.05 %</i> | 2 | |
| <i>clobetasol topical gel 0.05 %</i> | 2 | |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex) | 2 | |
| <i>clobetasol topical ointment 0.05 %</i> | 2 | |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex) | 2 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 2 | |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EUCRISA TOPICAL OINTMENT 2 % | 3 | |
| <i>fluocinolone topical cream 0.01 %</i> | 2 | |
| <i>fluocinolone topical cream 0.025 % (Synalar)</i> | 2 | |
| <i>fluocinolone topical ointment 0.025 % (Synalar)</i> | 2 | |
| <i>fluocinonide topical cream 0.05 %</i> | 2 | |
| <i>fluocinonide topical cream 0.1 % (Vanos)</i> | 2 | |
| <i>fluocinonide topical gel 0.05 %</i> | 2 | |
| <i>fluocinonide topical ointment 0.05 %</i> | 2 | |
| <i>fluocinonide topical solution 0.05 %</i> | 2 | |
| <i>fluticasone propionate topical cream 0.05 %</i> | 2 | |
| <i>halobetasol propionate topical cream 0.05 %</i> | 2 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 2 | |
| <i>hydrocortisone 2.5% cream</i> | 2 | |
| <i>hydrocortisone topical cream 1 % (Ala-Cort)</i> | 2 | |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> | 2 | |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | |
| <i>hydrocortisone topical ointment 1 % (Anti-Itch (HC))</i> | 1 | |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | |
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 2 | |
| <i>mometasone topical cream 0.1 %</i> | 2 | |
| <i>mometasone topical ointment 0.1 %</i> | 2 | |
| <i>mometasone topical solution 0.1 %</i> | 2 | |
| <i>pimecrolimus topical cream 1 % (Elidel)</i> | 2 | QL (100 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------|------------------|----------------------------|
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> | (hydrocortisone) | 2 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> | (hydrocortisone) | 2 | |
| <i>protozone-hc topical cream with perineal applicator 2.5 %</i> | (hydrocortisone) | 2 | |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> | | 2 | QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i> | | 1 | |
| <i>triamcinolone acetonide topical cream 0.5 %</i> | (Triderm) | 1 | |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | | 2 | |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | | 2 | |
| <i>triamcinolone acetonide topical ointment 0.05 %</i> | (Trianex) | 2 | |
| Dermatological Retinoids | | | |
| <i>adapalene topical cream 0.1 %</i> | (Differin) | 2 | |
| <i>ALTRENO TOPICAL LOTION 0.05 %</i> | | 4 | PA |
| <i>tazarotene topical cream 0.1 %</i> | (Tazorac) | 2 | |
| <i>tretinoi topical cream 0.025 %</i> | (Avita) | 2 | PA |
| <i>tretinoi topical cream 0.05 %, 0.1 %</i> | (Retin-A) | 2 | PA |
| Scabicides And Pediculicides | | | |
| <i>malathion topical lotion 0.5 %</i> | (Ovide) | 2 | |
| <i>permethrin topical cream 5 %</i> | (Elimite) | 2 | QL (60 per 30 days) |
| Devices | | | |
| Devices | | | |
| <i>1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"</i> | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| 1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| 1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| 1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| ALCOHOL 70% SWABS | (Alcohol Pads) | 1 | PA; ST |
| ALCOHOL PADS TOPICAL PADS, MEDICATED | (alcohol swabs) | 1 | PA; ST |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED | (alcohol swabs) | 1 | PA; ST |
| ALCOHOL WIPES TOPICAL PADS, MEDICATED | (alcohol swabs) | 1 | PA; ST |
| AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" | | 2 | PA; ST |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16" | | 2 | PA; ST |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" | | 2 | PA; ST |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16" | | 2 | PA; ST |
| BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 " | | 2 | PA; ST |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1" | | 2 | PA; ST |
| BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2" | | 2 | PA; ST |
| BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML | (insulin syringe needleless) | 2 | PA; ST |
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| BD SINGLE USE SWAB | (alcohol swabs) | 1 | PA; ST |
| BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| BORDERED GAUZE 2"X2" 2 X 2 " | (gauze bandage) | 1 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH ALCOHOL 70% PREP PAD | (alcohol swabs) | 1 | PA; ST |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16" | | 2 | PA; ST |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16 | | 2 | PA; ST |
| CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" | | 2 | PA; ST |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32" | (pen needle, diabetic, safety) | 2 | PA; ST |
| COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3" | | 2 | PA; ST |
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6" | | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4" | 2 | PA; ST |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16" | 2 | PA; ST |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 " | 1 | PA; ST |
| CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs) | 1 | PA; ST |
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " | 1 | PA; ST |
| CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage) | 1 | PA; ST |
| DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage) | 1 | PA; ST |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 " | 1 | PA; ST |
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 " | 1 | PA; ST |
| DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2" | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4" | (insulin syr/ndl u100 half mark) | 2 | PA; ST |
| DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64" | | 2 | PA; ST |
| DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64" | | 2 | PA; ST |
| DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64" | | 2 | PA; ST |
| DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8" | | 2 | PA; ST |
| DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| DROPSAFE ALCOHOL 70% PREP PADS | (alcohol swabs) | 1 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64" | 2 | PA; ST |
| DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 2 | PA; ST |
| DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64" | 2 | PA; ST |
| DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" | 2 | PA; ST |
| DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64" | 2 | PA; ST |
| DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16" | 2 | PA; ST |
| DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2" | 2 | PA; ST |
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | PA; ST |
| DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety) | 2 | PA; ST |
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | PA; ST |
| DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | 2 | PA; ST |
| EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety) | 2 | PA; ST |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | PA; ST |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | PA; ST |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2" | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16" | | 2 | PA; ST |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16" | | 2 | PA; ST |
| EASY COMFORT ALCOHOL 70% PAD | (alcohol swabs) | 1 | PA; ST |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32" | | 2 | PA; ST |
| EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16" | | 2 | PA; ST |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 " | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16 | | 2 | PA; ST |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED | (alcohol swabs) | 1 | PA; ST |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------|------------------|----------------------------|
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH LUER LOK INSUL 1 ML | (insulin syringe needleless) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--|------------------|----------------------------|
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16" | | 2 | PA; ST |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |
| EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | | 2 | PA; ST |
| EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | | 2 | PA; ST |
| EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100) | | 2 | PA; ST |
| EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | | 2 | PA; ST |
| EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | | 2 | PA; ST |
| EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless) | | 2 | PA; ST |
| EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4" | | 2 | PA; ST |
| EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic) | | 2 | PA; ST |
| EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" (pen needle, diabetic) | | 2 | PA; ST |
| EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" (pen needle, diabetic) | | 2 | PA; ST |
| EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | | 2 | PA; ST |
| EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------------|------------------|----------------------------|
| EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| EQL INSULIN 0.5 ML SYRINGE 1/2 ML 29 | (Ultilet Insulin Syringe) | 2 | PA; ST |
| EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE | (Ultra Comfort Insulin Syringe) | 2 | PA; ST |
| FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE | | 2 | PA; ST |
| FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " | (gauze bandage) | 1 | PA; ST |
| GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29 | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE | (insulin syringe-needle u-100) | 2 | PA; ST |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE | | 2 | PA; ST |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 | (insulin syringe-needle u-100) | 2 | PA; ST |
| GS PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" | (1st Tier Unifine Pentips) | 2 | PA; ST |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" | (1st Tier Unifine Pentips) | 2 | PA; ST |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | PA; ST |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32" | 2 | PA; ST |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16" | 2 | PA; ST |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4" | 2 | PA; ST |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16" | 2 | PA; ST |
| HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2" | 2 | PA; ST |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS | 1 | PA; ST |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 2 | PA; ST |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | PA; ST |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16" | 2 | PA; ST |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | PA; ST |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16" | 2 | PA; ST |
| INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INSULIN 1 ML SYRINGE 1 ML 30 (Ultra Comfort Insulin GAUGE X 7/16" | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" | (Droplet Insulin Syr(half unit)) | 2 | PA; ST |
| INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" | (Easy Touch Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE | (insulin syringe-needle u-100) | 2 | PA; ST |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | (Sure Comfort Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 | (insulin syringe-needle u-100) | 2 | PA; ST |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" | (Droplet Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE | | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" | (Easy Touch Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" | (BD SafetyGlide Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" | (BD Eclipse Luer-Lok) | 2 | PA; ST |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (Droplet Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML | (Easy Touch Luer Lock Insulin) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------|------------------|----------------------------|
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE | (Ultilet Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE | (Monoject Syringe) | 2 | PA; ST |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| IV ANTISEPTIC WIPES | (alcohol swabs) | 1 | PA; ST |
| KENDALL ALCOHOL 70% PREP PAD | (alcohol swabs) | 1 | PA; ST |
| LISCO SPONGES 100/BAG 2 X 2 " | | 1 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------|------------------|----------------------------|
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE | | 2 | PA; ST |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUGH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUGH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUGH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUGH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUGH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16" | | 2 | PA; ST |
| MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16" | | 2 | PA; ST |
| MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (1st Tier Unifine Pentips) | 2 | PA; ST |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" | (CareFine Pen Needle) | 2 | PA; ST |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (CareFine Pen Needle) | 2 | PA; ST |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" | (Comfort EZ Pen Needles) | 2 | PA; ST |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" | (Advocate Pen Needle) | 2 | PA; ST |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" | (Comfort EZ Pen Needles) | 2 | PA; ST |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" | (Comfort EZ Pen Needles) | 2 | PA; ST |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------------|------------------|----------------------------|
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) | (insulin syringes (disposable)) | 2 | PA; ST |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2" | | 2 | PA; ST |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------------------------|------------------|----------------------------|
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16 | (Advocate Syringes) | 2 | PA; ST |
| MS INSULIN SYRINGE 0.3 ML 0.3 ML 30 | (Ultra Comfort Insulin Syringe) | 2 | PA; ST |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| NOVOFINE 30 NEEDLE | | 2 | PA; ST |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6" | | 2 | PA; ST |
| NOVOTWIST NEEDLE 32 GAUGE X 1/5" | | 2 | PA; ST |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE | | 3 | QL (10 per 30 days) |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | | 3 | QL (1 per 365 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | | 3 | QL (10 per 30 days) |
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE | | 3 | QL (1 per 365 days) |
| OMNIPOD CLASSIC PDM KIT(GEN 3) | | 3 | QL (1 per 365 days) |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | | 3 | QL (10 per 30 days) |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | | 3 | QL (1 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------------------------|------------------|----------------------------|
| OMNIPOD DASH PDM KIT (GEN 4) | | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | | 3 | QL (10 per 30 days) |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" | (Embrace Pen Needle) | 2 | PA; ST |
| PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" | (CareFine Pen Needle) | 2 | PA; ST |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4" | (1st Tier Unifine Pentips) | 2 | PA; ST |
| PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | (1st Tier Unifine Pentips Plus) | 2 | PA; ST |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16" | 2 | PA; ST |
| PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16" | 2 | PA; ST |
| PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4" | 2 | PA; ST |
| PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | PA; ST |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16" | 2 | PA; ST |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32" | 2 | PA; ST |
| PREFPLS INS SYR 1 ML (Advocate Syringes) 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16 | 2 | PA; ST |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | PA; ST |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | PA; ST |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2") u-100) | 2 | PA; ST |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16") u-100) | 2 | PA; ST |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16") u-100) | 2 | PA; ST |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2") u-100) | 2 | PA; ST |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16") u-100) | 2 | PA; ST |
| PRO COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | | 2 | PA; ST |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | | 2 | PA; ST |
| PURE COMFORT ALCOHOL 70% PADS | (alcohol swabs) | 1 | PA; ST |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------------------------|------------------|----------------------------|
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32" | | 2 | PA; ST |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | (Comfort Touch Pen Needle) | 2 | PA; ST |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64" | | 2 | PA; ST |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64" | | 2 | PA; ST |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16" | | 2 | PA; ST |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2" | | 2 | PA; ST |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------------------------|------------------|----------------------------|
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | (Comfort EZ PRO Safety Pen Ndl) | 2 | PA; ST |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16" | | 2 | PA; ST |
| SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| STERILE PADS 2" X 2" 2 X 2 " | (gauze bandage) | 1 | PA; ST |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | | 2 | PA; ST |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | | 2 | PA; ST |
| NEEDLES, INSULIN DISP., SAFETY | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| SURE COMFORT ALCOHOL PREP PADS | (alcohol swabs) | 1 | PA; ST |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| SURE-PREP ALCOHOL PREP PADS | (alcohol swabs) | 1 | PA; ST |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2" | | 2 | PA; ST |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | | 2 | PA; ST |
| TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8" | (Thinpro Insulin Syringe) | 2 | PA; ST |
| TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8" | | 2 | PA; ST |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8" | | 2 | PA; ST |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" | (insulin syringe-needle u-100) | 2 | PA; ST |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8" | | 2 | PA; ST |
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE CMFR PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE CMFR PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE CMFR PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | PA; ST |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | | 2 | PA; ST |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | | 2 | PA; ST |
| TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS | | 1 | PA; ST |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE COMFORT PRO ALCOHOL PADS | (alcohol swabs) | 1 | PA; ST |
| TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | | 2 | PA; ST |
| TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" | (insulin syr/ndl u100 half mark) | 2 | PA; ST |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16" | (Advocate Syringes) | 2 | PA; ST |
| ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | (Advocate Syringes) | 2 | PA; ST |
| ULTICARE INS SYR 0.5 ML 30G 8MM (OTC) 0.5 ML 30 GAUGE X 5/16" | (Advocate Syringes) | 2 | PA; ST |
| ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16" | (Advocate Syringes) | 2 | PA; ST |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16" | | 2 | PA; ST |
| ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | PA; ST |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2" | 2 | PA; ST |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32" | 2 | PA; ST |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4" | 2 | PA; ST |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16" | 2 | PA; ST |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16" | 2 | PA; ST |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs) | 1 | PA; ST |
| ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | 2 | PA; ST |
| ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTILET PEN NEEDLE 29 GAUGE | | 2 | PA; ST |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2" | | 2 | PA; ST |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16" | | 2 | PA; ST |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | | 2 | PA; ST |
| ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | | 2 | PA; ST |
| ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------------|------------------|----------------------------|
| UNIFINE PENTIPS 31GX3/16" 31GX5MM, STRL, MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE | | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--|------------------|----------------------------|
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32" | | 2 | PA; ST |
| UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16" | | 2 | PA; ST |
| UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16" | | 2 | PA; ST |
| UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety) | | 2 | PA; ST |
| UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4" | | 2 | PA; ST |
| UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16" | | 2 | PA; ST |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32" | | 2 | PA; ST |
| UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | | 2 | PA; ST |
| UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | | 2 | PA; ST |
| UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | | 2 | PA; ST |
| UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | | 2 | PA; ST |
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | | 2 | PA; ST |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16" | | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|----------------------------|
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | PA; ST |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32" | | 2 | PA; ST |
| VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | PA; ST |
| VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | PA; ST |
| VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|---------------------------------|
| VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | PA; ST |
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 " | | 1 | PA; ST |
| V-GO 20 DEVICE | | 3 | QL (30 per 30 days) |
| V-GO 30 DEVICE | | 3 | QL (30 per 30 days) |
| V-GO 40 DEVICE | | 3 | QL (30 per 30 days) |
| WEBCOL ALCOHOL PREPS 20'S,LARGE | (alcohol swabs) | 1 | PA; ST |
| Enzyme Cofactors/Chaperones | | | |
| Enzyme Cofactors/Chaperones | | | |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG | | 5 | PA; NDS; QL (90 per 30 days) |
| Enzyme Replacement/Modifiers | | | |
| Enzyme Replacement/Modifiers | | | |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | | 3 | |
| <i>javygtor oral tablet,soluble 100 mg</i> | (sapropterin) | 5 | PA; NDS |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> | (Orfadin) | 5 | PA; NDS |
| ORFADIN ORAL SUSPENSION 4 MG/ML | | 5 | PA; NDS |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | | 5 | PA BvD; NDS |
| <i>sapropterin oral tablet,soluble 100 mg</i> | (Javygtor) | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 5 | PA; LA; NDS |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT | 3 | |

Eye, Ear, Nose, Throat Agents

Eye, Ear, Nose, Throat Agents, Miscellaneous

| | | |
|--|---|---------------------|
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 2 | |
| <i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i> | 2 | QL (60 per 30 days) |
| <i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> | 2 | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 2 | |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i> | 2 | QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i> | 2 | QL (15 per 10 days) |
| <i>MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %</i> | 3 | QL (12 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> | (Eye Allergy Itch-Redness Rlf) | 2 | |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> | (Advanced Eye Relief (olopatad)) | 2 | |
| Eye, Ear, Nose, Throat Anti-Infectives Agents | | | |
| <i>acetic acid otic (ear) solution 2 %</i> | | 2 | |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | | 2 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> | (Polycin) | 2 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> | | 2 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> | | 2 | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | | 2 | QL (3.5 per 4 days) |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | | 2 | |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | | 2 | |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | | 2 | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> | (Vigamox) | 2 | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | | 4 | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | (Neo-Polycin HC) | 2 | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | (Neo-Polycin) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|---------------------------------|------------------|----------------------------|
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | (Maxitrol) | 2 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | (Maxitrol) | 2 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | | 2 | |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | (neomycin-bacitracin-poly-hc) | 2 | |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | (neomycin-bacitracin-polymyxin) | 2 | |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> | (Ocuflax) | 2 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | | 2 | |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> | (bacitracin-polymyxin b) | 2 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | | 2 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 2 | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | 2 | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 2 | |
| XDEMVY OPHTHALMIC (EYE) DROPS 0.25 % | 5 | PA; NDS; QL (10 per 42 days) |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 4 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 3 | |
| Eye, Ear, Nose, Throat Anti-Inflammatory Agents | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % | 3 | ST |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> | 2 | |
| <i>bromfenac ophthalmic (eye) drops 0.075 %</i> | 2 | |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i> | 2 | |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> | 2 | QL (60 per 30 days) |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | 2 | |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol) | 2 | |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 3 | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 2 | QL (50 per 25 days) |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil) | 2 | |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm) | 4 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 2 | |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1 | QL (16 per 30 days) |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 3 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | QL (5.6 per 14 days) |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular) | 2 | QL (10 per 25 days) |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 3 | QL (3.5 per 14 days) |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 3 | QL (5 per 16 days) |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax) | 2 | QL (10 per 14 days) |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex) | 2 | ST |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> | 2 | QL (15 per 19 days) |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone)) | 2 | QL (34 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> | (Pred Forte) | 4 | |
| <i>XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</i> | | 3 | QL (60 per 30 days) |
| Gastrointestinal Agents | | | |
| Antiulcer Agents And Acid Suppressants | | | |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i> | | 2 | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | | 2 | |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> | (Acid Reducer (esomeprazole)) | 2 | QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> | (Nexium) | 2 | QL (60 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> | (Nexium Packet) | 2 | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> | (Nexium Packet) | 2 | ST; QL (60 per 30 days) |
| <i>famotidine oral tablet 20 mg</i> | (Acid Controller) | 1 | |
| <i>famotidine oral tablet 40 mg</i> | (Pepcid) | 1 | |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> | (Acid Reducer (lansoprazole)) | 2 | QL (30 per 30 days) |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> | (Prevacid) | 2 | QL (60 per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | (Cytotec) | 2 | |
| <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | | 1 | |
| <i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i> | (Protonix) | 1 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------------------------|------------------|----------------------------|
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> | (Protonix) | 1 | QL (60 per 30 days) |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> | (AcipHex) | 2 | QL (30 per 30 days) |
| <i>sucralfate oral tablet 1 gram</i> | (Carafate) | 2 | |
| Gastrointestinal Agents, Other | | | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> | (Carbaglu) | 5 | PA; NDS |
| <i>constulose oral solution 10 gram/15 ml</i> | (lactulose) | 2 | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> | (Gastrocrom) | 2 | |
| <i>dicyclomine oral capsule 10 mg</i> | | 2 | |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | | 2 | |
| <i>dicyclomine oral tablet 20 mg</i> | | 2 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | (Lomotil) | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>enulose oral solution 10 gram/15 ml</i> | (lactulose) | 2 | |
| <i>generlac oral solution 10 gram/15 ml</i> | (lactulose) | 2 | |
| <i>glycopyrrolate oral tablet 1 mg</i> | (Robinul) | 2 | |
| <i>glycopyrrolate oral tablet 2 mg</i> | (Robinul Forte) | 2 | |
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i> | | 2 | |
| <i>lactulose oral solution 10 gram/15 ml</i> | (Constulose) | 2 | |
| <i>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</i> | | 3 | QL (30 per 30 days) |
| <i>LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM</i> | | 3 | |
| <i>loperamide oral capsule 2 mg</i> | (Anti-Diarrheal (loperamide)) | 2 | |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> | (Amitiza) | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 2 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)</i> | 1 | |
| <i>MOVANTIK ORAL TABLET 12.5 MG, 25 MG</i> | 3 | QL (30 per 30 days) |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i> | 2 | |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 2 | |
| <i>ursodiol oral capsule 200 mg, 400 mg (Reltone)</i> | 5 | NDS |
| <i>ursodiol oral capsule 300 mg</i> | 2 | |
| <i>ursodiol oral tablet 250 mg</i> | 2 | |
| <i>ursodiol oral tablet 500 mg (URSO Forte)</i> | 2 | |
| <i>VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM</i> | 3 | |
| <i>XERMELO ORAL TABLET 250 MG</i> | 5 | PA; NDS; QL (84 per 28 days) |
| Laxatives | | |
| <i>CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML</i> | 3 | |
| <i>gavilyte-c oral recon soln 240-22.72- (peg 3350-electrolytes) 6.72 -5.84 gram</i> | 2 | |
| <i>gavilyte-g oral recon soln 236-22.74- (peg 3350-electrolytes) 6.74 -5.86 gram</i> | 2 | |
| <i>gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)</i> | 2 | |
| <i>peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N) | 2 | |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 3 | |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i> | 2 | |
| SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM | 3 | |
| Phosphate Binders | | |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 2 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 2 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela) | 2 | |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela) | 2 | |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i> | 2 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz) | 2 | |
| <i>flavoxate oral tablet 100 mg</i> | 2 | |
| <i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</i> (mirabegron) | 2 | |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 2 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 2 | |
| <i>solifenacin oral tablet 10 mg, 5 mg (Vesicare)</i> | 1 | |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> | 2 | |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>trospium oral capsule, extended release 24hr 60 mg</i> | 2 | |
| <i>trospium oral tablet 20 mg</i> | 2 | |
| Genitourinary Agents, Miscellaneous | | |
| <i>alfuzosin oral tablet extended release (Uroxatral) 24 hr 10 mg</i> | 2 | QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg (Avodart)</i> | 2 | |
| <i>finasteride oral tablet 5 mg (Proscar)</i> | 1 | |
| <i>tamsulosin oral capsule 0.4 mg (Flomax)</i> | 1 | |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| Heavy Metal Antagonists | | |
| Heavy Metal Antagonists | | |
| <i>deferasirox oral granules in packet (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg</i> | 5 | PA; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg (Jadenu)</i> | 2 | PA |
| <i>penicillamine oral tablet 250 mg (Depen Titratabs)</i> | 5 | PA; NDS |
| <i>trientine oral capsule 250 mg (Syprine)</i> | 5 | PA; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying | | |
| Androgens | | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 2 | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> | 2 | PA |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml (Depo-Testosterone)</i> | 2 | PA |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 2 | PA |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 2 | PA; QL (5 per 28 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | 2 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | 2 | PA; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> | 2 | PA; QL (300 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| Estrogens And Antiestrogens | | |
| <i>abigale lo oral tablet 0.5-0.1 mg (estradiol-norethindrone acet)</i> | 1 | |
| <i>abigale oral tablet 1-0.5 mg (estradiol-norethindrone acet)</i> | 2 | PA-HRM; AGE (Max 64 Years) |
| DUAVEE ORAL TABLET 0.45-20 MG | 3 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------|------------------|--|
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | (Estrace) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | (Dotti) | 2 | PA-HRM; QL (8 per 28 days); AGE (Max 64 Years) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | (Climara) | 2 | PA-HRM; QL (4 per 28 days); AGE (Max 64 Years) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> | (Estrace) | 2 | |
| <i>estradiol vaginal tablet 10 mcg</i> | (Yuvafem) | 2 | QL (18 per 28 days) |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> | (Abigale Lo) | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> | (Abigale) | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>mimvey oral tablet 1-0.5 mg</i> | (estradiol-norethindrone acet) | 2 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG | | 3 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG | (conjugated estrogens) | 3 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | | 3 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | | 3 | PA-HRM; AGE (Max 64 Years) |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | | 3 | PA-HRM; AGE (Max 64 Years) |
| <i>raloxifene oral tablet 60 mg</i> | (Evista) | 2 | |
| <i>yuvafem vaginal tablet 10 mcg</i> | (estradiol) | 2 | QL (18 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Glucocorticoids/Mineralocorticoids | | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 2 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 2 | |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 1 | |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 2 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> | 2 | |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> | 2 | |
| <i>methylprednisolone oral tablet 32 mg</i> | 2 | |
| <i>methylprednisolone oral tablets,dose pack 4 mg</i> | 1 | |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i> | 2 | PA BvD |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 2 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i> | 2 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2 | PA BvD |
| <i>prednisone oral solution 5 mg/5 ml</i> | 2 | PA BvD |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | PA BvD |
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog) | 2 | |
| Pituitary | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 5 | PA; NDS; QL (35 per 28 days) |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML | 5 | PA; NDS; QL (15 per 30 days) |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML | 5 | PA; NDS; QL (30 per 30 days) |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML | 5 | PA; NDS; QL (35 per 28 days) |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> | 2 | |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 2 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP) | 2 | |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 5 | PA; NDS |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot) | 5 | PA NSO; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | PA NSO; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG | 5 | PA NSO; NDS |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | PA; NDS |
| LUTRATE DEPOT (3 MONTH) (leuprolide (3 month)) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 4 | PA NSO |
| NORDITROPIN FLEXPRESS SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA; NDS |
| <i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml | 2 | |
| <i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml | 2 | |
| ORGOVYX ORAL TABLET 120 MG | 5 | PA NSO; NDS |
| ORILISSA ORAL TABLET 150 MG | 5 | PA; NDS; QL (28 per 28 days) |
| ORILISSA ORAL TABLET 200 MG | 5 | PA; NDS; QL (56 per 28 days) |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; NDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5 | PA; NDS; QL (60 per 30 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML | 5 | PA NSO; NDS; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML | 5 | PA NSO; NDS; QL (0.3 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NDS |
| Progestins | | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | 3 | QL (0.65 per 84 days) |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate) | 2 | |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera) | 2 | |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera) | 2 | |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera) | 1 | |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey) | 2 | |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium) | 2 | |
| Thyroid And Antithyroid Agents | | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1 | |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | |
| <i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel) | 2 | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| Immunological Agents | | |
| Immunological Agents | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 5 | PA; NDS |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5 | PA; NDS |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 5 | PA; NDS |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 5 | PA; NDS |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG | 4 | PA BvD |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG | 5 | PA BvD; NDS |
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 2 | PA BvD |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 2 | PA BvD |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 5 | PA; NDS; QL (8 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 5 | PA; NDS; QL (8 per 28 days) |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 5 | PA NSO; NDS; QL (2 per 28 days) |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5 | PA; NDS |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NDS |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NDS |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; NDS |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; NDS |
| <i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune) | 2 | PA BvD |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf) | 2 | PA BvD |
| <i>cyclosporine modified oral capsule 50 mg</i> | 2 | PA BvD |
| <i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf) | 2 | PA BvD |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune) | 2 | PA BvD |
| CYLTEZO(CF) PEN CROHN'S-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NDS |
| CYLTEZO(CF) PEN PSORIASIS- UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------|------------------|----------------------------|
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | (adalimumab-adbm) | 5 | PA; NDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML | (adalimumab-adbm) | 5 | PA; NDS |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | | 5 | PA; NDS |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML | | 5 | PA; NDS |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | | 5 | PA; NDS |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | | 5 | PA; NDS |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | | 5 | PA; NDS |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | | 5 | PA; NDS |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | | 5 | PA; NDS |
| <i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | | 5 | PA BvD; NDS |
| GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %) | | 5 | PA BvD; NDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified) | | 2 | PA BvD |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified) | | 2 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NDS |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; NDS; Only NDCs starting with 00074 |
| <i>infliximab intravenous recon soln</i> (Remicade) 100 mg | 5 | PA; NDS |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| leflunomide oral tablet 10 mg, 20 mg (Arava) | 2 | |
| mycophenolate mofetil (hcl) intravenous recon soln 500 mg | 2 | PA BvD |
| mycophenolate mofetil oral capsule 250 mg | 2 | PA BvD |
| mycophenolate mofetil oral suspension for reconstitution 200 mg/ml | 5 | PA BvD; NDS |
| mycophenolate mofetil oral tablet 500 mg | 2 | PA BvD |
| mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg | 2 | PA BvD |
| NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NDS |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 5 | PA BvD; NDS |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG | 5 | PA; NDS |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 5 | PA; NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 5 | PA; NDS |
| OTEZLA ORAL TABLET 20 MG, 30 MG | 5 | PA; NDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-------------------------|-------------------------------|
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 4 | PA BvD |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 4 | PA BvD |
| RASUVO (PF) SUBCUTANEOUS AUTO-Injector 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 4 | ST |
| REZUROCK ORAL TABLET 200 MG | 5 | PA NSO; NDS |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML | 5 | PA; NDS; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG | 5 | PA; NDS |
| SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML | 5 | PA; NDS |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | (ustekinumab-aekn) 3 | PA |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML | (ustekinumab-aekn) 5 | PA; NDS |
| <i>sirolimus oral solution 1 mg/ml</i> | 5 | PA BvD; NDS |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | PA BvD |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML | 5 | PA; NDS |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NDS |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------|------------------|-------------------------------|
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2) | | 5 | PA; NDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | | 5 | PA; NDS |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | (ustekinumab) | 5 | PA; NDS |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | (ustekinumab) | 5 | PA; NDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | (ustekinumab) | 5 | PA; NDS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | (Prograf) | 2 | PA BvD |
| TAVNEOS ORAL CAPSULE 10 MG | | 5 | PA; NDS; QL (180 per 30 days) |
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML) | | 5 | PA; NDS |
| TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML | | 5 | PA; NDS |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML | | 5 | PA; NDS |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | | 5 | PA; NDS |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML | | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 5 | PA; NDS |
| TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5 | PA; NDS |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 5 | PA; NDS |
| XELJANZ ORAL SOLUTION 1 MG/ML | 5 | PA; NDS |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; NDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 5 | PA; NDS |
| YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML | 5 | PA; NDS |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 3 | PA |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 3 | PA |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; NDS |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty) HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML | 5 | PA; NDS |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NDS |
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Vaccines | | |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML | 3 | \$0 copay |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | \$0 copay |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | \$0 copay |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML | 3 | \$0 copay |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 3 | \$0 copay |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 3 | \$0 copay |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | 3 | \$0 copay |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML | 3 | \$0 copay |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 3 | QL (3 per 365 days) |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 3 | PA BvD; \$0 copay |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 3 | PA BvD; \$0 copay |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 3 | PA BvD; \$0 copay |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 3 | \$0 copay |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 3 | \$0 copay |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 3 | \$0 copay |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 3 | PA BvD; \$0 copay |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 3 | PA BvD; \$0 copay |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 3 | \$0 copay |
| IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML | 3 | \$0 copay |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 3 | \$0 copay |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 3 | \$0 copay |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 3 | \$0 copay |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 3 | \$0 copay |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 3 | \$0 copay |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 3 | \$0 copay |
| MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | 3 | \$0 copay |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 3 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML | 3 | \$0 copay |
| PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML | 3 | \$0 copay |
| PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 3 | \$0 copay |
| PENENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML | 3 | \$0 copay |
| PENENVY MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10-5 MCG | 3 | \$0 copay |
| PENENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 3 | \$0 copay |
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML | 3 | |
| PREHEVBRI (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML | 3 | PA BvD; \$0 copay |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML | 3 | \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5 | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | 3 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 3 | PA BvD; \$0 copay |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD; \$0 copay |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD; \$0 copay |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | 3 | |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 3 | |
| ROTAQUE VACCINE ORAL SOLUTION 2 ML | 3 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 3 | \$0 copay; QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML | 3 | \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 3 | \$0 copay |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 3 | \$0 copay |
| TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 3 | \$0 copay |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 3 | \$0 copay |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 3 | \$0 copay |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 3 | \$0 copay |
| TYPHIM VI INTRAMUSCULAR (typhoid vi polysacch SYRINGE 25 MCG/0.5 ML vaccine) | 3 | \$0 copay |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 3 | \$0 copay |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 3 | \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 3 | \$0 copay |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT | 3 | \$0 copay |
| VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML | 3 | \$0 copay |
| VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT | 3 | \$0 copay |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 3 | \$0 copay |
| Inflammatory Bowel Disease Agents | | |
| Inflammatory Bowel Disease Agents | | |
| <i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i> | 2 | |
| <i>balsalazide oral capsule 750 mg (Colazal)</i> | 2 | |
| <i>budesonide oral capsule,delayed,extend.release 3 mg</i> | 2 | |
| <i>budesonide rectal foam 2 mg/actuation (Uceris)</i> | 2 | |
| <i>hydrocortisone rectal enema 100 mg/60 ml (Cortenema)</i> | 2 | |
| <i>mesalamine oral capsule, extended release 500 mg (Pentasa)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

09/01/2025

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------|------------------|----------------------------|
| <i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> | (Apriso) | 2 | |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> | (Lialda) | 2 | QL (120 per 30 days) |
| <i>sulfasalazine oral tablet 500 mg</i> | (Azulfidine) | 2 | |
| <i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> | (Azulfidine EN-tabs) | 4 | |

Metabolic Bone Disease Agents

Metabolic Bone Disease Agents

| | | | |
|---|------------|---|-----------------------------|
| <i>alendronate oral solution 70 mg/75 ml</i> | | 2 | QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg</i> | | 1 | QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg</i> | | 1 | QL (4 per 28 days) |
| <i>alendronate oral tablet 70 mg</i> | (Fosamax) | 1 | QL (4 per 28 days) |
| <i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i> | | 2 | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | | 2 | |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> | (Sensipar) | 2 | QL (60 per 30 days) |
| <i>cinacalcet oral tablet 90 mg</i> | (Sensipar) | 5 | NDS; QL (120 per 30 days) |
| <i>ibandronate oral tablet 150 mg</i> | | 2 | QL (1 per 28 days) |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | | 5 | PA; NDS; QL (2 per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> | (Zemplar) | 2 | |
| <i>paricalcitol oral capsule 4 mcg</i> | | 2 | |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | | 3 | QL (1 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG | 3 | QL (60 per 30 days) |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML | 3 | QL (1 per 180 days) |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> | 5 | PA; NDS; QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 5 | PA; NDS; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 5 | PA; NDS |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 5 | PA; NDS |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION | 3 | |
| <i>betaine oral powder 1 gram/scoop (Cystadane)</i> | 5 | PA; NDS |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | |
| COSENTYX INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA; NDS |
| <i>diazoxide oral suspension 50 mg/ml (Proglycem)</i> | 2 | |
| <i>glutamine (sickle cell) oral powder in packet 5 gram (Endari)</i> | 5 | PA; NDS; QL (180 per 30 days) |
| GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-Injector 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML | 3 | |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> | 1 | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 2 | |
| <i>mesna oral tablet 400 mg</i> (Mesnex) | 5 | NDS |
| <i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv) (w/w) | 2 | QL (30 per 30 days) |
| <i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg | 2 | |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NDS; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG | 3 | QL (30 per 30 days) |
| VEOZAH ORAL TABLET 45 MG | 4 | PA; QL (30 per 30 days) |
| VOWST ORAL CAPSULE | 5 | PA; NDS; QL (12 per 30 days) |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML | 3 | |
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML | 3 | |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 2 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 2 | |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i> | 2 | QL (2.5 per 25 days) |
| <i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i> | 2 | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 2 | |
| <i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i> | 2 | |
| <i>brinzolamide ophthalmic (eye) (Azopt) drops, suspension 1 %</i> | 2 | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 2 | |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 2 | |
| <i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i> | 2 | |
| <i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i> | 1 | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %</i> | 3 | QL (2.5 per 25 days) |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | 2 | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 2 | |
| <i>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</i> | 3 | QL (2.5 per 25 days) |
| <i>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</i> | 3 | QL (2.5 per 25 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 % | 3 | |
| <i>tafluprost (pf) ophthalmic (eye)</i> (Zioptan (PF)) <i>dropperette 0.0015 %</i> | 2 | QL (30 per 30 days) |
| <i>timolol maleate ophthalmic (eye)</i> <i>drops 0.25 %, 0.5 %</i> | 1 | |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol) | 1 | |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z) <i>0.004 %</i> | 2 | QL (2.5 per 25 days) |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 % | 4 | QL (5 per 30 days) |

Replacement Preparations

Replacement Preparations

| | | | |
|--|----------------------------------|---|--------|
| <i>d5 % (d-glucose)-0.9 % sodchlر intravenous parenteral solution</i> | (d5 % and 0.9 % sodium chloride) | 2 | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | (D5 % (d-glucose)-0.9 % sodchlر) | 2 | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | | 2 | |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> | (potassium chloride) | 2 | |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> | (potassium chloride) | 2 | |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> | (potassium chloride) | 2 | |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i> | | 4 | |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i> | | 2 | |
| <i>potassium chloride intravenous solution 2 meq/ml</i> | | 2 | PA BvD |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 2 | |
| <i>potassium chloride oral tablet extended release 10 meq (Klor-Con 10)</i> | 2 | |
| <i>potassium chloride oral tablet extended release 15 meq, 20 meq</i> | 2 | |
| <i>potassium chloride oral tablet extended release 8 meq (Klor-Con 8)</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq (Klor-Con M15)</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i> | 2 | |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)</i> | 2 | |
| <i>potassium citrate oral tablet extended release 15 meq (Urocit-K 15)</i> | 2 | |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> | 2 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 2 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 2 | |
| <i>sodium chloride 0.9% solution mini-bag, single use</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|----------------------------------|----------------------------|---------------------------------|
| Respiratory Tract Agents | | | |
| Anti-Inflammatories, Inhaled | | | |
| Corticosteroids | | | |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | (fluticasone propion-salmeterol) | 3 | QL (12 per 30 days) |
| AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION | | 3 | QL (32.1 per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | (fluticasone furoate) | 3 | QL (30 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE | (fluticasone furoate-vilanterol) | 3 | QL (60 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE | | 3 | QL (60 per 30 days) |
| <i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> | (budesonide-formoterol) | 2 | QL (30.9 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> | (Pulmicort) | 2 | PA BvD; QL (120 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> | (Breyna) | 2 | QL (30.6 per 30 days) |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i> | | 2 | QL (12 per 30 days) |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i> | | 2 | QL (24 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i> | | 2 | QL (21.2 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | (Wixela Inhub) | 2 | QL (60 per 30 days) |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | (fluticasone propion-salmeterol) | 2 | QL (60 per 30 days) |
| Antileukotrienes | | | |
| <i>montelukast oral tablet 10 mg</i> | (Singulair) | 1 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> | (Singulair) | 2 | |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> | (Accolate) | 2 | |
| Bronchodilators | | | |
| <i>AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION</i> | | 3 | QL (32.1 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | (Ventolin HFA) | 2 | QL (17 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | | 2 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> | | 2 | QL (36 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | | 2 | PA BvD |
| <i>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</i> | (umeclidinium-vilanterol) | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 4 | QL (25.8 per 28 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 3 | QL (10.7 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 3 | QL (8 per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | PA BvD |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 2 | PA BvD; QL (540 per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 3 | QL (60 per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | QL (4 per 28 days) |
| <i>theophylline oral solution 80 mg/15 ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | 2 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 2 | |
| <i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler) | 2 | QL (30 per 30 days) |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG | 3 | QL (60 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 2 | PA BvD |
| ALYFTREK ORAL TABLET 10-50-125 MG | 5 | PA; NDS; QL (60 per 30 days) |
| ALYFTREK ORAL TABLET 4-20-50 MG | 5 | PA; NDS; QL (90 per 30 days) |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG | 5 | NDS; QL (560 per 28 days) |
| CINQAIR INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA; NDS |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 2 | PA BvD |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | 5 | PA; NDS; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML | 5 | PA; NDS; QL (1 per 28 days) |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 5 | PA; NDS; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| KALYDECO ORAL TABLET 150 MG | 5 | PA; NDS; QL (56 per 28 days) |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 5 | PA; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; NDS; QL (112 per 28 days) |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet) | 5 | PA; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet) | 5 | PA; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 534 mg</i> | 5 | PA; NDS; QL (90 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet) | 5 | PA; NDS; QL (90 per 30 days) |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp) | 2 | QL (28 per 28 days) |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp) | 2 | QL (30 per 30 days) |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) | 5 | PA; NDS; QL (1 per 21 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML | 5 | PA; NDS |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML | 5 | PA; NDS |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i> | 2 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>dantrolene oral capsule 100 mg, 50 mg</i> | 2 | |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 2 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>tizanidine oral tablet 2 mg</i> | 2 | |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex) | 2 | |
| Sleep Disorder Agents | | |
| Sleep Disorder Agents | | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil) | 2 | PA; QL (30 per 30 days) |
| <i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i> | 3 | QL (30 per 30 days) |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta) | 2 | QL (30 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> (Provigil) | 2 | PA; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> (Provigil) | 2 | PA; QL (60 per 30 days) |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem) | 5 | PA; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 2 | QL (30 per 30 days) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 1 | QL (30 per 30 days) |
| <i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| Vasodilating Agents | | |
| Vasodilating Agents | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; NDS; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension)) | 2 | PA; QL (60 per 30 days) |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer) | 5 | PA; LA; NDS; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; NDS; QL (30 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 2 | PA; QL (360 per 30 days) |
| <i>tadalafil oral tablet 2.5 mg</i> | 2 | PA |
| <i>tadalafil oral tablet 5 mg</i> (Cialis) | 2 | PA |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG | 5 | PA; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 200 MCG | 5 | PA; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 5 | PA; NDS |
| Vitamins And Minerals | | |
| Vitamins And Minerals | | |
| <i>bal-care dha combo pack 27-1-430 mg</i> | 2 | |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> | 2 | |
| <i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>completenate tablet chew 29 mg iron-1 mg</i> | 2 | |
| <i>folivane-ob capsule 85-1 mg</i> | 2 | |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i> | 2 | |
| <i>marnatal-f capsule 60 mg iron-1 mg</i> | 2 | |
| <i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2 | |
| <i>mynatal advance oral tablet 90-1-50 mg</i> | 2 | |
| <i>mynatal capsule 65 mg iron- 1 mg</i> | 2 | |
| <i>mynatal oral tablet 90-1-50 mg</i> | 2 | |
| <i>mynatal plus captab 65 mg iron- 1 mg</i> | 2 | |
| <i>mynatal-z captab 65 mg iron- 1 mg</i> | 2 | |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i> | 2 | |
| <i>newgen tablet 32-1,000 mg-mcg</i> | 2 | |
| <i>niva-plus tablet 27 mg iron- 1 mg</i> | 2 | |
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i> | 2 | |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i> | 2 | |
| <i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i> | 2 | |
| <i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i> | 2 | |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2 | |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i> | 2 | |
| <i>pnv-omega softgel 28-1-300 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>pr natal 400 combo pack 29-1-400 mg</i> | 2 | |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i> | 2 | |
| <i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i> | 2 | |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i> | 2 | |
| <i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i> | 2 | |
| <i>prenaissance oral capsule 29-1.25- 55-325 mg</i> | 2 | |
| <i>prenaissance plus oral capsule 28-1- 50-250 mg</i> | 2 | |
| <i>prenatabs fa tablet 29-1 mg</i> | 2 | |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i> | 2 | |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | |
| <i>prenatal low iron oral tablet 27 mg iron- 1 mg</i> | 2 | |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg (pnv,calcium 72- iron,carb-folic)</i> | 2 | |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2 | |
| <i>prenatal-u capsule 106.5-1 mg</i> | 2 | |
| <i>preplus oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2 | |
| <i>pretab oral tablet 29-1 mg</i> | 2 | |
| <i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i> | 2 | |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | |
| <i>taron-c dha capsule 35-1-200 mg</i> | 2 | |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i> | 2 | |
| <i>triveen-duo dha oral combo pack 29-1-400 mg</i> | 2 | |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i> | 2 | |
| <i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 2 | |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i> | 2 | |
| <i>virt-pn plus oral capsule 28-1-300 mg</i> | 2 | |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i> | 2 | |
| <i>vitafol nano oral tablet 18 mg iron- 1 mg</i> | 2 | |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i> | 2 | |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 2 | |
| <i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i> | 2 | |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i> | 2 | |
| <i>zatean-pn plus softgel 28-1-300 mg</i> | 2 | |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the introduction pages of this document

INDEX

| | | | | | |
|-------------------------------------|----------|--|----------|---|--------|
| 1ST TIER UNIFINE PENTIPS | 115, 116 | ADVOCATE PEN NEEDLE ... | 117 | <i>amlodipine</i> | 91 |
| 1ST TIER UNIFINE PENTIPS PLUS | 116 | ADVOCATE SYRINGES | 116, 117 | <i>amlodipine-atorvastatin</i> | 93 |
| <i>abacavir</i> | 72 | <i>afirmelle</i> | 100 | <i>amlodipine-benazepril</i> | 91 |
| <i>abacavir-lamivudine</i> | 73 | AIMOVIG AUTOINJECTOR | 58 | <i>amlodipine-olmesartan</i> | 91 |
| ABELCET | 55 | AIRSUPRA | 205, 206 | <i>amlodipine-valsartan</i> | 91 |
| <i>abigale</i> | 178 | AJOVY AUTOINJECTOR | 58 | <i>amlodipine-valsartan-hcthiazid</i> | 91 |
| <i>abigale lo</i> | 178 | AJOVY SYRINGE | 59 | <i>ammonium lactate</i> | 111 |
| ABILIFY ASIMTUFII | 64, 65 | AKEEGA | 18 | <i>amoxapine</i> | 46 |
| ABILIFY MAINTENA | 65 | <i>ala-cort</i> | 113 | <i>amoxicil-clarithromy-lansopraz</i> | 173 |
| <i>abiraterone</i> | 18 | <i>albendazole</i> | 62 | <i>amoxicillin</i> | 14 |
| <i>abirtega</i> | 18 | <i>albuterol sulfate</i> | 206 | <i>amoxicillin-pot clavulanate</i> | 14, 15 |
| ABOUTTIME PEN NEEDLE | 116 | ALCOHOL PADS | 117 | <i>amphotericin b</i> | 55 |
| ABRYSVO (PF) | 192 | ALCOHOL PREP PADS | 139 | <i>amphotericin b liposome</i> | 55 |
| <i>acamprosate</i> | 7 | ALCOHOL PREP SWABS | 117 | <i>ampicillin</i> | 15 |
| <i>acarbose</i> | 49 | ALCOHOL SWABS | 117 | <i>ampicillin sodium</i> | 15 |
| <i>acebutolol</i> | 88 | ALCOHOL WIPES | 117 | <i>ampicillin-sulbactam</i> | 15 |
| <i>acetaminophen-codeine</i> | 3 | ALECENSA | 18 | <i>anagrelide</i> | 83 |
| <i>acetazolamide</i> | 201 | <i>alendronate</i> | 199 | <i>anastrozole</i> | 18 |
| <i>acetazolamide sodium</i> | 202 | <i>alfuzosin</i> | 177 | ANKTIVA | 18 |
| <i>acetic acid</i> | 169 | <i>aliskiren</i> | 95 | ANORO ELLIPTA | 206 |
| <i>acetylcysteine</i> | 208 | <i>allopurinol</i> | 57 | <i>aprepitant</i> | 61 |
| <i>acitretin</i> | 111 | <i>alosetron</i> | 198 | APRETUDE | 73 |
| ACTEMRA | 184 | <i>alprazolam</i> | 8 | <i>apri</i> | 101 |
| ACTEMRA ACTPEN | 184 | ALREX | 171 | APTIVUS | 73 |
| ACTHAR | 181 | ALTRENO | 115 | AQINJECT PEN NEEDLE | 117 |
| ACTHAR SELFJECT | 181 | ALUNBRIG | 18 | ARCALYST | 184 |
| ACTHIB (PF) | 192 | ALVAIZ | 82 | AREXVY (PF) | 192 |
| ACTIMMUNE | 200 | <i>alyacen 1/35 (28)</i> | 100 | ARIKAYCE | 10 |
| <i>acyclovir</i> | 80, 111 | <i>alyacen 7/7/7 (28)</i> | 101 | <i>aripiprazole</i> | 65 |
| <i>acyclovir sodium</i> | 80 | ALYFTREK | 208 | ARISTADA | 65, 66 |
| ADACEL(TDAP | | <i>alyq</i> | 211 | ARISTADA INITIO | 65 |
| ADOLESN/ADULT)(PF) | 192 | <i>amantadine hcl</i> | 63 | <i>armodafinil</i> | 210 |
| <i>adapalene</i> | 115 | <i>amethyst (28)</i> | 101 | ARNUITY ELLIPTA | 205 |
| <i>adefovir</i> | 80 | <i>amikacin</i> | 10 | <i>asenapine maleate</i> | 66 |
| ADEMPAS | 211 | <i>amiloride</i> | 92 | <i>aspirin-dipyridamole</i> | 83 |
| <i>adrucil</i> | 18 | <i>amiloride-hydrochlorothiazide</i> | 92 | ASSURE ID DUO PRO SFTY | |
| ADVAIR HFA | 205 | <i>amiodarone</i> | 87 | PEN NDL | 117 |
| | | <i>amitriptyline</i> | 45 | ASSURE ID DUO-SHIELD | 117 |

| | |
|--------------------------------------|----------|
| ASSURE ID INSULIN | |
| SAFETY | 118 |
| ASSURE ID PEN NEEDLE | 118 |
| ASSURE ID PRO PEN | |
| NEEDLE | 118 |
| ASTAGRAF XL | 184 |
| atazanavir | 73 |
| atenolol | 88 |
| atenolol-chlorthalidone | 88 |
| atomoxetine | 96 |
| atorvastatin | 93 |
| atovaquone | 62 |
| atovaquone-proguanil | 62 |
| atropine | 168 |
| ATROVENT HFA | 207 |
| aubra eq | 101 |
| AUGTYRO | 18 |
| aurovela 1.5/30 (21) | 101 |
| aurovela 1/20 (21) | 101 |
| aurovela 24 fe | 101 |
| aurovela fe 1.5/30 (28) | 101 |
| aurovela fe 1-20 (28) | 101 |
| AUSTEDO | 96 |
| AUSTEDO XR | 96, 97 |
| AUSTEDO XR TITRATION | |
| KT(WK1-4) | 97 |
| AUTOSHIELD DUO PEN | |
| NEEDLE | 118 |
| AUVELITY | 46 |
| aviane | 101 |
| AVMAPKI | 19 |
| AVMAPKI-FAKZYNJA | 19 |
| AVONEX | 97 |
| AXTLE | 19 |
| ayuna | 101 |
| AYVAKIT | 19 |
| azacitidine | 19 |
| azathioprine | 184 |
| azathioprine sodium | 184 |
| azelastine | 168 |
| azithromycin | 13 |
| aztreonam | 13 |
| azurette (28) | 101 |
| bacitracin | 169 |
| bacitracin-polymyxin b | 169 |
| baclofen | 210 |
| bal-care dha | 211 |
| bal-care dha essential | 211 |
| balsalazide | 198 |
| BALVERSA | 19 |
| BAQSIMI | 200 |
| BCG VACCINE, LIVE (PF) | 192 |
| BD ALCOHOL SWABS | 120 |
| BD AUTOSHIELD DUO PEN | |
| NEEDLE | 118 |
| BD ECLIPSE LUER-LOK | 118 |
| BD INSULIN SYRINGE | 119 |
| BD INSULIN SYRINGE | |
| (HALF UNIT) | 118 |
| BD INSULIN SYRINGE SLIP | |
| TIP | 119 |
| BD INSULIN SYRINGE | |
| ULTRA-FINE | 118, 119 |
| BD NANO 2ND GEN PEN | |
| NEEDLE | 119 |
| BD SAFETYGLIDE INSULIN | |
| SYRINGE | 119, 120 |
| BD SAFETYGLIDE SYRINGE | |
| | 120 |
| BD ULTRA-FINE MICRO | |
| PEN NEEDLE | 120 |
| BD ULTRA-FINE MINI PEN | |
| NEEDLE | 120 |
| BD ULTRA-FINE NANO PEN | |
| NEEDLE | 120 |
| BD ULTRA-FINE ORIG PEN | |
| NEEDLE | 120 |
| BD ULTRA-FINE SHORT | |
| PEN NEEDLE | 120 |
| BD VEO INSULIN SYR | |
| (HALF UNIT) | 120 |
| BD VEO INSULIN SYRINGE | |
| UF | 120 |
| BELSOMRA | 210 |
| benazepril | 86 |
| benazepril-hydrochlorothiazide | 86 |
| bendamustine | 19 |
| BENDAMUSTINE | 19 |
| BENDEKA | 19 |
| BENLYSTA | 184 |
| benztropine | 63 |
| BESREMI | 184 |
| betaine | 200 |
| betamethasone dipropionate | 113 |
| betamethasone valerate | 113 |
| betamethasone, augmented | 113 |
| BETASERON | 97 |
| betaxolol | 202 |
| bethanechol chloride | 176 |
| bexarotene | 19 |
| BEXSERO | 192 |
| bicalutamide | 19 |
| BICILLIN L-A | 15 |
| BIKTARVY | 73 |
| bimatoprost | 202 |
| bisoprolol fumarate | 88 |
| bisoprolol-hydrochlorothiazide | 88 |
| BIZENGRI | 19 |
| bleomycin | 19 |
| blisovi 24 fe | 101 |
| blisovi fe 1.5/30 (28) | 101 |
| blisovi fe 1/20 (28) | 101 |
| BOOSTRIX TDAP | 192 |
| BORDERED GAUZE | 120 |
| bortezomib | 20 |
| BORUZU | 20 |
| bosentan | 211 |
| BOSULIF | 20 |
| BRAFTOVI | 20 |
| BREO ELLIPTA | 205 |
| breyna | 205 |
| BREZTRI AEROSPHERE | 207 |
| BRILINTA | 83 |
| brimonidine | 202 |
| brimonidine-timolol | 202 |
| brinzolamide | 202 |

| | | | | | |
|----------------------------------|----------|-------------------------------|---------|------------------------------|---------------|
| BRIVIACT | 38, 39 | carglumic acid | 174 | clarithromycin | 13 |
| bromfenac | 171 | carteolol | 202 | CLENPIQ | 175 |
| bromocriptine | 63 | cartia xt | 89 | CLICKFINE PEN NEEDLE | |
| BRONCHITOL | 208 | carvedilol | 88 | | 122, 135 |
| BRUKINSA | 20 | CAYSTON | 14 | clindamycin hcl | 10 |
| budesonide | 198, 205 | cefaclor | 11 | clindamycin phosphate | 10, 58, 112 |
| budesonide-formoterol | 205 | cefadroxil | 11, 12 | clindamycin-benzoyl peroxide | 112 |
| bumetanide | 92 | cefazolin | 12 | CLINIMIX 6%-D5W | |
| buprenorphine | 3 | cefdinir | 12 | (SULFITE-FREE) | 83 |
| buprenorphine hcl | 7 | cefepime | 12 | CLINIMIX 8%- | |
| buprenorphine-naloxone | 7, 8 | cefixime | 12 | D10W(SULFITE-FREE) | 83 |
| bupropion hcl | 46 | cefoxitin | 12 | CLINIMIX 8%- | |
| bupropion hcl (smoking deter) | 8 | cefpodoxime | 12 | D14W(SULFITE-FREE) | 84 |
| buspirone | 200 | cefprozil | 12 | CLINIMIX E 8%-D10W | |
| butalbital-acetaminop-caf-cod | 3 | ceftazidime | 12 | SULFITEFREE | 84 |
| butalbital-acetaminophen-caff | 3 | ceftriaxone | 12 | CLINIMIX E 8%-D14W | |
| CABENUVA | 73 | cefuroxime axetil | 12 | SULFITEFREE | 84 |
| cabergoline | 63 | cefuroxime sodium | 12 | clobazam | 39 |
| CABOMETYX | 20 | celecoxib | 5 | clobetasol | 113 |
| cabotegravir | 73 | cephalexin | 12 | clobetasol-emollient | 113 |
| calcipotriene | 111 | cevimeline | 110 | clomipramine | 46 |
| calcitonin (salmon) | 199 | chateal eq (28) | 102 | clonazepam | 8, 9 |
| calcitriol | 199 | chlordiazepoxide hcl | 8 | clonidine | 84 |
| calcium acetate(phosphat bind) | 176 | chlorhexidine gluconate | 110 | clonidine hcl | 84 |
| CALQUENCE | 20 | chloroquine phosphate | 62 | clopidogrel | 83 |
| CALQUENCE (ACALABRUTINIB MAL) | 20 | chlorpromazine | 66 | clorazepate dipotassium | 9 |
| camila | 101 | chlorthalidone | 92 | clotrimazole | 55, 56 |
| CAMZYOS | 90 | cholestyramine (with sugar) | 93 | clotrimazole-betamethasone | 56 |
| candesartan | 85 | cholestyramine light | 93 | clozapine | 66 |
| candesartan-hydrochlorothiazid | 85 | ciclopirox | 55 | c-nate dha | 211 |
| CAPLYTA | 66 | cilostazol | 83 | COARTEM | 62 |
| CAPRELSA | 20 | CIMDUO | 73 | COBENFY | 66 |
| captopril | 86 | cimetidine hcl | 173 | COBENFY STARTER PACK | 66 |
| carbamazepine | 39 | CIMZIA | 185 | colchicine | 57, 58 |
| carbidopa-levodopa | 63, 64 | CIMZIA POWDER FOR | | colesevelam | 93 |
| CAREFINE PEN NEEDLE | 121 | RECONST | 184 | colestipol | 93 |
| CARETOUCH ALCOHOL | | cinacalcet | 199 | colistin (colistimethate na) | 11 |
| PREP PAD | 121 | CINQAIR | 208 | COMBIVENT RESPIMAT | 207 |
| CARETOUCH INSULIN | | ciprofloxacin hcl | 16, 169 | COMETRIQ | 20, 21 |
| SYRINGE | 121, 122 | ciprofloxacin in 5 % dextrose | 16 | COMFORT EZ INSULIN | |
| CARETOUCH PEN NEEDLE | 121 | ciprofloxacin-dexamethasone | 169 | SYRINGE | 122, 123, 124 |
| | | citalopram | 46 | | |

| | |
|---|---------------|
| COMFORT EZ PEN | |
| NEEDLES..... | 123 |
| COMFORT EZ PRO SAFETY | |
| PEN NDL | 123, 124 |
| COMFORT TOUCH PEN | |
| NEEDLE..... | 124, 125 |
| completenate..... | 212 |
| compro..... | 61 |
| constulose..... | 174 |
| COPIKTRA..... | 21 |
| CORLANOR..... | 90 |
| CORTROPHIN GEL..... | 181 |
| COSENTYX..... | 185, 200 |
| COSENTYX (2 SYRINGES).... | 185 |
| COSENTYX PEN (2 PENS).... | 185 |
| COSENTYX UNOREADY | |
| PEN..... | 185 |
| COTELLIC..... | 21 |
| CREON..... | 167 |
| CRESEMBIA..... | 56 |
| cromolyn..... | 168, 174, 208 |
| cryselle (28)..... | 102 |
| CURAD GAUZE PAD..... | 125 |
| CURITY ALCOHOL SWABS | 125 |
| CURITY GAUZE..... | 125 |
| cyclafem 1/35 (28)..... | 102 |
| cyclafem 7/7/7 (28)..... | 102 |
| cyclobenzaprine..... | 210 |
| cyclophosphamide..... | 21 |
| cyclosporine..... | 171, 185 |
| cyclosporine modified..... | 185 |
| CYLTEZO(CF)..... | 186 |
| CYLTEZO(CF) PEN..... | 186 |
| CYLTEZO(CF) PEN | |
| CROHN'S-UC-HS..... | 185 |
| PSORIASIS-UV..... | 185 |
| cyred eq..... | 102 |
| d5 % (<i>d</i> -glucose)-0.9 % sodchl _r | 203 |
| d5 % and 0.9 % sodium | |
| chloride..... | 203 |
| d5 %-0.45 % sodium chloride.. | 203 |
| dabigatran etexilate..... | 80 |
| dalfampridine..... | 97 |
| danazol..... | 178 |
| dantrolene..... | 210 |
| DANYELZA..... | 21 |
| DANZITEN..... | 21 |
| dapsone..... | 60 |
| DAPTACEL (DTAP | |
| PEDIATRIC) (PF)..... | 192 |
| daptomycin..... | 11 |
| darunavir..... | 73 |
| dasatinib..... | 21 |
| dasetta 1/35 (28)..... | 102 |
| dasetta 7/7/7 (28)..... | 102 |
| DATROWAY..... | 21 |
| DAURISMO..... | 21 |
| deblitane..... | 102 |
| decitabine..... | 21 |
| deferasirox..... | 177 |
| DELSTRIGO..... | 73 |
| demeclacycline..... | 17 |
| DENGVAXIA (PF)..... | 193 |
| denta 5000 plus..... | 110 |
| dentagel..... | 110 |
| DEPO-SUBQ PROVERA 104. | 183 |
| DERMACEA..... | 125 |
| DERMACEA NON-WOVEN.. | 125 |
| dermacinrx lidocan..... | 7 |
| DESCOVY..... | 73 |
| desipramine..... | 46 |
| desmopressin..... | 181 |
| desog-e.estradiol/e.estradiol.... | 102 |
| desogestrel-ethinyl estradiol.... | 102 |
| desvenlafaxine succinate..... | 46 |
| dexamethasone..... | 180 |
| dexamethasone sodium | |
| phosphate..... | 171, 180 |
| dextroamphetamine- | |
| amphetamine..... | 97 |
| dextrose 5 % in water (d5w)..... | 84 |
| DIACOMIT | 39 |
| diazepam | 9, 39 |
| diazepam intensol | 9 |
| diazoxide | 200 |
| diclofenac epolamine | 5 |
| diclofenac potassium | 5 |
| diclofenac sodium | 5, 6, 171 |
| diclofenac-misoprostol | 6 |
| dicloxacillin | 15 |
| dicyclomine | 174 |
| didanosine | 73 |
| DIFICID..... | 13 |
| disfluprednate | 172 |
| digoxin | 90 |
| dihydroergotamine | 59 |
| diltiazem hcl..... | 89 |
| dilt-xr | 89 |
| dimethyl fumarate | 97, 98 |
| diphenoxylate-atropine | 174 |
| dipyridamole | 83 |
| disulfiram | 8 |
| divalproex | 39 |
| dofetilide | 87 |
| dolishale | 102 |
| donepezil | 45 |
| dorzolamide | 202 |
| dorzolamide-timolol..... | 202 |
| DOVATO..... | 74 |
| doxazosin | 84 |
| doxepin | 46 |
| doxorubicin, peg-liposomal | 22 |
| doxy-100 | 17 |
| doxycycline hyclate | 17 |
| doxycycline monohydrate | 17 |
| DRIZALMA SPRINKLE..... | 46 |
| dronabinol | 61 |
| DROPLET INSULIN | |
| SYR(HALF UNIT)...125, 126, 127 | |
| DROPLET INSULIN | |
| SYRINGE..... | 126, 127, 128 |
| DROPLET MICRON PEN | |
| NEEDLE..... | 128 |
| DROPLET PEN NEEDLE..... | 128 |

| | | | | | |
|-------------------------------------|--------------------|---|----------|---|---------|
| DROPSAFE ALCOHOL PREP PADS..... | 128 | EASY TOUCH SHEATHLOCK INSULIN | 132, 133 | ENGERIX-B (PF)..... | 193 |
| DROPSAFE INSULIN SYRINGE..... | 129 | EASY TOUCH UNI-SLIP 134 | | ENGERIX-B PEDIATRIC (PF) | 193 |
| DROPSAFE PEN NEEDLE..... | 129 | <i>econazole nitrate</i>56 | | <i>enilloring</i> | 102 |
| <i>droxidopa</i> | 84 | EDURANT 74 | | <i>enoxaparin</i> | 80, 81 |
| DUAVEE..... | 178 | EDURANT PED 74 | | <i>empresse</i> | 103 |
| <i>duloxetine</i> | 46 | <i>efavirenz</i>74 | | <i>enskyce</i> | 103 |
| DUPIXENT PEN..... | 186 | <i>efavirenz-emtricitabin-tenofovir</i>74 | | <i>entacapone</i> | 64 |
| DUPIXENT SYRINGE..... | 186 | <i>efavirenz-lamivu-tenofovir disop</i> ...74 | | <i>entecavir</i> | 80 |
| <i>dutasteride</i> | 177 | ELAHERE 22 | | ENTRESTO | 85 |
| EASY COMFORT ALCOHOL PAD..... | 130 | ELEPSIA XR.....40 | | ENTRESTO SPRINKLE | 85 |
| EASY COMFORT INSULIN SYRINGE..... | 129, 130, 131 | ELIGARD 22 | | <i>enulose</i> | 174 |
| EASY COMFORT PEN NEEDLES..... | 130, 131 | ELIGARD (3 MONTH)..... 22 | | EPCLUSA..... | 79 |
| EASY COMFORT SAFETY PEN NEEDLE..... | 129 | ELIGARD (4 MONTH)..... 22 | | EPIDIOLEX | 40 |
| EASY GLIDE INSULIN SYRINGE..... | 131 | ELIGARD (6 MONTH)..... 22 | | <i>epinastine</i> | 168 |
| EASY GLIDE PEN NEEDLE..131 | | <i>elinet</i>102 | | <i>epinephrine</i> | 90 |
| EASY TOUCH..... | 133 | ELIQUIS 80 | | <i>epitol</i> | 40 |
| EASY TOUCH ALCOHOL PREP PADS..... | 132 | ELIQUIS DVT-PE TREAT | | EPIVIR HBV | 74 |
| EASY TOUCH FLIPLOCK INSULIN..... | 133 | 30D START 80 | | EPKINLY | 22 |
| EASY TOUCH FLIPLOCK SYRINGE..... | 132 | ELREXFIO 22 | | <i>eplerenone</i> | 95 |
| EASY TOUCH INSULIN SAFETY SYR..... | 132 | <i>eltrombopag olamine</i>82 | | EPRONTIA | 40 |
| EASY TOUCH INSULIN SYRINGE..... | 131, 132, 133, 134 | <i>eluryng</i>102 | | ERBITUX | 22 |
| EASY TOUCH LUER LOCK INSULIN..... | 133 | EMBRACE PEN NEEDLE | | <i>ergoloid</i> | 45 |
| EASY TOUCH PEN NEEDLE 133 | | 134, 135 | | ERIVEDGE | 22 |
| EASY TOUCH SAFETY PEN NEEDLE | 134 | EMCYT 22 | | ERLEADA | 22 |
| | | EMGALITY PEN.....59 | | <i>erlotinib</i> | 23 |
| | | EMGALITY SYRINGE.....59 | | <i>errin</i> | 103 |
| | | <i>emoquette</i>102 | | <i>ertapenem</i> | 14 |
| | | EMRELIS 22 | | <i>erythromycin</i> | 13, 169 |
| | | EMSAM.....47 | | <i>erythromycin ethylsuccinate</i>13 | |
| | | <i>emtricitabine</i>74 | | <i>erythromycin with ethanol</i>112 | |
| | | <i>emtricitabine-tenofovir (tdf)</i> 74 | | ERZOFRI..... | 66, 67 |
| | | <i>emtricitabine-rilpivirine-tenof df</i>74 | | <i>escitalopram oxalate</i> | 47 |
| | | EMTRIVA | | <i>eslicarbazepine</i> | 40 |
| | | <i>emzahh</i>102 | | <i>esomeprazole magnesium</i> | 173 |
| | | <i>enalapril maleate</i>86 | | <i>estarylla</i> | 103 |
| | | <i>enalapril-hydrochlorothiazide</i> ...86 | | <i>estradiol</i> | 179 |
| | | ENBREL | | <i>estradiol-norethindrone acet</i> 179 | |
| | | ENBREL MINI.....186 | | <i>eszopiclone</i> | 210 |
| | | ENBREL SURECLICK..... 186 | | <i>ethambutol</i> | 60 |
| | | <i>endocet</i>3 | | <i>ethosuximide</i> | 40 |
| | | | | <i>ethynodiol diac-eth estradiol</i> 103 | |

| | | | | |
|---------------------------------------|--------|--|---------------------------------------|--------------|
| <i>etodolac</i> | 6 | FIASP FLEXTOUCH U-100 | FREESTYLE PRECISION | 135 |
| <i>etonogestrel-ethinyl estradiol</i> | 103 | INSULIN | FRUZAQLA | 24 |
| ETOPOPHOS | 23 | FIASP PENFILL U-100 | <i>fulvestrant</i> | 24 |
| <i>etoposide</i> | 23 | INSULIN | <i>furosemide</i> | 92 |
| <i>etravirine</i> | 74 | FIASP U-100 INSULIN | FUZEON | 74 |
| EUCRISA | 114 | <i>finasteride</i> | FYARRO | 24 |
| EULEXIN | 23 | <i> fingolimod</i> | FYCOMPA | 40 |
| <i>everolimus (antineoplastic)</i> | 23 | FINTEPLA | <i> gabapentin</i> | 41 |
| <i>everolimus (immunosuppressive)</i> | 186 | FIRMAGON KIT W | <i> galantamine</i> | 45 |
| EVOTAZ | 74 | DILUENT SYRINGE | <i> gallifrey</i> | 183 |
| <i>exemestane</i> | 23 | <i>flavoxate</i> | GAMUNEX-C | 186 |
| EXTENCILLINE | 15 | <i>flecainide</i> | GARDASIL 9 (PF) | 193 |
| EYSUVIS | 172 | <i> floxuridine</i> | GAUZE PAD | 135 |
| <i>ezetimibe</i> | 93 | <i> fluconazole</i> | <i> gavilyte-c</i> | 175 |
| <i>ezetimibe-simvastatin</i> | 93, 94 | <i> fluconazole in nacl (iso-osm)</i> | <i> gavilyte-g</i> | 175 |
| FAKZYNJA | 23 | <i> flucytosine</i> | <i> gavilyte-n</i> | 175 |
| <i>falmina (28)</i> | 103 | <i> fludrocortisone</i> | GAVRETO | 24 |
| famciclovir | 80 | <i> flunisolide</i> | <i> gefitinib</i> | 24 |
| <i>famotidine</i> | 173 | <i> fluocinolone</i> | <i> gemfibrozil</i> | 94 |
| FANAPT | 67 | <i> fluocinolone acetonide oil</i> | <i> generlac</i> | 174 |
| FANAPT TITRATION PACK A | 67 | <i> fluocinonide</i> | <i> gengraf</i> | 186 |
| FANAPT TITRATION PACK B | 67 | <i> fluoride (sodium)</i> | <i> gentak</i> | 169 |
| FANAPT TITRATION PACK C | 67 | <i> fluorometholone</i> | <i> gentamicin</i> | 10, 112, 169 |
| FARXIGA | 49 | <i> fluorouracil</i> | <i> gentamicin sulfate (ped) (pf)</i> | 10 |
| FASENRA | 208 | <i> fluoxetine</i> | <i> gentamicin sulfate (pf)</i> | 10 |
| FASENRA PEN | 208 | <i> fluphenazine decanoate</i> | GENVOYA | 74 |
| <i>febuxostat</i> | 58 | <i> fluphenazine hcl</i> | GIOTRIF | 24 |
| feirza | 103 | <i> flurbiprofen</i> | <i> glatiramer</i> | 98 |
| <i>felbamate</i> | 40 | <i> flurbiprofen sodium</i> | <i> glatopa</i> | 98 |
| <i>felodipine</i> | 91 | <i> flutamide</i> | GLEOSTINE | 24 |
| <i>femynor</i> | 103 | <i> fluticasone propionate</i> | <i> glimepiride</i> | 54, 55 |
| <i>fenofibrate</i> | 94 | <i> fluticasone propion-salmeterol</i> | <i> glipizide</i> | 55 |
| <i>fenofibrate micronized</i> | 94 | <i> fluvastatin</i> | <i> glipizide-metformin</i> | 55 |
| <i>fenofibrate nanocrystallized</i> | 94 | <i> fluvoxamine</i> | <i> glutamine (sickle cell)</i> | 200 |
| <i>fentanyl</i> | 4 | <i> folivane-ob</i> | <i> glyburide</i> | 55 |
| <i>fentanyl citrate</i> | 4 | <i> fondaparinux</i> | <i> glyburide micronized</i> | 55 |
| <i>fesoterodine</i> | 176 | <i> fosamprenavir</i> | <i> glyburide-metformin</i> | 55 |
| FETZIMA | 47 | <i> fasinopril</i> | <i> glycyrrolate</i> | 174 |
| | | <i> fasinopril-hydrochlorothiazide</i> | <i> glydo</i> | 7 |
| | | <i> fosphenytoin</i> | GLYXAMBI | 49 |
| | | FOTIVDA | GOMEKLI | 24 |
| | | | <i> griseofulvin microsize</i> | 56 |

| | | | | | |
|------------------------------------|----------|-----------------------------------|---------------|---------------------------------------|--------|
| <i>griseofulvin ultramicrosize</i> | 56 | HUMIRA(CF) PEN | | <i>incassia</i> | 104 |
| <i>guanfacine</i> | 84, 98 | PEDIATRIC UC | 187 | INCONTROL ALCOHOL | |
| GVOKE | 201 | HUMIRA(CF) PEN PSOR-UV- | | PADS | 137 |
| GVOKE HYPOPEN 2-PACK | 200 | ADOL HS | 187 | INCONTROL PEN NEEDLE | 137 |
| GVOKE PFS 1-PACK | | HUMULIN R U-500 (CONC) | | INCRELEX | 181 |
| SYRINGE | 201 | INSULIN | 52 | <i>indapamide</i> | 92 |
| HAEGARDA | 82 | HUMULIN R U-500 (CONC) | | <i>indomethacin</i> | 6 |
| <i>hailey 24 fe</i> | 103 | KWIKPEN | 52 | INFANRIX (DTAP) (PF) | 193 |
| <i>hailey fe 1.5/30 (28)</i> | 103 | <i>hydralazine</i> | 90 | <i>infliximab</i> | 187 |
| <i>hailey fe 1/20 (28)</i> | 103 | <i>hydrochlorothiazide</i> | 92 | INGREZZA | 98 |
| <i>halobetasol propionate</i> | 114 | <i>hydrocodone-acetaminophen</i> | 4 | INGREZZA INITIATION | |
| <i>haloette</i> | 103 | <i>hydrocortisone</i> | 114, 180, 198 | PK(TARDIV) | 98 |
| <i>haloperidol</i> | 68 | <i>hydrocortisone valerate</i> | 114 | INGREZZA SPRINKLE | 98 |
| <i>haloperidol decanoate</i> | 67 | <i>hydrocortisone-acetic acid</i> | 169 | INLYTA | 26 |
| <i>haloperidol lactate</i> | 68 | <i>hydromorphone</i> | 4 | INPEN (FOR HUMALOG) | |
| HARVONI | 79 | <i>hydroxychloroquine</i> | 62 | BLUE | 137 |
| HAVRIX (PF) | 193 | <i>hydroxyurea</i> | 24 | INPEN (NOVOLOG OR | |
| HEALTHWISE INSULIN | | <i>hydroxyzine hcl</i> | 58 | FIASP) BLUE | 137 |
| SYRINGE | 136 | <i>hydroxyzine pamoate</i> | 201 | INQOVI | 26 |
| HEALTHWISE PEN NEEDLE | | <i>ibandronate</i> | 199 | INREBIC | 26 |
| | 136, 137 | IBRANCE | 25 | <i>insulin asp prt-insulin aspart</i> | 52 |
| HEALTHY ACCENTS | | IBTROZI | 25 | <i>insulin aspart u-100</i> | 52, 53 |
| UNIFINE PENTIP | 137 | <i>ibu</i> | 6 | <i>insulin glargine-yfgn</i> | 53 |
| <i>heather</i> | 103 | <i>ibuprofen</i> | 6 | INSULIN SYR/NDL U100 | |
| <i>heparin (porcine)</i> | 81 | <i>icatibant</i> | 91 | HALF MARK | 138 |
| HEPLISAV-B (PF) | 193 | <i>iclevia</i> | 103 | INSULIN SYRINGE | 119 |
| HERCEPTIN HYLECTA | 24 | ICLUSIG | 25 | INSULIN SYRINGE | |
| HERZUMA | 24 | <i>icosapent ethyl</i> | 94 | MICROFINE | 119 |
| HIBERIX (PF) | 193 | IDHIFA | 25 | INSULIN SYRINGE | |
| HUMIRA | 187 | <i>ifosfamide</i> | 25 | NEEDLELESS | 138 |
| HUMIRA PEN | 187 | ILEVRO | 172 | INSULIN SYRINGE-NEEDLE | |
| HUMIRA PEN CROHNS-UC- | | <i>imatinib</i> | 25 | U-100 | |
| HS START | 187 | IMBRUVICA | 25 | 135, 137, 138, 139, 144, 146, 148, | |
| HUMIRA PEN PSOR- | | IMDELLTRA | 25 | 153, 157, 158 | |
| UVEITS-ADOL HS | 187 | <i>imipenem-cilastatin</i> | 14 | INSULIN U-500 SYRINGE- | |
| HUMIRA(CF) | 187 | <i>imipramine hcl</i> | 47 | NEEDLE | 139 |
| HUMIRA(CF) PEDI CROHNS | | <i>imiquimod</i> | 111 | INSUPEN PEN NEEDLE | 139 |
| STARTER | 187 | IMJUDO | 25 | INTELENCE | 75 |
| HUMIRA(CF) PEN | 187 | IMKELDI | 25 | INTRON A | 79 |
| HUMIRA(CF) PEN CROHNS- | | IMOVAZ RABIES VACCINE | | <i>introvale</i> | 104 |
| UC-HS | 187 | (PF) | 193 | INVEGA HAFYERA | 68 |
| | | IMPAVIDO | 62 | INVEGA SUSTENNA | 68 |

| | | | | | |
|---------------------------------------|----------|----------------------------------|----------|--|-----|
| INVEGA TRINZA | 68, 69 | JYLAMVO | 26 | lapatinib | 27 |
| INVELTYS | 172 | JYNARQUE | 92 | larin 1.5/30 (21) | 105 |
| IPOP | 194 | JYNNEOS (PF) | 194 | larin 1/20 (21) | 105 |
| <i>ipratropium bromide</i> | 168, 207 | KALETRA | 75 | larin 24 fe | 105 |
| <i>ipratropium-albuterol</i> | 207 | KALYDECO | 208, 209 | larin fe 1.5/30 (28) | 105 |
| <i>irbesartan</i> | 85 | <i>kariva</i> (28) | 104 | larin fe 1/20 (28) | 105 |
| <i>irbesartan-hydrochlorothiazide</i> | 85 | <i>kelnor</i> 1/35 (28) | 104 | larissia | 105 |
| ISENTRESS | 75 | <i>kelnor</i> 1/50 (28) | 104 | latanoprost | 202 |
| ISENTRESS HD | 75 | KERENDIA | 95 | LAZCLUZE | 27 |
| <i>isibloom</i> | 104 | KESIMPTA PEN | 98 | leflunomide | 188 |
| <i>isoniazid</i> | 60 | <i>ketoconazole</i> | 56 | lenalidomide | 27 |
| ISOPROPYL ALCOHOL | 111 | <i>ketorolac</i> | 6, 172 | LETOCILIN S | 15 |
| <i>isosorbide dinitrate</i> | 95 | KEYTRUDA | 26 | LENVIMA | 27 |
| <i>isosorbide mononitrate</i> | 95, 96 | KIMMTRAK | 26 | <i>lessina</i> | 105 |
| ITOVEBI | 26 | KINERET | 187 | letrozole | 27 |
| <i>itraconazole</i> | 56 | KINRIX (PF) | 194 | <i>leucovorin calcium</i> | 201 |
| IV PREP WIPES | 139 | <i>kionex (with sorbitol)</i> | 174 | LEUKERAN | 28 |
| <i>ivabradine</i> | 91 | KISQALI | 27 | <i>leuprolide</i> | 28 |
| <i>ivermectin</i> | 62 | KISQALI FEMARA CO- | | <i>leuprolide (3 month)</i> | 28 |
| IWILFIN | 26 | PACK | 26, 27 | levetiracetam | 41 |
| IXCHIQ (PF) | 194 | KLISYRI (250 MG) | 111 | <i>levobunolol</i> | 202 |
| IXIARO (PF) | 194 | <i>klor-con m10</i> | 203 | <i>levocetirizine</i> | 58 |
| JAKAFI | 26 | <i>klor-con m15</i> | 203 | <i>levofloxacin</i> | 16 |
| jantoven | 81 | <i>klor-con m20</i> | 203 | <i>levofloxacin in d5w</i> | 16 |
| JANUMET | 49 | KLOXXADO | 8 | <i>levonest</i> (28) | 105 |
| JANUMET XR | 49 | KOSELUGO | 27 | <i>levonorgestrel-eth.estradiol-iron</i> | 105 |
| JANUVIA | 49 | <i>kosher prenatal plus iron</i> | 212 | <i>levonorgestrel-ethinyl estrad</i> | 105 |
| JARDIANCE | 49 | KRAZATI | 27 | <i>levonorg-eth estrad triphasic</i> | 105 |
| javygtor | 167 | <i>kurvelo</i> (28) | 104 | <i>levora-28</i> | 105 |
| JAYPIRCA | 26 | KYLEENA | 104 | <i>levothyroxine</i> | 183 |
| JEMPERLI | 26 | KYNMOBI | 64 | LEXIVA | 75 |
| <i>jencycla</i> | 104 | <i>labetalol</i> | 88 | LIBERVANT | 41 |
| JENTADUETO | 49 | <i>lacosamide</i> | 41 | <i>lidocaine</i> | 7 |
| JENTADUETO XR | 50 | <i>lactulose</i> | 174 | <i>lidocaine hcl</i> | 7 |
| <i>jolessa</i> | 104 | <i>lamivudine</i> | 75 | <i>lidocaine viscous</i> | 7 |
| juleber | 104 | <i>lamivudine-zidovudine</i> | 75 | <i>lidocaine-prilocaine</i> | 7 |
| JULUCA | 75 | <i>lamotrigine</i> | 41 | <i>lidocan iii</i> | 7 |
| <i>junel 1.5/30 (21)</i> | 104 | <i>lanreotide</i> | 181 | LILETTA | 106 |
| <i>junel 1/20 (21)</i> | 104 | <i>lansoprazole</i> | 173 | <i>lillow</i> (28) | 106 |
| <i>junel fe 1.5/30 (28)</i> | 104 | LANTUS SOLOSTAR U-100 | | <i>linezolid</i> | 11 |
| <i>junel fe 1/20 (28)</i> | 104 | INSULIN | 53 | <i>linezolid in dextrose 5%</i> | 11 |
| <i>junel fe 24</i> | 104 | LANTUS U-100 INSULIN | 53 | LINZESS | 174 |

| | | | | | |
|---------------------------------------|----------|----------------------------------|----------|---------------------------------------|-------------|
| <i>liothyronine</i> | 183 | LUTRATE DEPOT (3 MONTH) | 182 | MAYZENT | 99 |
| LISCO | 139 | LYBALVI | 69 | MAYZENT STARTER(FOR 1MG MAINT) | 99 |
| <i>lisinopril</i> | 86 | <i>lyeq</i> | 106 | MAYZENT STARTER(FOR 2MG MAINT) | 99 |
| <i>lisinopril-hydrochlorothiazide</i> | 87 | LYNOZYFIC | 29 | <i>meclizine</i> | 61 |
| LITE TOUCH INSULIN PEN NEEDLES | 140 | LYNPARZA | 29 | <i>medroxyprogesterone</i> | 183 |
| LITE TOUCH INSULIN SYRINGE | 140, 141 | LYSODREN | 29 | <i>mefloquine</i> | 62 |
| <i>lithium carbonate</i> | 98 | LYTGOBI | 29 | <i>megestrol</i> | 29, 183 |
| <i>lithium citrate</i> | 99 | <i>lyza</i> | 106 | MEKINIST | 29 |
| LIVTENCITY | 78 | MAGELLAN INSULIN SAFETY SYRNG | 141 | MEKTOVI | 29 |
| LOKELMA | 174 | MAGELLAN SYRINGE | 141 | <i>meleya</i> | 106 |
| LONSURF | 28 | <i>magnesium sulfate</i> | 203 | <i>meloxicam</i> | 6 |
| <i>loperamide</i> | 174 | <i>malathion</i> | 115 | <i>memantine</i> | 45 |
| <i>lopinavir-ritonavir</i> | 75 | <i>maraviroc</i> | 75 | MENACTRA (PF) | 194 |
| LOQTORZI | 28 | MARGENZA | 29 | MENQUADFI (PF) | 194 |
| <i>lorazepam</i> | 9 | <i>marlissa (28)</i> | 106 | MENVEO A-C-Y-W-135-DIP (PF) | 194 |
| <i>lorazepam intensol</i> | 9 | <i>marnatal-f</i> | 212 | <i>mercaptopurine</i> | 29 |
| LORBRENA | 28 | MARPLAN | 47 | <i>meropenem</i> | 14 |
| <i>losartan</i> | 85 | MATULANE | 29 | <i>mesalamine</i> | 198, 199 |
| <i>losartan-hydrochlorothiazide</i> | 85 | MAVENCLAD (10 TABLET PACK) | 99 | <i>mesna</i> | 201 |
| LOTEMAX | 172 | MAVENCLAD (4 TABLET PACK) | 99 | <i>metformin</i> | 50 |
| LOTEMAX SM | 172 | MAVENCLAD (5 TABLET PACK) | 99 | <i>methadone</i> | 4 |
| <i>loteprednol etabonate</i> | 172 | MAVENCLAD (6 TABLET PACK) | 99 | <i>methazolamide</i> | 202 |
| <i>lovastatin</i> | 94 | MAVENCLAD (7 TABLET PACK) | 99 | <i>methenamine hippurate</i> | 11 |
| <i>low-ogestrel (28)</i> | 106 | MAVENCLAD (8 TABLET PACK) | 99 | <i>methimazole</i> | 183 |
| <i>loxapine succinate</i> | 69 | MAVENCLAD (9 TABLET PACK) | 99 | <i>methocarbamol</i> | 210 |
| <i>lubiprostone</i> | 174 | MAXICOMFORT II PEN NEEDLE | 141 | <i>methotrexate sodium</i> | 30 |
| LUMAKRAS | 28 | MAXICOMFORT INSULIN SYRINGE | 141 | <i>methotrexate sodium (pf)</i> | 30 |
| LUMIGAN | 202 | MAXI-COMFORT INSULIN SYRINGE | 141 | <i>methoxsalen</i> | 112 |
| LUNSUMIO | 28 | MAXICOMFORT SAFETY PEN NEEDLE | 141, 142 | <i>methsuximide</i> | 41 |
| LUPRON DEPOT | 29, 181 | | | <i>methylphenidate hcl</i> | 99 |
| LUPRON DEPOT (3 MONTH) | 28, 181 | | | <i>methylprednisolone</i> | 180 |
| LUPRON DEPOT (4 MONTH) | 28 | | | <i>methylprednisolone acetate</i> | 180 |
| LUPRON DEPOT (6 MONTH) | 28 | | | <i>metoclopramide hcl</i> | 175 |
| LUPRON DEPOT-PED | 182 | | | <i>metolazone</i> | 92 |
| LUPRON DEPOT-PED (3 MONTH) | 181 | | | <i>metoprolol succinate</i> | 88 |
| <i>lurasidone</i> | 69 | | | <i>metoprolol tartrate</i> | 88 |
| <i>lutera (28)</i> | 106 | | | <i>metronidazole</i> | 11, 58, 112 |
| | | | | <i>metronidazole in nacl (iso-os)</i> | 11 |
| | | | | <i>metyrosine</i> | 91 |

| | | | |
|-----------------------------------|---------------|--|---------|
| <i>micafungin</i> | 56 | <i>morpheine concentrate</i> | 4 |
| <i>miconazole-3</i> | 57 | MOUNJARO | 50 |
| MICRODOT INSULIN PEN NEEDLE | 142 | MOVANTIK | 175 |
| MICRODOT READYGARD PEN NEEDLE | 142 | <i>moxifloxacin</i> | 16, 169 |
| <i>microgestin 1.5/30 (21)</i> | 106 | <i>moxifloxacin-sod.ace.sul-water</i> | 16 |
| <i>microgestin 1/20 (21)</i> | 106 | <i>moxifloxacin-sod.chloride(iso)</i> | 16 |
| <i>microgestin 24 fe</i> | 106 | MRESVIA (PF) | 194 |
| <i>microgestin fe 1.5/30 (28)</i> | 106 | MULTAQ | 87 |
| <i>microgestin fe 1/20 (28)</i> | 106 | <i>mupirocin</i> | 112 |
| <i>midodrine</i> | 84 | MVASI | 30 |
| MIEBO (PF) | 168 | <i>mycophenolate mofetil</i> | 188 |
| <i>mifepristone</i> | 50 | <i>mycophenolate mofetil (hcl)</i> | 188 |
| <i>mieli</i> | 106 | <i>mycophenolate sodium</i> | 188 |
| <i>mimvey</i> | 179 | <i>mynatal</i> | 212 |
| MINI ULTRA-THIN II | 142 | <i>mynatal advance</i> | 212 |
| <i>minitran</i> | 96 | <i>mynatal plus</i> | 212 |
| <i>minocycline</i> | 17 | <i>mynatal-z</i> | 212 |
| <i>minoxidil</i> | 96 | <i>mynate 90 plus</i> | 212 |
| MIPLYFFA | 167 | MYRBETRIQ | 176 |
| MIRENA | 106 | <i>nabumetone</i> | 6 |
| <i>mirtazapine</i> | 47 | <i>nafcillin</i> | 15 |
| <i>misoprostol</i> | 173 | <i>naloxone</i> | 8 |
| <i>mitoxantrone</i> | 30 | <i>naltrexone</i> | 8 |
| M-M-R II (PF) | 194 | NANO 2ND GEN PEN | |
| <i>m-natal plus</i> | 212 | NEEDLE | 144 |
| <i>modafinil</i> | 210 | <i>naproxen</i> | 6 |
| <i>moexipril</i> | 87 | <i>naratriptan</i> | 59 |
| <i>molindone</i> | 69 | NATACYN | 169 |
| <i>mometasone</i> | 114, 172 | <i>nateglinide</i> | 50 |
| MONOJECT INSULIN SAFETY SYRING | 143 | NATPARA | 199 |
| MONOJECT INSULIN SYRINGE | 142, 143, 144 | NAYZILAM | 41 |
| MONOJECT SYRINGE | 142 | <i>nebivolol</i> | 88 |
| MONOJECT ULTRA COMFORT INSULIN | 160 | <i>nefazodone</i> | 47 |
| <i>mono-linyah</i> | 107 | <i>neomycin</i> | 10 |
| <i>montelukast</i> | 206 | <i>neomycin-bacitracin-poly-hc</i> | 169 |
| <i>morpheine</i> | 4, 5 | <i>neomycin-bacitracin-polymyxin</i> | 169 |
| MORPHINE | 4 | <i>neomycin-polymyxin b-dexameth</i> | 170 |
| | | <i>neomycin-polymyxin-gramicidin</i> | 170 |
| | | <i>neomycin-polymyxin-hc</i> | 170 |
| | | <i>neo-polycin</i> | 170 |
| | | <i>NERLYNX</i> | 30 |
| | | <i>neuac</i> | 112 |
| | | NEULASTA ONPRO | 82 |
| | | <i>nevirapine</i> | 76 |
| | | <i>newgen</i> | 212 |
| | | NEXLETOL | 94 |
| | | NEXLIZET | 94 |
| | | NEXPLANON | 107 |
| | | <i>niacin</i> | 94 |
| | | <i>niacor</i> | 94 |
| | | NICOTROL NS | 8 |
| | | <i>nifedipine</i> | 91, 92 |
| | | NIKTIMVO | 188 |
| | | <i>nilutamide</i> | 30 |
| | | NINLARO | 30 |
| | | <i>nitazoxanide</i> | 62 |
| | | <i>nitisinone</i> | 167 |
| | | <i>nitrofurantoin macrocrystal</i> | 11 |
| | | <i>nitrofurantoin monohyd/m-cryst.</i> | 11 |
| | | <i>nitroglycerin</i> | 96, 201 |
| | | <i>niva-plus</i> | 212 |
| | | NIVESTYM | 82 |
| | | NORDITROPIN FLEXPRO | 182 |
| | | <i>norelgestromin-ethin.estradiol</i> | 107 |
| | | <i>norethindrone (contraceptive)</i> | 107 |
| | | <i>norethindrone acetate</i> | 183 |
| | | <i>norethindrone-e.estradiol-iron</i> | 107 |
| | | <i>norgestimate-ethinyl estradiol</i> | 107 |
| | | <i>norlyda</i> | 107 |
| | | <i>nortrel 1/35 (21)</i> | 107 |
| | | <i>nortrel 1/35 (28)</i> | 107 |
| | | <i>nortrel 7/7/7 (28)</i> | 107 |
| | | <i>nortriptyline</i> | 47, 48 |
| | | NORVIR | 76 |
| | | NOVOFINE 30 | 144 |
| | | NOVOFINE 32 | 144 |
| | | NOVOFINE PLUS | 144 |
| | | NOVOLIN 70/30 U-100 | |
| | | INSULIN | 53 |
| | | NOVOLIN 70-30 FLEXPEN | |
| | | U-100 | 53 |

| | | | | | |
|--|--------|-------------------------------------|-----|---------------------------------------|----------|
| NOVOLIN N FLEXPEN | 53 | OMNIPOD 5 (G6/LIBRE 2 PLUS)..... | 144 | <i>oxcarbazepine</i> | 42 |
| NOVOLIN N NPH U-100 | | OMNIPOD 5 G6-G7 INTRO | | <i>oxybutynin chloride</i> | 176, 177 |
| INSULIN..... | 53 | KT(GEN5)..... | 144 | <i>oxycodone</i> | 5 |
| NOVOLIN R FLEXPEN | 53 | OMNIPOD 5 G6-G7 PODS | | <i>oxycodone-acetaminophen</i> | 5 |
| NOVOLIN R REGULAR U100 | | (GEN 5)..... | 144 | OZEMPIC | 50 |
| INSULIN..... | 54 | OMNIPOD 5 | | <i>pacerone</i> | 87 |
| NOVOTWIST | 144 | INTRO(G6/LIBRE2PLUS)..... | 144 | <i>paclitaxel protein-bound</i> | 31 |
| NUBEQA | 30 | OMNIPOD CLASSIC PDM | | <i>paliperidone</i> | 70 |
| NUCALA | 209 | KIT(GEN 3)..... | 144 | PANRETIN | 112 |
| NULOJIX | 188 | OMNIPOD CLASSIC PODS | | <i>pantoprazole</i> | 173, 174 |
| NUPLAZID | 69 | (GEN 3)..... | 144 | <i>paricalcitol</i> | 199 |
| NURTEC ODT | 59 | OMNIPOD DASH INTRO KIT | | <i>paromomycin</i> | 63 |
| <i>nyamyc</i> | 57 | (GEN 4)..... | 144 | <i>paroxetine hcl</i> | 48 |
| <i>nylie 1/35 (28)</i> | 107 | OMNIPOD DASH PDM KIT | | PAXLOVID | 78 |
| <i>nylie 7/7/7 (28)</i> | 108 | (GEN 4)..... | 145 | <i>pazopanib</i> | 31 |
| <i>nymyo</i> | 108 | OMNIPOD DASH PODS | | PEDIARIX (PF)..... | 194 |
| <i>nystatin</i> | 57 | (GEN 4)..... | 145 | PEDVAX HIB (PF)..... | 194 |
| <i>nystatin-triamcinolone</i> | 57 | ONAPGO | 64 | <i>peg 3350-electrolytes</i> | 175 |
| <i>nystop</i> | 57 | <i>ondansetron</i> | 61 | PEGASYS | 79 |
| NYVEPRIA | 82 | <i>ondansetron hcl</i> | 61 | <i>peg-electrolyte soln</i> | 176 |
| <i>obstetrix dha</i> | 212 | ONTRUZANT | 31 | PEMAZYRE | 31 |
| <i>obstetrix dha prenatal duo</i> | 212 | ONUREG | 31 | <i>pemetrexed disodium</i> | 31, 32 |
| <i>o-cal prenatal</i> | 212 | OPDIVO | 31 | PEMRYDI RTU | 32 |
| OCREVUS | 99 | OPDIVO QVANTIG | 31 | PEN NEEDLE | 145 |
| OCREVUS ZUNOVO | 100 | OPDUALAG | 31 | PEN NEEDLE, DIABETIC | |
| <i>octreotide acetate</i> | 182 | OPIPZA | 70 | 124, 136, 142, 145, 148 | |
| ODEFSEY | 76 | OPSUMIT | 211 | PEN NEEDLE, DIABETIC, | |
| ODOMZO | 30 | ORENCIA | 188 | SAFETY | 149 |
| OFEV | 209 | ORENCIA (WITH MALTOSE) | | PENBRAYA (PF) | 195 |
| <i>ofloxacin</i> | 170 | ORENCIA CLICKJECT | 188 | PENBRAYA MENACWY | |
| OGIVRI | 30 | ORFADIN | 167 | COMPONENT(PF) | 195 |
| OGSIVEO | 30 | ORGOVYX | 182 | PENBRAYA MENB | |
| OJEMDA | 30, 31 | ORLISSA | 182 | COMPONENT (PF) | 195 |
| OJJAARA | 31 | ORKAMBI | 209 | <i>penicillamine</i> | 177 |
| <i>olanzapine</i> | 69 | <i>orquidea</i> | 108 | <i>penicillin g potassium</i> | 15 |
| <i>olmesartan</i> | 85 | ORSERDU | 31 | <i>penicillin g procaine</i> | 15 |
| <i>olmesartanamlodipin-hcthiazid</i> .85 | | <i>oseltamivir</i> | 78 | <i>penicillin v potassium</i> | 15, 16 |
| <i>olmesartan-hydrochlorothiazide</i> 85 | | OTEZLA | 188 | PENENVY MEN A-B-C-W- | |
| <i>olopatadine</i> | 169 | OTEZLA STARTER..... | 188 | Y (PF) | 195 |
| <i>omega-3 acid ethyl esters</i> | 94 | <i>oxandrolone</i> | 178 | PENENVY MENACWY | |
| <i>omeprazole</i> | 173 | | | COMPONENT(PF) | 195 |

| | | |
|--|----------|---|
| PENMENVY MENB | | |
| COMPONENT (PF)..... | 195 | <i>potassium chloride</i>203, 204 |
| PENTACEL (PF)..... | 195 | <i>potassium citrate</i>204 |
| <i>pentamidine</i> | 63 | <i>pr natal 400</i>213 |
| PENTIPS PEN NEEDLE. | 145, 146 | <i>pr natal 400 ec</i>213 |
| <i>pentoxifylline</i> | 83 | <i>pr natal 430</i>213 |
| <i>perampanel</i> | 42 | <i>pr natal 430 ec</i>213 |
| <i>perindopril erbumine</i> | 87 | <i>pramipexole</i>64 |
| <i>periogard</i> | 111 | <i>prasugrel hcl</i>83 |
| <i>permethrin</i> | 115 | <i>pravastatin</i>95 |
| <i>perphenazine</i> | 70 | <i>praziquantel</i>63 |
| <i>perphenazine-amitriptyline</i> | 48 | <i>prazosin</i>84 |
| PERSERIS..... | 70 | <i>prednisolone</i>180 |
| <i>phenelzine</i> | 48 | <i>prednisolone acetate</i>173 |
| <i>phenobarbital</i> | 42 | <i>prednisolone sodium phosphate</i>180 |
| PHENYTEK..... | 42 | <i>prednisone</i>180 |
| <i>phenytoin</i> | 42 | <i>pregabalin</i>42 |
| <i>phenytoin sodium</i> | 42 | PREHEVBARIO (PF).....195 |
| <i>phenytoin sodium extended</i> | 42 | PREMARIN.....179 |
| PIFELTRO..... | 76 | PREMPHASE.....179 |
| <i>pilocarpine hcl</i> | 111, 202 | PREMPRO.....179 |
| <i>pimecrolimus</i> | 114 | <i>prena1 true</i>213 |
| <i>pimozide</i> | 70 | <i>prenaissance</i>213 |
| <i>pimtrea (28)</i> | 108 | <i>prenaissance plus</i>213 |
| <i>pioglitazone</i> | 50 | <i>prenatabs fa</i>213 |
| <i>pioglitazone-metformin</i> | 50, 51 | <i>prenatal 19</i>213 |
| PIP PEN NEEDLE..... | 146 | <i>prenatal 19 (with docusate)</i>213 |
| <i>piperacillin-tazobactam</i> | 16 | <i>prenatal low iron</i>213 |
| PIQRAY..... | 32 | <i>prenatal plus</i>213 |
| <i>pirfenidone</i> | 209 | <i>prenatal plus (calcium carb)</i>212 |
| <i>pirmella</i> | 108 | <i>prenatal vitamin plus low iron.</i> 213 |
| <i>pitavastatin calcium</i> | 95 | <i>prenatal-u</i>213 |
| PLEGRIDY..... | 100 | <i>preplus</i>213 |
| <i>pnv 29-1</i> | 212 | <i>pretab</i>213 |
| <i>pnv-dha + docusate</i> | 212 | <i>prevalite</i>95 |
| <i>pnv-omega</i> | 212 | PREVENT DROPSAFE PEN |
| <i>podofilox</i> | 112 | NEEDLE.....146 |
| <i>polycin</i> | 170 | <i>previfem</i>108 |
| <i>polymyxin b sulf-trimethoprim</i> ..170 | | PREVYMIS.....79 |
| POMALYST..... | 32 | PREZCOBIX.....76 |
| <i>portia 28</i> | 108 | PREZISTA.....76 |
| <i>posaconazole</i> | 57 | PRIFTIN.....60 |
| | | PRIMAQUINE.....63 |
| | | primidone.....42, 43 |
| | | PRIORIX (PF).....195 |
| | | PRO COMFORT ALCOHOL |
| | | PADS.....146 |
| | | PRO COMFORT INSULIN |
| | | SYRINGE.....146 |
| | | PRO COMFORT PEN |
| | | NEEDLE.....147 |
| | | <i>probenecid</i>58 |
| | | <i>probenecid-colchicine</i>58 |
| | | PROCALAMINE 3%.....84 |
| | | <i>prochlorperazine</i>61 |
| | | <i>prochlorperazine edisylate</i> ...61, 70 |
| | | <i>prochlorperazine maleate</i>61 |
| | | <i>procto-med hc</i>115 |
| | | <i>proctosol hc</i>115 |
| | | <i>proctozone-hc</i>115 |
| | | PRODIGY INSULIN |
| | | SYRINGE.....147 |
| | | <i>progesterone micronized</i>183 |
| | | PROGRAF.....189 |
| | | PROLIA.....199 |
| | | <i>promethazine</i>61 |
| | | <i>propafenone</i>87, 88 |
| | | <i>propranolol</i>88, 89 |
| | | <i>propylthiouracil</i>183 |
| | | PROQUAD (PF).....196 |
| | | <i>protriptyline</i>48 |
| | | PULMOZYME.....167 |
| | | PURE COMFORT ALCOHOL |
| | | PADS.....147 |
| | | PURE COMFORT PEN |
| | | NEEDLE.....147 |
| | | PURE COMFORT SAFETY |
| | | PEN NEEDLE.....147 |
| | | <i>pyrazinamide</i>60 |
| | | <i>pyridostigmine bromide</i>201 |
| | | <i>pyrimethamine</i>63 |
| | | QINLOCK.....32 |
| | | QUADRACEL (PF).....196 |
| | | <i>quetiapine</i>70 |

| | | | | |
|--------------------------------------|-----|-------------------------------|-----|--|
| <i>quinapril</i> | 87 | <i>rivaroxaban</i> | 81 | SEMGLEE(INSULIN |
| <i>quinapril-hydrochlorothiazide</i> | 87 | <i>rivastigmine</i> | 45 | GLARGINE-YFGN)..... |
| <i>quinidine sulfate</i> | 88 | <i>rivastigmine tartrate</i> | 45 | 54 |
| <i>quinine sulfate</i> | 63 | <i>rizatriptan</i> | 59 | SEMGLEE(INSULIN GLARG- |
| <i>QULIPTA</i> | 59 | <i>r-natal ob</i> | 213 | YFGN)PEN |
| <i>RABAVERT (PF)</i> | 196 | <i>ROCKLATAN</i> | 202 | 54 |
| <i>rabeprazole</i> | 174 | <i>roflumilast</i> | 209 | <i>se-natal 19 chewable</i> |
| <i>RALDESY</i> | 48 | <i>ROMVIMZA</i> | 33 | 214 |
| <i>raloxifene</i> | 179 | <i>ropinirole</i> | 64 | SEREVENT DISKUS |
| <i>ramipril</i> | 87 | <i>rosadan</i> | 112 | 182 |
| <i>ranolazine</i> | 91 | <i>rosuvastatin</i> | 95 | <i>sertraline</i> |
| <i>rasagiline</i> | 64 | <i>ROTARIX</i> | 196 | 48 |
| <i>RASUVO (PF)</i> | 189 | <i>ROTATEQ VACCINE</i> | 196 | <i>setlakin</i> |
| <i>RAYALDEE</i> | 200 | <i>ROZLYTREK</i> | 33 | 108 |
| <i>reclipsen (28)</i> | 108 | <i>RUBRACA</i> | 33 | <i>sevelamer carbonate</i> |
| <i>RECOMBIVAX HB (PF)</i> | 196 | <i>rufinamide</i> | 43 | 176 |
| <i>RELENZA DISKHALER</i> | 79 | <i>RUKOBIA</i> | 76 | <i>SEZABY</i> |
| <i>repaglinide</i> | 51 | <i>RUXIENCE</i> | 33 | 43 |
| <i>REPATHA PUSHTRONEX</i> | 95 | <i>RYBELSUS</i> | 51 | <i>sf 5000 plus</i> |
| <i>REPATHA SURECLICK</i> | 95 | <i>RYBREVANT</i> | 33 | 111 |
| <i>REPATHA SYRINGE</i> | 95 | <i>RYDAPT</i> | 33 | <i>sharobel</i> |
| <i>RETACRIT</i> | 83 | <i>RYKINDO</i> | 71 | 108 |
| <i>RETEVMO</i> | 32 | <i>RYTELO</i> | 33 | SHINGRIX (PF)..... |
| <i>RETROVIR</i> | 76 | <i>SAFESNAP INSULIN</i> | | 196 |
| <i>REVUFORJ</i> | 32 | <i>SYRINGE</i> | 148 | <i>SIGNIFOR</i> |
| <i>REXULTI</i> | 70 | <i>SAFETY PEN NEEDLE</i> | 149 | 182 |
| <i>REYATAZ</i> | 76 | <i>SANTYL</i> | 112 | <i>sildenafil (pulm.hypertension)</i> .. |
| <i>REZLIDHIA</i> | 32 | <i>sapropterin</i> | 167 | 211 |
| <i>REZUROCK</i> | 189 | <i>SAVELLA</i> | 100 | <i>silver sulfadiazine</i> |
| <i>RHOPRESSA</i> | 202 | <i>SCEMBLIX</i> | 33 | 112 |
| <i>RIABNI</i> | 32 | <i>scopolamine base</i> | 62 | SIMBRINZA |
| <i>ribavirin</i> | 80 | <i>SECUADO</i> | 71 | 203 |
| <i>rifabutin</i> | 60 | <i>SECURESAFE INSULIN</i> | | <i>simliya (28)</i> |
| <i>rifampin</i> | 60 | <i>SYRINGE</i> | 149 | 108 |
| <i>rilpivirine</i> | 76 | <i>SECURESAFE PEN NEEDLE</i> | 149 | 189, 190 |
| <i>riluzole</i> | 100 | <i>SELARSDI</i> | 189 | <i>sodium chloride 0.45 %</i> |
| <i>RINVOQ</i> | 189 | <i>select-ob</i> | 213 | 204 |
| <i>RINVOQ LQ</i> | 189 | <i>select-ob (folic acid)</i> | 214 | <i>sodium chloride 0.9 %</i> |
| <i>risperidone</i> | 71 | <i>selegiline hcl</i> | 64 | 204 |
| <i>risperidone microspheres</i> | 70 | <i>selenium sulfide</i> | 112 | <i>sodium fluoride-pot nitrate</i> |
| <i>ritonavir</i> | 76 | <i>SELZENTRY</i> | 77 | 111 |
| <i>RITUXAN HYCELA</i> | 33 | | | <i>sodium oxybate</i> |
| | | | | 210 |
| | | | | <i>sodium polystyrene sulfonate</i> |
| | | | | 175 |
| | | | | <i>sodium,potassium,mag sulfates</i> |
| | | | | 176 |
| | | | | <i>solifenacin</i> |
| | | | | 177 |
| | | | | <i>SOLIQUA 100/33</i> |
| | | | | 54 |
| | | | | <i>SOLTAMOX</i> |
| | | | | 33 |
| | | | | <i>SOMATULINE DEPOT</i> |
| | | | | 182 |
| | | | | <i>SOMAVERT</i> |
| | | | | 183 |
| | | | | <i>sorafenib</i> |
| | | | | 33 |
| | | | | <i>sorine</i> |
| | | | | 89 |
| | | | | <i>sotalol</i> |
| | | | | 89 |
| | | | | <i>sotalol af</i> |
| | | | | 89 |
| | | | | <i>SPIRIVA RESPIMAT</i> |
| | | | | 207 |

| | | | |
|---------------------------------------|----------|---------------------------------------|----------|
| <i>spironolactone</i> | 92 | SURE-JECT INSULIN | |
| <i>spironolacton-hydrochlorothiaz</i> | 92 | SYRINGE | 151 |
| SPRAVATO | 48 | SURE-PREP ALCOHOL PREP | |
| <i>sprintec (28)</i> | 108 | PADS | 151 |
| SPRITAM | 43 | SUTAB | 176 |
| <i>sps (with sorbitol)</i> | 175 | SYMPAZAN | 43 |
| <i>sronyx</i> | 108 | SYMTUZA | 77 |
| <i>ssd</i> | 112 | SYNJARDY | 51 |
| <i>stavudine</i> | 77 | SYNJARDY XR | 51 |
| STELARA | 190 | SYNRIBO | 34 |
| STERILE PADS | 149 | SYRINGE WITH NEEDLE, | |
| STIOLTO RESPIMAT | 207 | SAFETY | 149 |
| STIVARGA | 34 | TABLOID | 34 |
| STOBOCLO | 200 | TABRECTA | 34 |
| STRENSIQ | 168 | <i>tacrolimus</i> | 115, 190 |
| <i>streptomycin</i> | 10 | <i>tadalafil</i> | 211 |
| STRIBILD | 77 | TAFINLAR | 34 |
| STRIVERDI RESPIMAT | 207 | <i>tafluprost (pf)</i> | 203 |
| <i>subvenite</i> | 43 | TAGRISSO | 34 |
| <i>sucralfate</i> | 174 | TALVEY | 34 |
| <i>sulfacetamide sodium</i> | 170 | TALZENNA | 34 |
| <i>sulfacetamide-prednisolone</i> | 171 | <i>tamoxifen</i> | 34 |
| <i>sulfadiazine</i> | 16 | <i>tamsulosin</i> | 177 |
| <i>sulfamethoxazole-trimethoprim</i> | 16, 17 | <i>tarina 24 fe</i> | 108 |
| <i>sulfasalazine</i> | 199 | <i>tarina fe 1-20 eq (28)</i> | 109 |
| <i>sulindac</i> | 7 | <i>taron-c dha</i> | 214 |
| <i>sumatriptan</i> | 59 | <i>taron-prex prenatal-dha</i> | 214 |
| <i>sumatriptan succinate</i> | 59, 60 | TASIGNA | 34 |
| <i>sunitinib malate</i> | 34 | TAVNEOS | 190 |
| SUNLENCA | 77 | <i>tazarotene</i> | 115 |
| SURE COMFORT ALCOHOL | | <i>tazicef</i> | 13 |
| PREP PADS | 150 | <i>taztia xt</i> | 89 |
| SURE COMFORT INS. SYR. | | TAZVERIK | 34 |
| U-100 | 149 | TDVAX | 196 |
| SURE COMFORT INSULIN | | TECHLITE INSULIN | |
| SYRINGE | 149, 150 | SYRINGE | 152 |
| SURE COMFORT PEN | | TECHLITE INSULN | |
| NEEDLE | 150 | SYR(HALF UNIT) | 151, 152 |
| SURE COMFORT SAFETY | | TECHLITE PEN NEEDLE | 152 |
| PEN NEEDLE | 149 | TECHLITE PLUS PEN | |
| SURE-FINE PEN NEEDLES.. | 151 | NEEDLE | 152 |
| | | TECVAYLI | 34 |
| | | TEFLARO | 13 |
| | | <i>telmisartan</i> | 85 |
| | | <i>telmisartan-hydrochlorothiazid</i> | 86 |
| | | <i>temazepam</i> | 9 |
| | | TEMIXYS | 77 |
| | | TENIVAC (PF) | 197 |
| | | <i>tenofovir disoproxil fumarate</i> | 77 |
| | | TEPMETKO | 34 |
| | | <i>terazosin</i> | 177 |
| | | <i>terbinafine hcl</i> | 57 |
| | | <i>terconazole</i> | 58 |
| | | <i>teriparatide</i> | 200 |
| | | TERUMO INSULIN | |
| | | SYRINGE | 153 |
| | | <i>testosterone</i> | 178 |
| | | <i>testosterone cypionate</i> | 178 |
| | | <i>testosterone enanthate</i> | 178 |
| | | TETANUS,DIPHTHERIA | |
| | | TOX PED(PF) | 197 |
| | | <i>tetrabenazine</i> | 100 |
| | | <i>tetracycline</i> | 18 |
| | | TEVIMBRA | 34 |
| | | THALOMID | 201 |
| | | <i>theophylline</i> | 207, 208 |
| | | THINPRO INSULIN | |
| | | SYRINGE | 153 |
| | | <i>thioridazine</i> | 71 |
| | | <i>thiothixene</i> | 71 |
| | | <i>tiadylt er</i> | 90 |
| | | <i>tiagabine</i> | 43 |
| | | TIBSOVO | 35 |
| | | <i>ticagrelor</i> | 83 |
| | | TICE BCG | 35 |
| | | TICOVAC | 197 |
| | | <i>tigecycline</i> | 18 |
| | | <i>tilia fe</i> | 109 |
| | | <i>timolol</i> | 203 |
| | | <i>timolol maleate</i> | 89, 203 |
| | | <i>tinidazole</i> | 63 |
| | | <i>tiotropium bromide</i> | 208 |
| | | TIVDAK | 35 |
| | | TIVICAY | 77 |

| | | | | | |
|--|----------|---|---------------|-------------------------------|---------------|
| TIVICAY PD | 77 | TRESIBA U-100 INSULIN | 54 | TRUE COMFORT PRO | |
| <i>tizanidine</i> | 210 | <i>tretinoin</i> | 115 | ALCOHOL PADS | 155 |
| TOBI PODHALER..... | 10 | <i>tretinoin (antineoplastic)</i> | 35 | TRUE COMFORT PRO INS | |
| <i>tobramycin</i> | 171 | <i>tri-femynor</i> | 109 | SYRINGE | 154, 155, 156 |
| <i>tobramycin in 0.225 % nacl</i> | 10 | <i>triamcinolone acetonide</i> | 111, 115, 181 | TRUE COMFORT SAFE | |
| <i>tobramycin sulfate</i> | 10 | <i>triamterene-hydrochlorothiazid</i> .93 | 93 | INSULIN SYRG..... | 154, 155, 156 |
| <i>tobramycin-dexamethasone</i> | 171 | <i>triazolam</i> | 9 | TRUE COMFORT SAFETY | |
| <i>tolterodine</i> | 177 | <i>trientine</i> | 177 | PEN NEEDLE | 154 |
| <i>tolvaptan (polycys kidney dis)</i> | 93 | <i>tri-estarrylla</i> | 109 | TRUEPLUS INSULIN | 156, 157 |
| TOPCARE CLICKFINE.. | 153, 154 | <i>trifluoperazine</i> | 71 | TRUEPLUS PEN NEEDLE | 156 |
| TOPCARE ULTRA | | <i>trifluridine</i> | 171 | TRULICITY | 51 |
| COMFORT | 154 | <i>trihexyphenidyl</i> | 64 | TRUMENBA | 197 |
| <i>topiramate</i> | 43 | TRIJARDY XR | 51 | TRUQAP | 35 |
| <i>toposar</i> | 35 | <i>tri-legest fe</i> | 109 | TRUXIMA | 35 |
| <i>toremifene</i> | 35 | <i>tri-linyah</i> | 109 | TUKYSA | 35 |
| <i>torpenz</i> | 35 | <i>tri-lo-estarrylla</i> | 109 | TURALIO | 35 |
| <i>torsemide</i> | 93 | <i>tri-lo-marzia</i> | 109 | <i>turqoz (28)</i> | 110 |
| TOUJEO MAX U-300 | | <i>tri-lo-mili</i> | 109 | TWINRIX (PF) | 197 |
| SOLOSTAR..... | 54 | <i>tri-lo-sprintec</i> | 109 | TYBOST | 201 |
| TOUJEO SOLOSTAR U-300 | | <i>trimethoprim</i> | 11 | TYENNE | 191 |
| INSULIN..... | 54 | <i>tri-mili</i> | 109 | TYENNE AUTOINJECTOR | 191 |
| TRADJENTA..... | 51 | <i>trimipramine</i> | 48 | TYMLOS | 200 |
| <i>tramadol</i> | 5 | TRINTELLIX | 48 | TYPHIM VI | 197 |
| <i>tramadol-acetaminophen</i> | 5 | <i>tri-nymyo</i> | 109 | UBRELVY | 60 |
| <i>trandolapril</i> | 87 | <i>tri-previfem (28)</i> | 109 | ULTICARE | 157, 158 |
| <i>trandolapril-verapamil</i> | 87 | <i>tri-sprintec (28)</i> | 109 | ULTICARE INSULIN | |
| <i>tranexamic acid</i> | 83 | TRIUMEQ | 77 | SYRINGE | 157 |
| <i>tranylcypromine</i> | 48 | TRIUMEQ PD | 77 | ULTICARE INSULN | |
| <i>travoprost</i> | 203 | <i>triveen-duo dha</i> | 214 | SYR(HALF UNIT) | 157 |
| TRAZIMERA | 35 | <i>trivora (28)</i> | 109 | ULTICARE PEN NEEDLE | |
| <i>trazodone</i> | 48 | <i>tri-vylibra</i> | 110 | 157, 158 | |
| TRECATOR..... | 60 | <i>tri-vylibra lo</i> | 109 | ULTICARE SAFETY PEN | |
| TRELEGY ELLIPTA | 208 | TRIZIVIR | 77 | NEEDLE | 158 |
| TRELSTAR | 35 | TROGARZO | 78 | ULTIGUARD SAFEPACK- | |
| TREMFYA | 190 | <i>trospium</i> | 177 | INSULIN SYR | 158, 159 |
| TREMFYA PEN | 190 | TRUE COMFORT ALCOHOL | | ULTIGUARD SAFEPACK- | |
| TREMFYA PEN INDUCTION | | PADS | 155 | PEN NEEDLE | 159 |
| PK-CROHN | 190 | TRUE COMFORT INSULIN | | ULTILET ALCOHOL SWAB | 159 |
| TRESIBA FLEXTOUCH U-100 | 54 | SYRINGE | 154 | ULTILET INSULIN SYRINGE | 138, 159, 160 |
| TRESIBA FLEXTOUCH U-200 | 54 | TRUE COMFORT PEN | | ULTILET PEN NEEDLE | 160 |
| | | NEEDLE | 155 | | |

| | |
|---|--------------------|
| ULTRA CMFT INS SYR | |
| (HALF UNIT)..... | 135, 149 |
| ULTRA COMFORT INSULIN | |
| SYRINGE..... | 129, 135, 136, 160 |
| ULTRA FLO INSUL | |
| SYR(HALF UNIT)..... | 160 |
| ULTRA FLO INSULIN | |
| SYRINGE..... | 161 |
| ULTRA FLO PEN NEEDLE | |
| | 160, 161 |
| ULTRA THIN PEN NEEDLE. | 161 |
| ULTRACARE INSULIN | |
| SYRINGE..... | 161, 162 |
| ULTRACARE PEN NEEDLE. | 162 |
| ULTRA-FINE INS SYR | |
| (HALF UNIT)..... | 162 |
| ULTRA-FINE INSULIN | |
| SYRINGE..... | 162, 163 |
| ULTRA-FINE PEN NEEDLE.. | 162 |
| ULTRA-THIN II (SHORT) | |
| INS SYR..... | 163 |
| ULTRA-THIN II (SHORT) | |
| PEN NDL..... | 163 |
| ULTRA-THIN II INS PEN | |
| NEEDLES..... | 163 |
| ULTRA-THIN II INSULIN | |
| SYRINGE..... | 163 |
| UNIFINE OTC PEN NEEDLE | 163 |
| UNIFINE PEN NEEDLE..... | 163 |
| UNIFINE PENTIPS. | 145, 163, 164 |
| UNIFINE PENTIPS | |
| MAXFLOW..... | 164 |
| UNIFINE PENTIPS PLUS..... | 164 |
| UNIFINE PENTIPS PLUS | |
| MAXFLOW..... | 164 |
| UNIFINE PROTECT..... | 165 |
| UNIFINE SAFECONTROL | |
| PEN NEEDLE..... | 165 |
| UNIFINE ULTRA PEN | |
| NEEDLE..... | 165 |
| UPTRAVI..... | 211 |
| <i>ursodiol</i> | 175 |
| UZEDY | 71, 72 |
| <i>valacyclovir</i> | 80 |
| VALCHLOR..... | 112 |
| <i>valganciclovir</i> | 80 |
| <i>valproate sodium</i> | 43 |
| <i>valproic acid</i> | 43 |
| <i>valproic acid (as sodium salt)</i> | 43 |
| <i>valsartan</i> | 86 |
| <i>valsartan-hydrochlorothiazide</i> ... | 86 |
| VALTOCO..... | 44 |
| <i>valtya</i> | 110 |
| <i>vancomycin</i> | 11 |
| VANFLYTA..... | 36 |
| VANISHPOINT INSULIN | |
| SYRINGE..... | 165 |
| VANISHPOINT SYRINGE | |
| | 165, 166 |
| VAQTA (PF)..... | 197 |
| <i>varenicline tartrate</i> | 8 |
| VARIVAX (PF)..... | 198 |
| VAXCHORA VACCINE..... | 198 |
| VEGZELMA..... | 36 |
| VELTASSA..... | 175 |
| VEMLIDY | 78 |
| VENCLEXTA..... | 36 |
| VENCLEXTA STARTING | |
| PACK..... | 36 |
| <i>venlafaxine</i> | 48, 49 |
| VEOZAH..... | 201 |
| <i>verapamil</i> | 90 |
| VERIFINE INSULIN | |
| SYRINGE..... | 166, 167 |
| VERIFINE PEN NEEDLE..... | 166 |
| VERIFINE PLUS PEN | |
| NEEDLE..... | 166 |
| VERIFINE PLUS PEN | |
| NEEDLE-SHARP | 166 |
| VERQUVO..... | 91 |
| VERSACLOZ..... | 72 |
| VERSALON..... | 167 |
| VERZENIO..... | 36 |
| V-GO 20..... | 167 |
| V-GO 30..... | 167 |
| V-GO 40..... | 167 |
| <i>vienna</i> | 110 |
| <i>vigabatrin</i> | 44 |
| <i>vigadron</i> | 44 |
| <i>vigpoder</i> | 44 |
| <i>vilazodone</i> | 49 |
| VIMKUNYA..... | 198 |
| <i>vinorelbine</i> | 36 |
| <i>viorele (28)</i> | 110 |
| VIRACEPT..... | 78 |
| VIREAD..... | 78 |
| <i>virt-c dha</i> | 214 |
| <i>virt-nate dha</i> | 214 |
| <i>virt-pn dha</i> | 214 |
| <i>virt-pn plus</i> | 214 |
| <i>vitafol gummies</i> | 214 |
| <i>vitafol nano</i> | 214 |
| <i>vitafol-ob+dha</i> | 214 |
| VITRAKVI..... | 36 |
| VIVIMUSTA..... | 36 |
| VIVOTIF..... | 198 |
| VIZIMPRO..... | 36 |
| VOCABRIA..... | 78 |
| <i>volnea (28)</i> | 110 |
| VONJO..... | 36 |
| VORANIGO..... | 36 |
| <i>voriconazole</i> | 57 |
| VOSEVI..... | 79 |
| VOWST..... | 201 |
| <i>vp-ch-pnv</i> | 214 |
| <i>vp-pnv-dha</i> | 214 |
| VRAYLAR..... | 72 |
| VUMERTY..... | 100 |
| VYALEV..... | 64 |
| <i>vylibra</i> | 110 |
| VYLOY..... | 36 |
| VYZULTA..... | 203 |
| <i>warfarin</i> | 81 |
| WEBCOL..... | 167 |
| WELIREG..... | 37 |
| WINREVAIR..... | 209 |

| | | | |
|------------------------------|----------|-----------------------------|-----|
| <i>wixela inh</i> | 206 | ZEGALOGUE | |
| XALKORI | 37 | AUTOINJECTOR | 201 |
| <i>xarah fe</i> | 110 | ZEGALOGUE SYRINGE | 201 |
| XARELTO | 81, 82 | ZEJULA | 38 |
| XARELTO DVT-PE TREAT | | ZELBORAF | 38 |
| 30D START | 81 | <i>zenatane</i> | 112 |
| XATMEP | 37 | ZENPEP | 168 |
| XCOPRI | 44 | <i>zidovudine</i> | 78 |
| XCOPRI MAINTENANCE | | ZIIHERA | 38 |
| PACK | 44 | <i>zingiber</i> | 214 |
| XCOPRI TITRATION PACK | 44 | <i>ziprasidone hcl</i> | 72 |
| XDEMVY | 171 | <i>ziprasidone mesylate</i> | 72 |
| XELJANZ | 191 | ZIRABEV | 38 |
| XELJANZ XR | 191 | ZIRGAN | 171 |
| XERMELO | 175 | ZOLADEX | 38 |
| XGEVA | 200 | ZOLINZA | 38 |
| XIFAXAN | 11 | <i>zolpidem</i> | 210 |
| XIGDUO XR | 51, 52 | ZONISADE | 44 |
| XiIDRA | 173 | <i>zonisamide</i> | 44 |
| XOLAIR | 209, 210 | <i>zovia 1/35e (28)</i> | 110 |
| XOSPATA | 37 | <i>zovia 1-35 (28)</i> | 110 |
| XPOVIO | 37 | ZTALMY | 45 |
| XTANDI | 37 | ZTLIDO | 7 |
| <i>xulane</i> | 110 | ZURZUVAE | 49 |
| XULTOPHY 100/3.6 | 54 | ZYDELIG | 38 |
| XYOSTED | 178 | ZYKADIA | 38 |
| YERVOY | 38 | ZYLET | 171 |
| YESINTEK | 191 | ZYNLONTA | 38 |
| YF-VAX (PF) | 198 | ZYNYZ | 38 |
| YONSA | 38 | ZYPREXA RELPREVV | 72 |
| YUFLYMA(CF) | 191 | | |
| YUFLYMA(CF) AI CROHN'S-UC-HS | 191 | | |
| YUFLYMA(CF) | | | |
| AUTOINJECTOR | 191 | | |
| <i>yuvafem</i> | 179 | | |
| <i>zafemy</i> | 110 | | |
| <i>zafirlukast</i> | 206 | | |
| <i>zaleplon</i> | 210 | | |
| <i>zatean-pn dha</i> | 214 | | |
| <i>zatean-pn plus</i> | 214 | | |